
International
Energy Agency
iea
REDRAWING
THE
ENERGY-CLIMATE
MAP
World Energy Outlook Special Report

REDRAWING THE ENERGY-CLIMATE MAP

World Energy Outlook Special Report

Governments have decided collectively that the world needs to limit the average global temperature increase to no more than 2 °C and international negotiations are engaged to that end. Yet any resulting agreement will not emerge before 2015 and new legal obligations will not begin before 2020. Meanwhile, despite many countries taking new actions, the world is drifting further and further from the track it needs to follow.

The energy sector is the single largest source of climate-changing greenhouse-gas emissions and limiting these is an essential focus of action. The *World Energy Outlook* has published detailed analysis of the energy contribution to climate change for many years. But, amid major international economic preoccupations, there are worrying signs that the issue of climate change has slipped down the policy agenda. This Special Report seeks to bring it right back on top by showing that the dilemma can be tackled at no net economic cost.

The report:

- Maps out the current status and expectations of global climate and energy policy – what is happening and what (more) is needed?
- Sets out four specific measures for the energy sector that can be quickly and effectively implemented, at no net economic cost, to help keep the 2 °C target alive while international negotiations continue.
- Indicates elements of action to achieve further reductions, after 2020.
- Demonstrates that the energy sector, in its own interest, needs to address now the risks implicit in climate change – whether they be the physical impacts of climate change or the consequences of more drastic action later by governments as the need to curb emissions becomes imperative.

For more information, and the free download of this report, please visit:
www.worldenergyoutlook.org/energyclimatemap

International Energy Agency

REDRAWING THE ENERGY-CLIMATE MAP

World Energy Outlook Special Report

10 June 2013

INTERNATIONAL ENERGY AGENCY

The International Energy Agency (IEA), an autonomous agency, was established in November 1974. Its primary mandate was – and is – two-fold: to promote energy security amongst its member countries through collective response to physical disruptions in oil supply, and provide authoritative research and analysis on ways to ensure reliable, affordable and clean energy for its 28 member countries and beyond. The IEA carries out a comprehensive programme of energy co-operation among its member countries, each of which is obliged to hold oil stocks equivalent to 90 days of its net imports. The Agency's aims include the following objectives:

- Secure member countries' access to reliable and ample supplies of all forms of energy; in particular, through maintaining effective emergency response capabilities in case of oil supply disruptions.
- Promote sustainable energy policies that spur economic growth and environmental protection in a global context – particularly in terms of reducing greenhouse-gas emissions that contribute to climate change.
- Improve transparency of international markets through collection and analysis of energy data.
- Support global collaboration on energy technology to secure future energy supplies and mitigate their environmental impact, including through improved energy efficiency and development and deployment of low-carbon technologies.
- Find solutions to global energy challenges through engagement and dialogue with non-member countries, industry, international organisations and other stakeholders.

IEA member countries:

Australia
Austria
Belgium
Canada
Czech Republic
Denmark
Finland
France
Germany
Greece
Hungary
Ireland
Italy
Japan
Korea (Republic of)
Luxembourg
Netherlands
New Zealand
Norway
Poland
Portugal
Slovak Republic
Spain
Sweden
Switzerland
Turkey
United Kingdom
United States

The European Commission also participates in the work of the IEA.

International Energy Agency

International Energy Agency
9 rue de la Fédération
75739 Paris Cedex 15, France

www.iea.org

This report was prepared by the Directorate of Global Energy Economics (GEE) of the International Energy Agency (IEA). It was designed and directed by **Fatih Birol**, Chief Economist of the IEA. The analysis was co-ordinated by **Laura Cozzi** and **Timur Gül**. Principal contributors to this report were **Dan Dorner** and **Marco Baroni**, **Chris Besson**, **Christina Hood** (Climate Change Unit), **Fabian Kęsicki**, **Paweł Olejarnik**, **Johannes Trueby**, **Kees van Noort**, **Brent Wanner** and **David Wilkinson**. Other contributors included **Amos Bromhead**, **Matthew Frank**, **Tim Gould**, **Soo-il Kim**, **Atsuhito Kurozumi**, **Jung Woo Lee**, **Chiara Marricchi**, **Katrin Schaber** and **Shuwei Zhang**. **Sandra Mooney** and **Magdalena Sanocka** provided essential support.

Robert Priddle carried editorial responsibility.

Experts from the OECD also contributed to the report, particularly Jean Chateau and Bertrand Magné. The report benefited from valuable inputs, comments and feedback from other experts within the IEA, including Laszlo Varro, Paolo Frankl, Wolf Heidug, Sean McCoy, Juho Lipponen, Araceli Fernandez Palez, Yamina Saheb and Markus Wrake. Thanks also go to the IEA's Communication and Information Office for their help in producing the report, to Debra Justus for proofreading the text, and to Bertrand Sadin and Anne Mayne for graphics.

We appreciate the support and co-operation provided by organisations and individuals including Sir Brian Hoskins and his team in the Grantham Institute for Climate Change at Imperial College London, Matthias Büchner and Katja Frieler of the Potsdam Institute for Climate Impact Research, Philip Holden and Neil Edwards of the Open University, Ernst Rauch of Munich Re, Sophie Bonnard of the United Nations Environment Programme and Detlef Peter van Vuuren of the Netherlands Environmental Assessment Agency. Special thanks also go to Nathaniel Keohane of the Environmental Defense Fund and Marie Venner of Venner Consulting.

A high-level workshop organised by the IEA was held on 8 March 2013 in Paris to gather essential input to this study. The workshop participants have contributed valuable new insights, feedback and data for this analysis. More details may be found at *www.worldenergyoutlook.org/aboutweo/workshops*.

Many experts from outside of the IEA provided input, commented on the underlying analytical work and reviewed the report. Their comments and suggestions were of great value. They include:

Richard Baron	OECD
Lisa Barrett	Foreign and Commonwealth Office, United Kingdom
Igor Bashmakov	CENEf, Russia
Laura Bates	Department of Energy and Climate Change, United Kingdom

Olle Björk	Ministry of Finance, Sweden
Kornelis Blok	Ecofys
Jason E. Bordoff	Columbia University, United States
Eric Borremans	BNP Paribas Investment Partners
David Brayshaw	University of Reading, United Kingdom
Anna Broadhurst	Ministry of Foreign Affairs and Trade, New Zealand
Carey Bylin	US Environmental Protection Agency
Ben Caldecott	Smith School of Enterprise and the Environment, University of Oxford
Patrik Carlén	Vattenfall
Richenda Connell	Acclimatise
Yvo de Boer	KPMG
Jos Delbeke	Directorate General for Climate Action, European Commission
Philippe Desfosses	Retraite Additionnelle de la Fonction Publique, France
Bo Diczfalusy	Ministry of Enterprise, Energy and Communications, Sweden
Loic Douillet	Alstom
Ottmar Edenhofer	Potsdam Institute for Climate Impact Research
Dolf Gielen	International Renewable Energy Agency
Judi Greenwald	Centre for Climate and Energy Solutions, United States
Leigh Hackett	Alstom
David Hawkins	Natural Resources Defense Council, United States
David Hone	Shell
Esa Hyvärinen	Fortum
Vijay Iyer	World Bank
Kejun Jiang	Energy Research Institute, China
Haroon Khesghi	ExxonMobil
Hans Jørgen Koch	Energy Agency, Ministry of Climate, Energy and Building, Denmark
Akihiro Kuroki	The Institute of Energy Economics, Japan
Sarah Ladislaw	Center for Strategic and International Studies, United States
James Leaton	Carbon Tracker
Hoesung Lee	Korea University Graduate School of Energy and Environment
Mark Lewis	Deutsche Bank
Surabi Menon	ClimateWorks Foundation
Alan Miller	International Finance Corporation
Stephanie Miller	International Finance Corporation
Vincent Minier	Schneider Electric

Giuseppe Montesano	ENEL
Claude Nahon	EDF
Kazushige Nobutani	Ministry of Economy, Trade and Industry, Japan
Patrick Oliva	Michelin
Simon-Erik Ollus	Fortum
Henri Paillere	Nuclear Energy Agency
Lindene E. Patton	Zurich Insurance Group
Stephanie Pfeifer	Institutional Investors Group on Climate Change
Volkmar Pflug	Siemens
Antonio Pflüger	Federal Ministry of Economics and Technology, Germany
Mark Radka	United Nations Environment Programme
Teresa Ribera	ISOFOTON
Nick Robins	HSBC
Jürgen Rosenow	E.ON
Stéphanie Saunier	Carbon Limits
Kristin Seyboth	Intergovernmental Panel on Climate Change
Stephan Singer	WWF International
Przemysław Sobański	Ministry of the Environment, Poland
Leena Srivastava	The Energy and Resources Institute, India
Andrew Steer	World Resources Institute
Nicholas Stern	London School of Economics
Karen Sund	SUND Energy
Josué Tanaka	European Bank for Reconstruction and Development
Jo Tyndall	Ministry of Foreign Affairs and Trade, New Zealand
Oras Tynkkynen	Parliament of Finland
Stefaan Vergote	Directorate General for Climate Action, European Commission
Paul Watkinson	Ministry of Ecology and Sustainable Development, France
Melissa Weitz	Environmental Protection Agency, United States
Mechthild Wörsdörfer	Directorate General for Energy, European Commission
Ji Zou	National Center for Climate Change Strategy and International Cooperation, China

The individuals and organisations that contributed to this study are not responsible for any opinions or judgements it contains. All errors and omissions are solely the responsibility of the IEA.

This publication has been produced under the authority of the Executive Director of the International Energy Agency.

Comments and questions are welcome and should be addressed to:

Dr. Fatih Birol
Chief Economist
Director, Directorate of Global Energy Economics
International Energy Agency
9, rue de la Fédération
75739 Paris Cedex 15
France

Telephone: (33-1) 4057 6670
Email: weo@iea.org

More information about the *World Energy Outlook* is available at *www.worldenergyoutlook.org*.

Table of Contents

The world is not on track to meet the target agreed by governments to limit the long-term rise in the average global temperature to 2 degrees Celsius (°C). Global greenhouse-gas emissions are increasing rapidly and, in May 2013, carbon-dioxide (CO_2) levels in the atmosphere exceeded 400 parts per million for the first time in several hundred millennia. The weight of scientific analysis tells us that our climate is already changing and that we should expect extreme weather events (such as storms, floods and heat waves) to become more frequent and intense, as well as increasing global temperatures and rising sea levels. Policies that have been implemented, or are now being pursued, suggest that the long-term average temperature increase is more likely to be between 3.6 °C and 5.3 °C (compared with pre-industrial levels), with most of the increase occurring this century. While global action is not yet sufficient to limit the global temperature rise to 2 °C, this target still remains technically feasible, though extremely challenging. To keep open a realistic chance of meeting the 2 °C target, intensive action is required before 2020, the date by which a new international climate agreement is due to come into force. Energy is at the heart of this challenge: the energy sector accounts for around two-thirds of greenhouse-gas emissions, as more than 80% of global energy consumption is based on fossil fuels.

The energy sector is key to limiting climate change

Despite positive developments in some countries, global energy-related CO_2 emissions increased by 1.4% to reach 31.6 gigatonnes (Gt) in 2012, a historic high. Non-OECD countries now account for 60% of global emissions, up from 45% in 2000. In 2012, China made the largest contribution to the increase in global CO_2 emissions, but its growth was one of the lowest it has seen in a decade, driven largely by the deployment of renewables and a significant improvement in the energy intensity of its economy. In the United States, a switch from coal to gas in power generation helped reduce emissions by 200 million tonnes (Mt), bringing them back to the level of the mid-1990s. However, the encouraging trends in China and the United States could well both be reversed. Despite an increase in coal use, emissions in Europe declined by 50 Mt as a result of economic contraction, growth in renewables and a cap on emissions from the industry and power sectors. Emissions in Japan increased by 70 Mt, as efforts to improve energy efficiency did not fully offset the use of fossil fuels to compensate for a reduction in nuclear power. Even after allowing for policies now being pursued, global energy-related greenhouse-gas emissions in 2020 are projected to be nearly 4 Gt CO_2-equivalent (CO_2-eq) higher than a level consistent with attaining the 2 °C target, highlighting the scale of the challenge still to be tackled just in this decade.

Four energy policies can keep the 2 °C target alive

We present our 4-for-2 °C Scenario, in which we propose the implementation of four policy measures that can help keep the door open to the 2 °C target through to 2020 at no net economic cost. Relative to the level otherwise expected, these policies would reduce greenhouse-gas emissions by 3.1 Gt CO_2-eq in 2020 – 80% of the emissions reduction

required under a 2 °C trajectory. This would buy precious time while international climate negotiations continue towards the important Conference of the Parties meeting in Paris in 2015 and the national policies necessary to implement an expected international agreement are put in place. The policies in the 4-for-2 °C Scenario have been selected because they meet key criteria: they can deliver significant reductions in energy-sector emissions by 2020 (as a bridge to further action); they rely only on existing technologies; they have already been adopted and proven in several countries; and, taken together, their widespread adoption would not harm economic growth in any country or region. The four policies are:

- Adopting specific energy efficiency measures (49% of the emissions savings).
- Limiting the construction and use of the least-efficient coal-fired power plants (21%).
- Minimising methane (CH_4) emissions from upstream oil and gas production (18%).
- Accelerating the (partial) phase-out of subsidies to fossil-fuel consumption (12%).

Targeted energy efficiency measures would reduce global energy-related emissions by 1.5 Gt in 2020, a level close to that of Russia today. These policies include: energy performance standards in buildings for lighting, new appliances, and for new heating and cooling equipment; in industry for motor systems; and, in transport for road vehicles. Around 60% of the global savings in emissions are from the buildings sector. In countries where these efficiency policies already exist, such as the European Union, Japan, the United States and China, they need to be strengthened or extended. Other countries need to introduce such policies. All countries will need to take supporting actions to overcome the barriers to effective implementation. The additional global investment required would reach $200 billion in 2020, but would be more than offset by reduced spending on fuel bills.

Ensuring that new subcritical coal-fired plants are no longer built, and limiting the use of the least efficient existing ones, would reduce emissions by 640 Mt in 2020 and also help efforts to curb local air pollution. Globally, the use of such plants would be one-quarter lower than would otherwise be expected in 2020. The share of power generation from renewables increases (from around 20% today to 27% in 2020), as does that from natural gas. Policies to reduce the role of inefficient coal power plants, such as emissions and air pollution standards and carbon prices, already exist in many countries. In our 4-for-2 °C Scenario, the largest emissions savings occur in China, the United States and India, all of which have a large coal-powered fleet.

Methane releases into the atmosphere from the upstream oil and gas industry would be almost halved in 2020, compared with levels otherwise expected. Around 1.1 Gt CO_2-eq of methane, a potent greenhouse-gas, was released in 2010 by the upstream oil and gas industry. These releases, through venting and flaring, are equivalent to twice the total natural gas production of Nigeria. Reducing such releases into the atmosphere represents an effective complementary strategy to the reduction of CO_2 emissions. The necessary technologies are readily available, at relatively low cost, and policies are being adopted in some countries, such as the performance standards in the United States. The largest reductions achieved in the 4-for-2 °C Scenario are in Russia, the Middle East, the United States and Africa.

Accelerated action towards a partial phase-out of fossil-fuel subsidies would reduce CO_2 emissions by 360 Mt in 2020 and enable energy efficiency policies. Fossil-fuel subsidies amounted to $523 billion in 2011, around six times the level of support to renewable energy. Currently, 15% of global CO_2 emissions receive an incentive of $110 per tonne in the form of fossil-fuel subsidies while only 8% are subject to a carbon price. Growing budget pressures strengthen the case for fossil-fuel subsidy reform in many importing and exporting countries and political support has been building in recent years. G20 and Asia-Pacific Economic Cooperation (APEC) member countries have committed to phase out inefficient fossil-fuel subsidies and many are moving ahead with implementation.

Adaptation to the effects of climate change is necessary

The energy sector is not immune from the physical impacts of climate change and must adapt. In mapping energy system vulnerabilities, we identify sudden and destructive impacts (caused by extreme weather events) that pose risks to power plants and grids, oil and gas installations, wind farms and other infrastructure. Other impacts are more gradual, such as changes to heating and cooling demand, sea level rise on coastal infrastructure, shifting weather patterns on hydropower and water scarcity on power plants. Disruptions to the energy system can also have significant knock-on effects on other critical services. To improve the climate resilience of the energy system, governments need to design and implement frameworks that encourage prudent adaptation, while the private sector should assess the risks and impacts as part of its investment decisions.

Anticipating climate policy can be a source of competitive advantage

The financial implications of stronger climate policies are not uniform across the energy industry and corporate strategy will need to adjust accordingly. Under a 2 °C trajectory, net revenues for existing nuclear and renewables-based power plants would be boosted by $1.8 trillion (in year-2011 dollars) through to 2035, while the revenues from existing coal-fired plants would decline by a similar level. Of new fossil-fuelled plants, 8% are retired before their investment is fully recovered. Almost 30% of new fossil-fuelled plants are fitted (or retro-fitted) with CCS, which acts as an asset protection strategy and enables more fossil fuel to be commercialised. A delay in CCS deployment would increase the cost of power sector decarbonisation by $1 trillion and result in lost revenues for fossil fuel producers, particularly coal operators. Even under a 2 °C trajectory, no oil or gas field currently in production would need to shut down prematurely. Some fields yet to start production are not developed before 2035, meaning that around 5% to 6% of proven oil and gas reserves do not start to recover their exploration costs in this timeframe.

Delaying stronger climate action to 2020 would come at a cost: $1.5 trillion in low-carbon investments are avoided before 2020, but $5 trillion in additional investments would be required thereafter to get back on track. Delaying further action, even to the end of the current decade, would therefore result in substantial additional costs in the

energy sector and increase the risk that the use of energy assets is halted before the end of their economic life. The strong growth in energy demand expected in developing countries means that they stand to gain the most from investing early in low-carbon and more efficient infrastructure, as it reduces the risk of premature retirements or retrofits of carbon-intensive assets later on.

Climate and energy trends

Measuring the challenge

Highlights

- There is a growing disconnect between the trajectory that the world is on and one that is consistent with a 2 °C climate goal – the objective that governments have adopted. Average global temperatures have already increased by 0.8 °C compared with pre-industrial levels and, without further climate action, our projections are compatible with an additional increase in long-term temperature of 2.8 °C to 4.5 °C, with most of the increase occurring this century.

- Energy-related CO_2 emissions reached 31.6 Gt in 2012, an increase of 0.4 Gt (or 1.4%) over their 2011 level, confirming rising trends. The global increase masks diverse regional trends, with positive developments in the two-largest emitters, China and the United States. US emissions declined by 200 Mt, mostly due to low gas prices brought about by shale gas development that triggered a switch from coal to gas in the power sector. China's emissions in 2012 grew by one of the smallest amounts in a decade (300 Mt), as almost all of the 5.2% growth in electricity was generated using low-carbon technologies – mostly hydro – and declining energy intensity moderated growth in energy demand. Despite an increase in coal use, emissions in Europe declined (-50 Mt) due to economic contraction, growth in renewables and a cap on emissions from the industry and power sectors. OECD countries now account for around 40% of global emissions, down from 55% in 2000.

- International climate negotiations have resulted in a commitment to reach a new global agreement by 2015, to come into force by 2020. But the economic crisis has had a negative impact on the pace of clean energy deployment and on carbon markets. Currently, 8% of global CO_2 emissions are subject to a carbon price, while 15% receive an incentive of $110 per tonne in the form of fossil-fuel subsidies. Price dynamics between gas and coal are supporting emissions reductions in some regions, but are slowing them in others, while nuclear is facing difficulties and large-scale carbon capture and storage remains distant. Despite growing momentum to improve energy efficiency, there remains vast potential that could be tapped economically. Non-hydro renewables, supported by targeted government policies, are enjoying double-digit growth.

- Despite the insufficiency of global action to date, limiting the global temperature rise to 2 °C remains still technically feasible, though it is extremely challenging. To achieve our 450 Scenario, which is consistent with a 50% chance of keeping to 2 °C, the growth in global energy-related CO_2 emissions needs to halt and start to reverse within the current decade. Clear political resolution, backed by suitable policies and financial frameworks, is needed to facilitate the necessary investment in low-carbon energy supply and in energy efficiency.

Introduction

Climate change is a defining challenge of our time. The scientific evidence of its occurrence, its derivation from human activities and its potentially devastating effects accumulate. Sea levels have risen by 15-20 centimetres, on average, over the last century and this increase has accelerated over the last decade (Meyssignac and Cazenave, 2012). Oceans are warming and becoming more acidic, and the rate of ice-sheet loss is increasing. The Arctic provides a particularly clear illustration, with the area of ice covering the Arctic Ocean in the summer diminishing by half over the last 30 years to a record low level in 2012. There has also been an increase in the frequency and intensity of heat waves, resulting in more of the world being affected by droughts, harming agricultural production (Hansen, Sato and Ruedy, 2012).

Global awareness of the phenomenon of climate change is increasing and political action is underway to try and tackle the underlying causes, both at national and international levels. Governments agreed at the United Nations Framework Convention on Climate Change (UNFCCC) Conference of the Parties in Cancun, Mexico in 2010 (COP-16) that the average global temperature increase, compared with pre-industrial levels, must be held below 2 degrees Celsius (°C), and that this means greenhouse-gas emissions must be reduced. A deadline was set at COP-18 in Doha, Qatar in 2012 for agreeing and enacting a new global climate agreement to come into effect in 2020. But although overcoming the challenge of climate change will be a long-term endeavour, urgent action is also required, well before 2020, in order to keep open a realistic opportunity for an efficient and effective international agreement from that date.

There is broad international acceptance that stabilising the atmospheric concentration of greenhouse gases at below 450 parts per million (ppm) of carbon-dioxide equivalent (CO_2-eq) is consistent with a near 50% chance of achieving the 2 °C target, and that this would help avoid the worst impacts of climate change. Some analysis finds, however, that the risks previously believed to be associated with an increase of around 4 °C in global temperatures are now associated with a rise of a little over 2 °C, while the risks previously associated with 2 °C are now thought to occur with only a 1 °C rise (Smith, *et al.*, 2009). Other analysis finds that 2 °C warming represents a threshold for some climate feedbacks that could significantly add to global warming (Lenton, *et al.*, 2008). The UNFCCC negotiations took these scientific developments into account in the Cancun decisions, which include an agreement to review whether the maximum acceptable temperature increase needs to be further reduced, including consideration of a global average temperature rise of 1.5 °C.

Global greenhouse-gas emissions continue to increase at a rapid pace. The 450 ppm threshold is drawing ever closer (Figure 1.1). Carbon-dioxide (CO_2) levels in the atmosphere reached 400 ppm in May 2013, having jumped by 2.7 ppm in 2012 – the second-highest

rise since record keeping began (Tans and Keeling, 2013).[1] Average global temperatures have already increased by around 0.8 °C, compared with pre-industrial levels, and, without additional action, a further increase in long-term temperature of 2.8 °C to 4.5 °C appears to be in prospect, with most of the increase occurring this century.[2]

Figure 1.1 ▷ World atmospheric concentration of CO_2 and average global temperature change



Note: The temperature refers to the NASA Global Land-Ocean Temperature Index in degrees Celsius, base period: 1951-1980. The resulting temperature change is lower than the one compared with pre-industrial levels.

Sources: Temperature data are from NASA (2013); CO_2 concentration data from NOAA Earth System Research Laboratory.

The energy sector and climate change

The energy sector is by far the largest source of greenhouse-gas emissions, accounting for more than two-thirds of the total in 2010 (around 90% of energy-related greenhouse-gas emissions are CO_2 and around 9% are methane [CH_4], which is generally treated, in this analysis, in terms of its CO_2 equivalent effect). The energy sector is the second-largest source of CH_4 emissions after agriculture and we have estimated total energy-related CH_4 emissions to be 3.1 gigatonnes (Gt) of carbon-dioxide equivalent (CO_2-eq) in 2010 (around 40% of total CH_4 emissions). Accordingly, energy has a crucial role to play in tackling climate change. Yet global energy consumption continues to increase, led by fossil fuels, which account for over 80% of global energy consumed, a share that has been increasing gradually since the mid-1990s.

1. The concentration of greenhouse gases measured under the Kyoto Protocol was 444 ppm CO_2-eq in 2010 and the concentration of all greenhouse gases, including cooling aerosols, was 403 ppm CO_2-eq (EEA, 2013).

2. The higher increase in temperature is consistent with a scenario with no further climate action and the lower with a scenario that takes cautious implementation of current climate pledges and energy policies under discussion, the New Policies Scenario. Greenhouse-gas concentration is calculated using MAGICC version 5.3v2 (UCAR, 2008) and temperature increase is derived from Rogelj, Meinhausen and Knutti (2012).

Carbon pricing is gradually becoming established, and yet the world's largest carbon market, the EU Emissions Trading System (ETS), has seen prices remain at very low levels, and consumption of coal, the most carbon-intensive fossil fuel, continues to increase globally. Some countries are reducing the role of nuclear in their energy mix and developing strategies to compensate for it, including with increased energy efficiency. Renewables have experienced strong growth and have established themselves as a vital part of the global energy mix but, in many cases, they still require economic incentives and appropriate long-term regulatory support to compete effectively with fossil fuels. Action to improve energy efficiency is increasing, but two-thirds of the potential remains untapped (IEA, 2012a). It is, accordingly, evident that if the energy sector is to play an important part in attaining the internationally adopted target to limit average global temperature increase, a transformation will be required in the relationship between economic development, energy consumption and greenhouse-gas emissions. Is such a transition feasible? Analyses conclude that, though extremely challenging, it is feasible (IEA 2012a; OECD 2012).

Our 450 Scenario, which shows what is needed to set the global energy sector on a course compatible with a near 50% chance of limiting the long-term increase in average global temperature to 2 °C, suggests one pathway. Achieving the target will require determined political commitment to fundamental change in our approach to producing and consuming energy. All facets of the energy sector, particularly power generation, will need to transform their carbon performance. Moreover, energy demand must be moderated through improved energy efficiency in vehicles, appliances, homes and industry. Deployment of new technologies, such as carbon capture and storage, will be essential. It shows that, to stay on an economically feasible pathway, the rise in emissions from the energy sector needs to halted and reversed *by 2020.* Action at national level needs to anticipate implementation of a new international agreement from 2020. Achieving a 2 °C target in the absence of such action, while technically feasible, would entail the widespread adoption of expensive "negative emissions" technologies (Box 1.1), which extract more CO_2 from the atmosphere than they add to it. By the end of the century, energy-related CO_2 emissions in the 450 Scenario need to decrease to around 5 Gt CO_2 per year, *i.e.* less than one-sixth today's levels.[3]

It is the cumulative build-up of greenhouse gases, including CO_2, in the atmosphere that counts, because of the long lifetime of some of those gases in the atmosphere. Analysis has shown that, in order to have a 50% probability of keeping global warming to no more than 2 °C, total emissions from fossil fuels and land-use change in the first half of the century need to be kept below 1 440 Gt (Meinshausen, *et al.*, 2009). Of this "carbon budget", 420 Gt CO_2 has already been emitted between 2000 and 2011 (Oliver, Janssens-Maenhout and Peters, 2012) and the *World Energy Outlook 2012* (*WEO-2012*) estimated that another 136 Gt CO_2

3. The RCP2.6 Scenario in the Fifth Assessment Report of the Intergovernmental Panel on Climate Change is based on negative emissions from 2070 (IPCC, 2013). The RCP2.6 Scenario is more ambitious than the 450 Scenario in that it sets out to achieve an 80% probability of limiting the long-term (using 2200 as the reference year) global temperature increase to 2 °C, while the probability is around 50% in the 450 Scenario.

will be emitted from non-energy related sources in the period up to 2050. This means that the energy sector can emit a maximum of 884 Gt CO_2 by 2050 without exceeding its residual budget. When mapping potential emissions trajectories against such a carbon budget, it becomes clear that the longer action to reduce global emissions is delayed, the more rapid reductions will need to be in the future to compensate (Figure 1.2). Some models estimate that the maximum feasible rate of such emissions reduction is around 5% per year (Elzen, Meinshausen and Vuuren, 2007); Chapter 3 explores further the implications of delayed action in the energy sector.

Box 1.1 ▷ What are negative emissions?

Carbon capture and storage (CCS) technology could be used to capture emissions from biomass processing or combustion processes and store them in deep geological formations. The process has the potential to achieve a net removal of CO_2 from the atmosphere (as opposed to merely avoiding CO_2 emissions to the atmosphere as is the case for conventional, fossil fuel-based CCS). Such "negative emissions" result when the amount of CO_2 sequestered from the atmosphere during the growth of biomass (and subsequently stored underground) is larger than the CO_2 emissions associated with the production of biomass, including those resulting from land-use change and the emissions released during the transformation of biomass to the final product (IEA, 2011a). So-called bio-energy with carbon capture and storage (BECCS) could be used in a wide range of applications, including biomass power plants, combined heat and power plants, flue gas streams from the pulp and paper industry, fermentation in ethanol production and biogas refining processes.

From a climate change perspective, BECCS is attractive for two reasons. First, net gains from BECCS can offset emissions from a variety of sources and sectors that are technically difficult and expensive to abate, such as emissions from air transportation. Second, BECCS can mitigate emissions that have occurred in the past. For a given CO_2 stabilisation target, this allows some flexibility in the timing of emissions – higher emissions in the short term can, within limits, be compensated for by negative emissions in the longer term. Of course, the projects have to be economically viable.

To achieve net negative emissions, it is essential that only biomass that is *sustainably* produced and harvested is used in a BECCS plant. Assuring the sustainability of the biomass process will require dedicated monitoring and reporting. As this will encompass activities that are similar to those required to monitor and verify emissions reduction from deforestation and forest degradation (REDD), the development of national and international REDD strategies will contribute to the deployment of BECCS and *vice versa.* Increasing the share of sustainably managed biomass in a country's energy mix, in addition to decreasing CO_2 emissions, has a number of benefits in terms of economic development and employment.

Figure 1.2 ▷ Mapping feasible world CO_2 emissions trajectories within a carbon budget constraint



Taking as its starting point the proportionate contribution of the energy system to the global greenhouse-gas emissions, this chapter focuses on the disconnect between the level of action that science tells us is required to meet a 2 °C climate goal and the trajectory the world is currently on. It looks at recent developments in climate policy, both at global and national levels, and at those elements of energy policy that could have a significant positive impact on the mitigation of climate change. It maps the current status of global greenhouse-gas emissions, illustrating the dominant role of energy-related CO_2 emissions in this picture and the important underlying trends, drawing on the latest emissions estimates for 2012. It then looks at the prospective future contribution of the energy sector to the total emissions up to 2035, comparing the outcome if the world pursues its present course (our New Policies Scenario) with a trajectory compatible with limiting the long-term increase in average global temperature to 2 °C (our 450 Scenario) (IEA, 2012a). This enables us to highlight the additional efforts that would be necessary to achieve the 2 °C climate goal and to point to the short-term actions (see Chapter 2) which could contribute significantly to make its realisation possible.

Recent developments

Government policies are critical to tackling climate change: what has been happening? Answering this question requires an examination both of policies that are directed mainly at climate change and of policies with other primary objectives, such as energy security and local pollution, which also have consequences for global emissions. While key climate commitments may be international, implementing actions will be taken primarily at national and regional levels. So far, to take one indicative example, carbon pricing applies only to 8% of energy-related CO_2 emissions, while fossil-fuel subsidies, acting as a carbon incentive, affect almost twice that level of emissions.

International climate negotiations

As a result of the UNFCCC COP-18 in 2012, international climate negotiations have entered a new phase. The focus is on the negotiation of "a protocol, another legal instrument or an agreed outcome with legal force under the Convention applicable to all Parties", to be negotiated by 2015 and to come into force in 2020. If such an agreement is achieved, it will be the first global climate agreement to extend to all countries, both developed and developing. COP-18 also delivered an extension of the Kyoto Protocol to 2020, with 38 countries (representing 13% of global greenhouse-gas emissions) taking on binding targets (Figure 1.3). As part of the earlier (2010) Cancun Agreements, 91 countries, representing nearly 80% of global greenhouse-gas emissions, have adopted and submitted targets for international registration or pledged actions. These pledges, however, collectively fall well short of what is necessary to deliver the 2 °C goal (UNEP, 2012).

Figure 1.3 ▷ Coverage of existing climate commitments and pledges



COP-18 set out a work programme for the negotiations towards the 2015 agreement. One track provides for the elaboration of the new agreement. A second track aims to increase mitigation ambition in the short term, a vital element of success, as to postpone further action until 2020 could be regarded as pushing beyond plausible political limits the scale and cost of action required after that date (see Chapter 2 for key opportunities for additional climate action until 2020, and Chapter 3 for an analysis of the cost of delay). The architecture of the new agreement is yet to be agreed: it is unlikely to resemble the highly-

centralised set of commitments that characterise the Kyoto Protocol, in order to allow for flexibility to take account of national circumstances. It is expected to bring together existing pledges into a co-ordinated framework that builds mutual trust and confidence in the total emissions abatement that they represent. It will also need to create a process that provides for the ambition of these pledges to be adequately developed to match the evolving requirements of meeting the 2 °C goal.

National actions and policies with climate benefits

As discussed above, policies adopted at the national level which deliver emissions reductions are central to tackling climate change whether that is their primary motivation or not. The global economic crisis has constrained policy makers' scope for action in recent years, but there have been some encouraging developments. In particular, many developing countries that made voluntary emissions reduction pledges under the Cancun Agreements have announced new strategies and policies, in many cases involving measures in the energy sector (Figure 1.4).

Figure 1.4 ▷ Linkages between climate change and other major policies

Carbon pricing is one of the most direct ways of tackling emissions. Currently some 8% of global energy-related CO_2 emissions are subject to carbon pricing. This share is expected to increase, as more countries and regions adopt this practice (Spotlight). However, the roll-out is by no means free of concerns, notably on competitiveness and carbon leakage.

Power plant emissions are being regulated in a number of countries. Regulations limiting emissions from new power plants, which would have an impact particularly on investment in new conventional coal generation, have been proposed by the US Environmental Protection Agency (EPA). New standards are also expected to be promulgated for existing plants. US EPA regulations targeting conventional pollutants are also expected to promote modernisation of the power generation fleet (though they may face legal challenge). Canada has introduced regulations for new power plants that rule out new conventional coal investment. High levels of local pollution continue to be a significant issue for some

of China's largest cities and the government has stipulated mandatory reductions in sulphur dioxide (SO_2) and nitrogen oxide (NO_x) emissions per kilowatt-hour (kWh) of power generated by coal-fired power plants and a target to cut by at least 30% the emissions intensity of particulate matter ($PM_{2.5}$) coming from energy production and use. These national measures will all have associated climate change benefits.

Although *WEO-2012* demonstrated that only a fraction of the available energy efficiency benefits are currently being realised, fortunately, many countries are taking new steps to tap this potential. In early 2013, the US government announced a goal to double energy productivity by 2030. *WEO-2012* had already highlighted the contribution new fuel-economy standards could make in moving the United States towards lower import needs and the question now is whether similar effects can be achieved in other sectors of the economy. The US Department of Energy has put in place in recent years energy efficiency standards for a wide range of products, including air conditioners, refrigerators and washing machines. More standards are expected to come into force for efficiency in buildings and appliances. The European Union has adopted an Energy Efficiency Directive, to support its target of improving energy efficiency by 20% by 2020 and pave the way for further improvements beyond this. In China, the 12th Five-Year Plan (2011-2015) includes indicative caps on total energy consumption and on power consumption for 2015. There are also mandatory targets to reduce the energy intensity of the economy by 16% and to reduce CO_2 emissions per unit GDP by 17% – the first time a CO_2 target has been set. China has published energy efficiency plans consistent with the 12th Five-Year Plan, including the "Top 10 000" programme that sets energy savings targets by 2015 for the largest industrial consumers. In India, a National Mission on Enhanced Energy Efficiency has been launched, aimed at restraining growth in energy demand. India's "Perform Achieve and Trade" mandatory trading system for energy efficiency obligations in some industries was launched in 2011, and is a key element in plans to deliver its pledge to reduce carbon intensity by 20-25% by 2020 (from 2005 levels).

Many forms of intervention to support renewable energy sources have contributed to the strong growth of the sector in recent years. Installed wind power capacity increased by 19% in 2012, to reach 282 gigawatts (GW), with China, the United States, Germany, Spain and India having the largest capacity (GWEC, 2013). Sub-Saharan Africa's first commercial wind farm also came online, in Ethiopia. US solar installations increased by 76%, to 3.3 GW in 2012 (Solar Energy Industries Association, 2013) and, while a federal target is not in place, most US states have renewable energy portfolio standards designed to increase the share of electricity generated from renewable sources. The European Union has in place a target contribution from renewable energy to primary demand of 20% by 2020. Japan has also expressed strong expectations for renewables, mainly solar photovoltaics (PV), in its new energy strategy following the Fukushima Daiichi nuclear accident. China has an extensive range of targets for all renewables, which are regularly upgraded. One example is the recent strengthening of the target for PV installations to 10 GW per year, promising to make China the world leader for PV installation from 2013 onwards. India

has stated a goal of reaching 55 GW of non-hydro renewable capacity by 2017. Pakistan published its National Climate Change Strategy in September 2012, which, among other things, gives preferential status to hydropower and commits to promote other renewable energy resources (Pakistan Ministry of Climate Change, 2012). In 2012, Bangladesh passed specific legislation to promote the production and use of "green" energy. South Africa aims to reach 35 GW of solar by 2030.

Figure 1.5 ▷ World renewables-based power sector investment by type and total generation



Note: TWh = terawatt-hours.

Sources: BNEF (2013); Frankfurt School UNEP Collaborating Centre and Bloomberg New Energy Finance (2012); and IEA data and analysis.

Globally, recent trends for renewables are in line with those needed to achieve a 2 °C goal (IEA, 2013a). However, while the role of non-hydro renewables has been growing, particularly in power generation, this growth starts from a low base and sustaining high growth rates overall will be challenging. Also, despite generally strong growth, the renewables sector has not been immune to the global economic crisis, with a glut in capacity resulting in some markets. Global investment in renewables, excluding large hydro, is reported to have fallen by 11% in 2012, but this is due mainly to reductions in the cost of solar and wind installations: deployment has grown overall (Figure 1.5).

S P O T L I G H T

Carbon markets – fixing an energy market failure?

Emissions trading schemes have recently begun operation in Australia, California, Quebec and Kazakhstan, expanding the coverage of carbon pricing to around 2.5 Gt of emissions (Figure 1.6). An emissions trading scheme is being rolled out in South Korea, as are pilot systems in cities and provinces in China, which collectively account for more

than one-quarter of national GDP and a population of around 250 million. The pilot schemes are seen as informing the potential implementation of a nation-wide scheme after 2015. The World Bank's Partnership for Market Readiness is helping sixteen developing and emerging economies develop their policy readiness and carbon markets. Some of these schemes have plans to be linked: California and Quebec in January 2014, and Australia and the European Union by 2018.

But it is also a time of significant challenge for carbon markets. The most long-standing emissions trading markets – the EU ETS and the US-based Regional Greenhouse Gas Initiative (RGGI)[4] – are working toward reform. RGGI has announced that the carbon budget will be cut by 45% to reflect lower actual emissions due to economic conditions and the availability of low cost shale gas. The EU ETS covers around 45% of EU greenhouse-gas emissions and is a key instrument to deliver the European Union's 20% emissions reduction target in 2020. But its carbon prices have declined from over €20/tonne in early 2008 to around €3.5/tonne in May 2013, a level unlikely to attract sufficient investment in low-carbon technologies. The European Commission expects there to be a surplus of more than 2 Gt of allowances over the period to 2020, unless changes are made (European Commission, 2012a and 2012b). The excess provision is due to a combination of the effects of the economic crisis and a large influx of international credits. The European Parliament rejected in April 2013 the European Commission proposal to withdraw some allowances from the market. At the time of writing, the proposal was back before the Parliament's Environment Committee for further consideration.

The Clean Development Mechanism (CDM), which allows Kyoto Protocol countries with targets to undertake some emissions reductions in developing countries, is in crisis. Action is underway to streamline CDM project approvals, but a serious mismatch between the supply of credits and demand had driven prices down to €0.3/tonne in March 2013. The effect of this has been a dramatic fall-off in CDM project development with, for example, China approving only eleven projects in the first two months of 2013, compared to more than 100 per month during 2012 (Point Carbon, 2013). As part of UNFCCC negotiations, work is underway to develop a new market mechanism that targets emissions reductions across broad segments of the economy rather than being project-based. It is hoped that it will be in place to support the new 2015 agreement and that this will stimulate more demand for international market units of emissions reductions. International negotiations are also progressing on a framework to determine how emissions reduction units from linked ETS can be counted towards national targets under the UNFCCC. This will be an important step in supporting such linking and reshaping the global carbon map.

4. RGGI includes the US states of Connecticut, Delaware, Maine, Maryland, Massachusetts, New Hampshire, New York, Rhode Island and Vermont.

Figure 1.6 ▷ Current and proposed emissions trading schemes



This map is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries, and to the name of any territory, city or area.

Nuclear policies vary by country. In 2012, Japan announced new energy efficiency and renewable energy targets, supported by feed-in tariffs, in light of the 2011 accident at the Fukushima Daiichi nuclear power station. However, plans in the major nuclear growth markets, such as China, India and Korea, are largely being maintained. Confidence in the availability of low-carbon alternatives needs to be high in countries contemplating moving away from nuclear power.

In transport, policies to increase efficiency and support new technologies go hand-in-hand. Most major markets have fuel-economy standards for cars and have scope to introduce similar standards for freight. Sales of plug-in hybrids and electric vehicles more than doubled, to exceed 100 000, in 2012. Nonetheless, these sales are still well below the level required to achieve the targets set by many governments. Collectively these amount to around 7-9 million vehicles by 2020 (IEA, 2013a).

Figure 1.7 ▷ CCS capacity by region and project status, 2012



Notes: Relates to large-scale integrated projects and, where a range is given for CO_2 capture capacity, the middle of the range has been taken. Existing EOR projects are not included where they are not authorised and operated for the purpose of CCS.

Sources: Global CCS Institute (2013) and IEA analysis.

Carbon capture and storage (CCS) technology can, in principle, reduce full life-cycle CO_2 emissions from fossil-fuel combustion at stationary sources, such as power stations and industrial sites, by 65-85% (GEA, 2012). However, the operational capacity of large-scale integrated CCS projects, excluding enhanced oil recovery (EOR), so far provides for the capture of only 6 million tonnes (Mt) of CO_2 per year, with provisions for a further 13 Mt CO_2 under construction as of early-2013 (Figure 1.7). If all planned capacity were to be constructed, this would take the total to around 90 Mt CO_2, still equivalent to less than 1% of power sector CO_2 emissions in 2012. While the technology is available today, projects need to be scaled-up significantly from existing levels in order to demonstrate carbon capture and storage from a typical coal-fired power plant. Experience gained from

large demonstration projects will be essential, both to perfecting technical solutions and driving down costs. Ultimately, a huge scale-up in CCS capacity is required if it is to make a meaningful impact on global emissions (see Chapter 2).

Global status of energy-related CO_2 emissions

Trends in energy demand and emissions in 2012

Global CO_2 emissions from fossil-fuel combustion increased again in 2012, reaching a record high of 31.6 Gt, according to our preliminary estimates.[5] This represents an increase of 0.4 Gt on 2011, or 1.4%, a level that, if continued, would suggest a long-term temperature increase of 3.6 °C or more. The growth in emissions results from an increase in global fossil-fuel consumption: 2.7% for natural gas, 1.1% for oil and 0.6% for coal. Taking into account emissions factors that are specific to fuel, sector and region, natural gas and coal each accounted for 44% of the total energy-related CO_2 emissions increase in 2012, followed by oil (12%). The global trend masks important regional differences: in 2012, a 3.1% increase in CO_2 emissions in non-OECD countries was offset, but only partly, by a 1.2% reduction in emissions in OECD countries (Figure 1.8).

Figure 1.8 ▷ CO_2 emissions trends in 2012



While China made the largest contribution to the global increase, with its emissions rising by 300 Mt, or 3.8%, this level of growth is one of the smallest in the past decade and less than half of the emissions increase in 2011, reflecting China's efforts in installing low-carbon generating capacity and achieving improvements in energy intensity. Coal demand grew by 2.4%, most of it to supply industrial demand. While electricity generation in China increased 5.2%, coal input to power generation grew by only 1.2%. Most of the additional demand was met by hydro, with 18 GW of capacity additions coming online in 2012, complemented by a wet year in 2012. Increased wind and solar also played a role. Hydro capacity at the end of 2012 was 249 GW, on track to meet the 2015 target of 290 GW. The

5. Global emissions include international bunkers, which are not reflected in regional and country figures.

decarbonisation efforts in the power sector resulted in a decade long improvement of its emissions per unit of generation (Figure 1.9). Energy intensity improved by 3.8%, in line with the 12th Five-Year Plan target, indicating progress in diversifying the economy and in energy efficiency.

Figure 1.9 ▷ CO_2 emissions per unit of electricity generation in China



In the Middle East, energy-related CO_2 emissions increased by around 55 Mt CO_2, or 3.2%, on the back of rising gas consumption in power generation and the persistence of subsidised energy consumption. India's emissions grew by some 45 Mt CO_2, or 2.5%, mainly driven by coal. This figure was much lower than the previous year due to lower GDP growth and issues related to domestic coal production.

In OECD countries, the trends are very different. CO_2 emissions declined in the United States year-on-year in 2012 by 200 Mt, or -3.8%, around half as a result of the ongoing switching from coal to natural gas in power generation (Box 1.2). Other factors contributed to the decline: increased electricity generation from non-hydro renewables, lower demand for transport fuels and mild winter temperatures reduced the demand for heating. CO_2 emissions in the United States have now declined four of the last five years, 2010 being the exception (Figure 1.10). Their 2012 level was last seen in mid-1990s.

CO_2 emissions in the European Union in 2012 were lower year-on-year by some 50 Mt, or 1.4%, but trends differ markedly from country to country. With electricity demand declining by 0.3% in 2012, in line with a contraction in the economy, cheap coal and carbon prices meant that many large emitters turned partly to coal to power their economies. Coal demand grew 2.8%, compared with an average 1.3% decline over the past decade. Yet data show a 0.6% decline in power sector emissions that are capped under the EU ETS, and a larger, 5.8% fall in emissions from industry sectors such as cement, glass and steel. Non-hydro renewables generation increased by 18%, thanks to support policies. Emissions in Europe's biggest economy, Germany, increased by 17 Mt CO_2 or 2.2% (UBA, 2013). Driven by low coal and low CO_2 prices, consumption of coal in power generation increased by 6%.

CO_2 emissions increased also in the United Kingdom by 21 Mt, or 4.5%, due to higher coal use in power generation and higher demand for space heating (DECC, 2013). Electricity generation from coal increased by 32%, displacing gas in the electricity mix.

Box 1.2 ▷ The benefits – and limits – of switching from coal to gas

The decline in energy-related CO_2 emissions in the United States in recent years has been one of the bright spots in the global picture. One of the key reasons has been the increased availability of natural gas, linked to the shale gas revolution, which has led to lower prices and increased competitiveness of natural gas versus coal in the US power sector. Over the period 2008-2012, when total US power demand was relatively flat, the share of coal in US electricity output fell from 49% to 37%, while gas increased from 21% to 30% (and renewables rose from 9% to 12%).[6] The large availability of spare capacity facilitated this quick transformation. In 2011, when the share of gas had already increased significantly, the utilisation rate of combined-cycle gas turbines was still below 50% (IEA, 2013b). Gas-fired combined-cycle plants produce on average half the emissions per kilowatt hour than conventional coal-fired generation. Part of this gain, however, is offset on a life-cycle basis due to methane emissions from natural gas production and distribution.

Whether the trend in emissions reduction from coal-to-gas switching in power generation will continue depends on relative coal and gas prices. Preliminary signs of a reversal were seen in the first quarter of 2013: coal consumption in power generation increased 14% compared with the same period in the previous year, as natural gas prices at Henry Hub increased by around 40% from $2.45 per million British thermal units (MBtu) in 2012 to $3.49/MBtu in the same period of 2013. In the absence of environmental or other regulations posing additional restrictions on CO_2 emissions standards on existing power plants, existing coal plants could again become economic relative to gas for natural gas prices in the range $4.5-5/MBtu or higher.

The resource base for unconventional hydrocarbons holds similar promise for other countries heavily relying on coal in the power sector, such as China. But due to the expected relative coal to gas prices in regions outside North America, the US story is not expected to be replicated on a large scale in the period up to 2020. Our analysis demonstrates increased gas use in all scenarios, including that compatible with a 2 °C trajectory (the 450 Scenario), but on its own, natural gas cannot provide the answer to the challenge of climate change (IEA, 2011b and 2012b). In the 450 Scenario, for example, global average emissions from the power sector need to come down to 120 g CO_2/kWh by the 2030s, almost one-third the level that could be delivered by the most efficient gas-fired plant in the absence of CCS technology.

6. Based on US Energy Information Administration data for 2012.

Figure 1.10 ▷ Change in fuel consumption and total energy-related CO_2 emissions in the United States



Japan's emissions rose by some 70 Mt CO_2,or 5.8%, in 2012 a rate of growth last seen two decades ago, as a consequence of the need to import large quantities of liquefied natural gas and coal in order to compensate for the almost 90% reduction in electricity generation from nuclear power following the Fukushima Daiichi accident. The increase in fuel import costs was a key reason for Japan's record high trade deficit of ¥6.9 trillion ($87 billion) in 2012.

Historical emissions trends and indicators

The data for 2012 need to be seen in a longer term perspective. Since 1900, emissions levels and their geographical distribution have changed significantly, with the first decade of this century seeing the accumulation in the atmosphere of eleven times more CO_2 than the first decade of the previous century. Excluding international bunkers, OECD countries accounted for almost all of the global emissions in the 1900s, yet now non-OECD emissions account for 60%. OECD countries emitted 40% of global energy-related CO_2 emissions in 2012, down from 55% in 2000 (Figure 1.11). This compares with around 40% of total primary energy demand and 53% of global GDP (in purchasing power parity terms). The growth in China's emissions since 2000 is larger than the total level of emissions in 2012 of the other BRICS (Brazil, Russia, India, China, South Africa) countries combined. India's emissions increased in 2012, reinforcing its position as the world's third-largest emitter. Developing countries tend to be net exporters of products whose production gives rise to CO_2 emissions, opening up scope for debate as whether responsibility for the emissions lies with the producer or the importer.

Figure 1.11 ▷ Energy-related CO_2 emissions by country



Sources: IEA databases and analysis; Boden *et al.*, (2013).

Trends in energy-related CO_2 emissions continue to be bound closely to those of the global economy (Figure 1.12), with the few declines observed in the last 40 years being associated with events such as the oil price crises of the 1970s and the recent global recession. The carbon intensity of the economy has generally improved over time (GDP growth typically exceeds growth in CO_2 emissions), but the last decade has seen energy demand growth accelerate and the rate of decarbonisation slow – mainly linked to growth in fossil-fuel demand in developing countries.

Figure 1.12 ▷ Growth in global GDP and in energy-related CO_2 emissions



Note: MER = market exchange rate.

A simple comparison between OECD Europe or the United States, and China or India reveals a significant difference in GDP and CO_2 trends over time (Figure 1.13). In OECD Europe and the United States, GDP has more than doubled or tripled over the last 40 years while CO_2 emissions have increased by 2% and 18% respectively. In China and India, GDP and CO_2 emissions have grown at closer rates, reflecting their different stage of economic

development. This resulted in China's emissions overtaking those of the United States in 2006, despite its economy being less than one-third the size.

Figure 1.13 ▷ GDP and energy-related CO_2 emissions in selected countries



Note: MER = market exchange rate.

Global CO_2 per-capita emissions, having fluctuated within a range from around 3.7 to 4 tonnes CO_2 from the early 1970s to the early 2000s, have now pushed strongly beyond it, to 4.5 tonnes. Developed countries typically emit far larger amounts of CO_2 per capita than the world average, but some developing economies are experiencing rapid increases (Figure 1.14). Between 1990 and 2012, China's per-capita emissions tripled, rapidly converging with the level in Europe, while India's more than doubled, though remaining well below the global average. Over the same period, per-capita emissions decreased significantly in Russia and the United States, yet remained at relatively high levels.

Figure 1.14 ▷ Energy-related CO_2 emissions per capita and CO_2 intensity in selected regions



Notes: Bubble area indicates total annual energy-related CO_2 emissions in that region. MER = market exchange rate.

Trends by energy sector

The power and heat sector is the largest single source of energy sector CO_2 emissions. It produced over 13 Gt of CO_2 in 2011[7] (Figure 1.15), more than 40% higher than in 2000. Trends in CO_2 emissions per kilowatt-hour of electricity produced in a given country largely reflect the nature of the power generation. Countries with a large share of renewables or nuclear, such as Brazil, Canada, Norway and France have the lowest level. Of those regions relying more heavily on fossil fuels, the large natural gas consumers, such as Europe and Russia, have levels below the world average. Despite efforts in many countries to develop more renewable energy, in global terms the power sector is still heavily reliant on coal, accounting for nearly three-quarters of its emissions. Australia, China, India, Poland and South Africa are examples of countries still heavily reliant on coal to produce electricity, reflecting their resource endowment. In the United States, electricity generation from coal has decreased 11% since 2000, coal consumption for power generation falling by 64 million tonnes of oil equivalent (Mtoe) and yielding a decline in overall emissions from the power sector of 0.8% per year on average.

Figure 1.15 ▷ World energy-related CO_2 emissions by fuel and sector, 2011



CO_2 emissions from transport, the largest end-use sector source, were just under 7 Gt in 2011.[8] Emissions from the sector, which is dominated by oil for road transport, have increased by 1.7% per year on average since 2000, but with differing underlying regional trends. OECD transport emissions are around 3.3 Gt: having declined to around year-2000 levels during the global recession, they have remained broadly flat since. Market saturation in some countries and increasing efficiency and emissions standards appear to be curtailing

7. CO_2 emissions data by sector for the year 2012 were not available at the time of writing. Unlike previous sections, this one uses 2011 as latest data point.

8. At the global level, transport includes emissions from international aviation and bunkers.

emissions growth. Non-OECD transport CO_2 emissions have increased by more than 60% since 2000, reaching 2.5 Gt in 2011, with increased vehicle ownership being a key driver. Emissions in China and India have both grown strongly but, collectively, their emissions from transport are still less than half those of the United States. More than 50 countries have so far mandated or promoted biofuel blending to diminish oil use in transport. Emissions from international aviation and marine bunkers are on a steady rise. They reached 1.1 Gt in 2011, up from 0.8 Gt in 2000.

Having remained broadly stable at around 4 Gt for much of the 1980s and 1990s, CO_2 emissions from industry have increased by 38% since the early 2000s, to reach 5.5 Gt. All of the net increase has arisen in non-OECD countries, with China and India accounting for some 80% of the growth in these countries. China now accounts for 60% of global coal consumption in industry. Iron and steel industries account for about 30% of total CO_2 emissions from the industrial sector.

Total energy-related CO_2 emissions in the buildings sector (which includes residential and services) reached 2.9 Gt in 2011, continuing the gradually increasing trend of the last decade. Natural gas is the largest source of emissions – about 50% of the total – with the OECD (mainly the United States and Europe) accounting for two-thirds of the total. Non-OECD emissions from oil overtook those of the OECD, which are in decline, in 2011. Many other changes in the buildings sector, such as increasing electricity demand for lighting, cooking, appliances and cooling, are captured in changes in the power sector.

Outlook for energy-related emissions and the 450 Scenario

This section analyses the disconnect between the energy path the world is on and an energy pathway compatible with a 2 °C climate goal. It does so by presenting and analysing, by fuel, region and sector, the essential differences between the New Policies Scenario, a scenario consistent with the policies currently being pursued, and the 450 Scenario, a 2 °C climate scenario, both of which were fully developed in *WEO-2012* (Box 1.3). Our analysis shows that the energy projections in the New Policies Scenario are consistent, other things being equal, with a 50% probability of an average global temperature increase of 3 °C by 2100 (compared with pre-industrial levels) and of 3.6 °C in the longer term.[9] This compares to 1.9 °C by 2100 and 2 °C in the long term in the 450 Scenario. This indicates the extent to which the energy world is going to have to change: continuing on today's path, even with the assumed implementation of new policies, would lead to damaging climatic change.

The present energy trajectory indicates increasing energy-related CO_2 emissions through to 2035. By contrast, to meet the requirements of the 450 Scenario, emissions need to peak by 2020 and decline to around 22 Gt in 2035 – around 30% lower than in 2011, a level last seen in the mid-1990s (Figure 1.16). The cumulative "emissions gap" between

9. The long-term temperature change is associated with a stabilisation of greenhouse-gas concentrations, which is not expected to occur before 2200.

the scenarios over the projection period is around 156 Gt, an amount greater than that emitted by the United States over the last 25 years. Such a path of declining emissions demands unprecedented change. The 450 Scenario shows how it could be achieved, based on policies and technologies that are already known; but, crucially, it requires urgent commitment to strong action, followed by robust, unwavering implementation. If the 450 Scenario trajectory is successfully followed, by 2035, non-OECD countries will have achieved more than 70% of the total reduction (10.5 Gt) in annual CO_2 emissions in the 450 Scenario, compared with the New Policies Scenario.

Figure 1.16 ▷ World energy-related CO_2 emissions by scenario



In both scenarios considered here, GDP growth averages 3.1% per year and population growth averages 0.9%, pushing total primary energy demand higher; but this demand is met increasingly from low or zero-carbon sources. To be consistent with the required trajectory in the 450 Scenario, energy-related CO_2 emissions must begin to decline this decade, even though the level of energy demand is expected to increase by 0.5% per year, on average: CO_2 emissions peak by 2020 and then decline by 2.4% per year on average until 2035. Looking across the fossil fuels, gas demand increases by 0.7% per year on average, oil decreases by 0.5% per year and coal declines by 1.8% per year. Energy efficiency policies are the most important near-term emissions mitigation measure (see Chapter 2 for more on ways to save CO_2 in the short term). By 2035, actions to improve energy efficiency successfully reduce global emissions in that year by 6.4 Gt – equivalent to about 20% of global energy-related CO_2 emissions in 2011. The payback periods for many energy efficiency investments are short, but non-technical barriers often remain a major obstacle. It is these barriers that governments need to tackle (see *WEO-2012* and Chapter 2).

Box 1.3 ▷ Overview of the New Policies Scenario and the 450 Scenario

The analysis in this chapter of the disconnect between the energy path the world is currently on and an energy trajectory consistent with a 50% chance of achieving the 2 °C climate goal relies on two scenarios, both of which were fully developed in the *WEO-2012*.[10]

- The **New Policies Scenario,** though founded essentially on existing policies and realities, also embodies some further developments likely to improve the energy trajectory on which the world is currently embarked. To this end, it takes into account not only existing energy and climate policy commitments but also assumed implementation of those recently announced, albeit in a cautious manner. Assumptions include the phase-out of fossil-fuel subsidies in importing countries and continued, strengthened support to renewables. The objective of this scenario is to provide a benchmark against which to measure the potential achievements (and limitations) of recent developments in energy policy in relation to governments' stated energy and climate objectives.
- The **450 Scenario** describes the implications for energy markets of a co-ordinated global effort to achieve a trajectory of greenhouse-gas emissions consistent with the ultimate stabilisation of the concentration of those gases in the atmosphere at 450 ppm CO_2-eq (through to the year 2200). This scenario overshoots the 450 ppm level before stabilisation is achieved but not to the extent likely to precipitate changes that make the ultimate objective unattainable. The 450 Scenario offers a carefully considered, plausible energy path to the 2 °C climate target. For the period to 2020, we assume policy action sufficient to implement fully the commitments under the Cancun Agreements. After 2020, OECD countries and other major economies are assumed to set emissions targets for 2035 and beyond that collectively ensure an emissions trajectory consistent with ultimate stabilisation of greenhouse-gas concentration at 450 ppm, in line with what was decided at COP-17 to establish the "Durban Platform on Enhanced Action", to lead to a new climate agreement. We also assume that, from 2020, $100 billion in annual financing is provided by OECD countries to non-OECD countries for abatement measures.

The projections for the scenarios are derived from the IEA's World Energy Model (WEM) – a large-scale partial equilibrium model designed to replicate how energy markets function over the medium to long term.[11] The OECD's ENV-Linkages model has been used to provide the macroeconomic context and for the projections of greenhouse-gas emissions other than energy-related CO_2.[12]

10. The detailed list of policies by region, sector and scenario is available at: *www.worldenergyoutlook.org/media/weowebsite/energymodel/policydatabase/WEO2012_AnnexB.pdf.*
11. A full description of the WEM is available at *www.worldenergyoutlook.org/weomodel.*
12. For more information on the OECD ENV-Linkages model see Burniaux and Chateau (2008).

In the 450 Scenario, CO_2 emissions per capita decline gradually prior to 2020 and then, reflecting more robust policy action, decline more rapidly, the global average reaching 2.6 tonnes CO_2 per capita in 2035 (compared with 4.3 tonnes CO_2 in the New Policies Scenario). Significant variations persist across regions, with the non-OECD average per capita level still being less than half that of the OECD in 2035.

In the 450 Scenario, the carbon intensity of the world economy is around one-third of existing levels by 2035, with many non-OECD countries delivering the biggest improvements (Figure 1.17) as they seize the opportunity to base their extensive investment programmes in additional energy supply on low-carbon sources. OECD countries are, however, far from free of challenge. In the 450 Scenario, energy-related CO_2 emissions in the OECD are around half current levels by 2035, reaching just over 6 Gt – a decline of nearly 3% per year on average.

Figure 1.17 ▷ CO_2 intensity in selected regions in the 450 Scenario



Note: MER = market exchange rate.

Sectoral trends

The 450 Scenario requires a rapid transformation of the power sector. In some respects it involves only an acceleration of trends already underway, such as moving to more efficient generation technologies and the increased deployment of renewables, but innovation is also required, such as the adoption of CCS technology. Overall, electricity generation in 2035 is 13% lower than in the New Policies Scenario, but CO_2 emissions from the power sector are more than 10 Gt (70%) less (Figure 1.18). Electricity demand in transport in that year is 85% higher in the 450 Scenario than in the New Policies Scenario, but it is 17% lower in buildings, due to more efficient appliances, heating equipment and lighting. In industry, electricity demand is 12% lower in 2035, mainly due to more efficient motor systems.

Figure 1.18 ▷ World energy-related CO_2 emissions abatement by sector in the 450 Scenario relative to the New Policies Scenario



*Indirect electricity savings in the power sector result from demand reduction in end-use sectors, while direct savings are those savings made within the power sector itself (*e.g.* plant efficiency improvements). Direct savings include heat plants and other transformation.

In the 450 Scenario, the share of electricity generation from fossil fuels declines from more than two-thirds in 2011 to one-third in 2035. Electricity generation from coal declines to half of existing levels by 2035 and installed capacity is 1 100 GW lower than in the New Policies Scenario (see Chapter 3 on the risk of stranded assets). In the OECD, the greatest change in coal-fired capacity occurs in the United States, but the biggest changes globally are in non-OECD countries, where the recent reliance on new fossil-fuel capacity (especially coal) to meet rising demand gives way to increased use of low-carbon sources. Natural gas is the only fossil fuel with increasing electricity generation in the 450 Scenario, but it still peaks before 2030 and then starts to decline, ending 18% higher in 2035 than in 2011. CCS becomes a significant source of mitigation from 2020 and saves 2.5 Gt CO_2 in 2035, equivalent to around one-and-a-half times India's emissions today. In several countries, including China and the United States, very efficient coal-fired power stations are built up to 2020 and are retrofitted with CCS in the following years. Installed global nuclear capacity doubles by 2035 in the 450 Scenario, significantly higher than in the New Policies Scenario, with the largest increases in China and India, and additional capacity being installed in the United States and Europe. Electricity generation from renewables increases almost 11 000 terawatt-hours (TWh) to 2035, with wind, hydro and solar PV growing most strongly. Renewables-based electricity generation supplies almost half the world's electricity in 2035.

In the 450 Scenario, global transport CO_2 emissions peak around 2020 but then decline, ending 5% below 2011 levels in 2035 (2.4 Gt below the level in the New Policies Scenario in 2035). A range of mitigation measures is incorporated in the 450 Scenario, with fuel efficiency gains and an increase in the use of biofuels being particularly important up to 2020. Such policies are already in place in the United States, which has mandated the use

of 36 billion gallons of biofuels by 2022, and in the European Union, where the Renewable Energy Directive requires a mandatory share of 10% renewable energy in transport by 2020. Improved efficiency becomes even more important globally after 2020, alongside lower growth in vehicle usage in countries where subsidies are removed.

In industry, global energy-related CO_2 emissions in 2035 are 5% lower than in 2011 in the 450 Scenario, at around 5.2 Gt, 21% lower than the New Policies Scenario. Improved energy efficiency accounts for more than half the reduction in cumulative terms, with CCS in energy-intensive industries and fuel switching also playing a role. More than 80% of the CO_2 savings in the sector in the 450 Scenario come from non-OECD countries, with China, India and the Middle East all making notable improvements. By 2035, global emissions in buildings are 11% lower than 2011 in the 450 Scenario, at around 2.6 Gt, with the savings relative to the New Policies Scenario being spread relatively evenly between OECD and non-OECD countries. Much more energy efficient buildings are adopted from around 2020 onwards.

Investment

A 2 °C world – as in the 450 Scenario – requires increased investment in the power sector and in end-use sectors, but reduced investment in fossil-fuel supply. In the 450 Scenario, total investment in fossil-fuel supply is $4.9 trillion lower than in the New Policies Scenario through to 2035, and investment in power transmission and distribution networks is around $1.2 trillion lower. However, this saving is more than offset by a $16.0 trillion increase in investment in low-carbon technologies, efficiency measures and other forms of intervention. Part of the incremental investment is offset by savings in consumers' expenditure on energy. Additional investment across OECD countries reaches around $590 billion per year in 2035 and in non-OECD countries around $760 billion (Figure 1.19).

Figure 1.19 ▷ World annual additional investment and CO_2 savings in the 450 Scenario relative to the New Policies Scenario



Transport requires the largest cumulative additional investment in the 450 Scenario, relative to the New Policies Scenario – $6.3 trillion (Figure 1.20). Most of this is directed towards the purchase of more efficient or alternative vehicles. The buildings sector requires $4.4 trillion in cumulative additional investment, but this reflects investment that both delivers direct abatement from buildings and indirect abatement through reduced electricity demand. The decarbonisation of the power sector requires a net additional $2.0 trillion, after accounting for the lower investment need for transmission and distribution lines. More than 80% of the additional investment in electricity generation goes to renewables-based technologies. Industry invests an additional $1.5 trillion, around one-quarter of it directed to CCS.

Figure 1.20 ▷ Cumulative change in world investment by sector in the 450 Scenario relative to the New Policies Scenario, 2012-2035



Note: Investment in power plants increases, but investment for transmission and distribution (not shown here) declines by a cumulative total of around $1.2 trillion over the period.

Broader benefits of the 450 Scenario

The transformation of the global energy system in the 450 Scenario delivers significant benefits in terms of reduced fossil-fuel import bills, enhanced energy security, better air quality, positive health impacts and reduced risk of energy-related water stress. Fossil-fuel prices are lower in the 450 Scenario than the New Policies Scenario (Table 1.1), driven by lower demand. In real terms, the IEA crude oil import price needed to balance supply and demand in the 450 Scenario reaches $115/barrel (in year-2011 dollars) around 2015 and then declines to $100/barrel in 2035 ($25/barrel lower than the New Policies Scenario). Coal and gas prices are also lower in the 450 Scenario. The steam coal import price in the OECD is almost 40% cheaper in 2035 and the natural gas price in Europe and the Pacific is around 20% cheaper. Lower international fuel prices and lower demand might be expected, other things being equal, to lead to lower fuel expenditure by consumers. But we assume that end-use fuel prices in the transport sector are kept at higher levels through taxation,

reducing potential savings to consumers but increasing the revenues of the governments of importing countries. Also, higher CO_2 prices and lower fossil-fuel subsidies reduce customers' demand for carbon-intensive technologies and wasteful fuel consumption.

Table 1.1 ▷ Fossil-fuel import prices by scenario (in year-2011 dollars per unit)

			New Policies Scenario			450 Scenario		
	Unit	2011	2020	2030	2035	2020	2030	2035
IEA crude oil imports	barrel	108	120	124	125	113	105	100
Natural gas								
United States	MBtu	4.1	5.4	7.1	8.0	5.5	7.6	7.6
Europe imports	MBtu	9.6	11.5	12.2	12.5	10.8	10.0	9.6
Japan imports	MBtu	14.8	14.3	14.7	14.8	13.5	12.5	12.2
OECD steam coal imports	tonne	123	112	114	115	98	78	70

Notes: Gas prices are weighted averages expressed on a gross calorific-value basis. All prices are for bulk supplies exclusive of tax. The US price reflects the wholesale price prevailing on the domestic market. MBtu = million British thermal units.

Collectively, in 2035, the five-largest fossil-fuel importers spend $850 billion less in the 450 Scenario than in the New Policies Scenario (Figure 1.21). This is equivalent to 1% of their GDP in that year. In 2035, China's oil imports are 3.6 million barrels per day (mb/d) lower, while imports into the European Union are 2 mb/d lower, in the United States 1.3 mb/d lower and in India 1 mb/d lower. North America as a whole becomes a net oil exporter slightly sooner in the 450 Scenario (before 2030) and is a net exporter of larger volumes by 2035. European net imports of gas are around 190 billion cubic metres lower in 2035 in the 450 Scenario, compared with the New Policies Scenario, reducing the gas import bill by around $120 billion.

Figure 1.21 ▷ Fossil-fuel import bills in selected regions by scenario in 2035



The 24% reduction in the cost of local pollution controls (for SO_2, NO_x and $PM_{2.5}$) in 2035 in the 450 Scenario, relative to the New Policies Scenario, is small when compared with energy sector investment costs or potential fossil-fuel import bill savings, but is associated with improved quality of life and health. In China, local pollution in several cities has already prompted increased government action. In our New Policies Scenario, pollution control costs increase by nearly 80% to 2035, and non-OECD pollution control costs as a whole overtake those of the OECD around the middle of the projection period (Table 1.2). In the 450 Scenario, world pollution control costs still rise, but at a much slower rate, with the OECD level being similar to 2011 in 2035 and the non-OECD level being much lower than in the New Policies Scenario.

Table 1.2 ▷ Pollution control costs by region and scenario ($2011 billion)

		New Policies Scenario		450 Scenario	
	2011*	2020	2035	2020	2035
OECD	**203**	**256**	**261**	**244**	**206**
United States	72	89	85	86	65
Europe	81	106	112	100	94
Japan	22	23	21	22	15
Other OECD	29	38	42	36	32
Non-OECD	**124**	**234**	**325**	**220**	**237**
Russia	8	14	18	14	14
China	49	96	124	89	81
India	6	15	34	14	28
Middle East	11	21	32	20	24
Latin America	17	31	41	30	33
Other non-OECD	33	57	76	53	58
World	**327**	**489**	**586**	**463**	**443**
European Union	86	108	124	100	94

* Estimate.

Source: IIASA (2012).

Energy policies to keep the 2 °C target alive

Short-term actions for long-term gain

Highlights

- The absence of early, tangible achievement in the international climate negotiations and the sluggish global economy are threatening the viability of the 2 °C climate goal by weakening confidence in the investment case for a low-carbon economy. To keep the door to the 2 °C target open, we propose a set of pragmatic policy actions that, without harming economic growth and using available technologies and policies, can result in a global peak in energy-related GHG emissions by 2020. The four priority areas in our 4-for-2 °C Scenario are: specific energy efficiency measures; limits to the use and construction of inefficient coal power plants; minimising methane (CH_4) releases to the atmosphere in oil and gas production; and a partial phase-out of fossil-fuel subsidies.
- In the 4-for-2 °C Scenario, energy-related CO_2 and CH_4 emissions increase from 33.3 Gt in 2010 to 34.9 Gt in 2020 (measured on a CO_2-eq basis) and decline thereafter. Emissions in 2020 are 3.1 Gt lower than the course on which we otherwise appear to be set, delivering 80% of the abatement needed to be on track with a 2 °C trajectory.
- Energy efficiency accounts for 49% of the savings realised, limitations on inefficient coal-fired power plants for 21%, lower methane emissions in upstream oil and gas for 18%, and the partial phase-out of fossil-fuel subsidies for 12%. Restrictions on coal use support the growth of renewables, which increase their share in power generation to 27% in 2020, up from around 20% today.
- In addition to addressing climate change, the policies assumed in the 4-for-2 °C Scenario reduce local air pollution and increase energy security without hampering economic growth of any given region. Required additional investment to 2020 is more than offset by reduced spending on fuel bills. A gradual reorientation of the economy resulting from the implementation of the four policies entails losses in some sectors, including oil and gas upstream and electricity, but gains in other areas.
- The 4-for-2 °C Scenario buys precious time to keep the 2 °C target alive, while international negotiations continue, avoiding much carbon lock-in; but it is insufficient to limit the long-term temperature increase to 2 °C. A framework conducive to more ambitious abatement after 2020 needs to be developed, not least to provide clear market signals to businesses and long-term investors, notably including a global carbon price and roll-out of low-carbon technologies at scale. In the 450 Scenario, delaying CCS deployment by ten years would increase the cost of decarbonisation in the power sector by $1 trillion and result in lost revenues for coal producers ($690 billion) and oil and gas producers ($660 billion).

Introduction

Various initiatives have recently been undertaken with the explicit objective of reducing greenhouse-gas emissions, such as new schemes to price carbon-dioxide (CO_2) emissions (either through cap-and-trade programmes or carbon taxes) in Australia, Korea and California, along with other measures that serve implicitly to incorporate CO_2 pricing into investment decisions in the energy sector (Chapter 1). Some actions taken primarily for other purposes, for example to reduce local air pollution or improve energy efficiency or in response to price changes, also benefit CO_2 abatement. The recent switch from coal to natural gas in the power sector of the United States as a result of lower gas prices is one example of climate benefits derived from changes driven by the market, rather than by deliberate climate policy action. Nonetheless, the chance of achieving abatement on the scale needed to follow a trajectory consistent with a global average temperature rise of no more than 2 degrees Celsius (°C) now appears more remote than it was several years ago, particularly as governments grapple with economic crisis in many parts of the world. A first effect of lower economic activity in some regions has been to reduce the expected level of emissions; but the crisis has also curtailed direct government action to limit climate change, partly as a result of fears that more stringent climate policies could result in a loss of economic competitiveness. In some cases, these concerns have been heightened by wide divergences in energy prices between different regions.

In view of the long lifetime of capital stock in the energy sector, lack of momentum towards concerted global climate policy action directly increases the scale of the challenge to meet the 2 °C climate goal by failure to deter additional investment in emissions-intensive infrastructure, thereby "locking in" emissions for decades to come. The date at which the existing energy infrastructure will "lock in" all the CO_2 emissions from the energy sector provided for in a global CO_2 emissions budget consistent with a 2 °C trajectory, leaving no provision for emissions from new carbon-emitting infrastructure to meet growing demand, is close. Thereafter, it becomes ever more costly and difficult to achieve the stated goal (see Chapter 3). In addition, research suggests that there is a point of no return at which climate feedbacks could become self-reinforcing (though there is remaining uncertainty as to exactly when this occurs), thus closing the door to 2 °C forever (Lenton, *et al.*, 2008). While the timetable to which international climate negotiators are working provides for implementation of a legally-enforceable agreement to reduce emissions from 2020, our projections suggest that, without earlier additional action at national level, global energy-related CO_2 and methane (CH_4) emissions in 2020 will already be 3.9 gigatonnes (Gt) CO_2-equivalent (CO_2-eq) above the level needed to follow a 2 °C trajectory.

It thus becomes essential to consider what can be done in the short term to keep the door to 2 °C open. It seems unlikely that national policy makers will implement actions that are challenging to their national economy given the economic situation in many countries. In this chapter, therefore, we set out to identify a set of pragmatic and achievable policy measures which, in net terms, do no harm to national economic growth yet which, taken together, would reduce global greenhouse-gas emissions in the period to 2020 by substantially more

than the reduction expected to be achieved by existing and planned policies alone. These measures would take us only part of the way towards an emissions trajectory that would achieve the 2 °C goal; but in the second part of the chapter we explore additional elements to support ambitious abatement after 2020, which would help the overall goal to be met.

GDP-neutral emissions abatement to 2020

Methodology and key assumptions

Many policies to support the growth of low-carbon technologies and to moderate the growth of energy demand until 2020 and beyond are in place or already planned today: these are the policies embodied in the New Policies Scenario of the *World Energy Outlook 2012* (*WEO-2012*), a scenario consistent with the course on which governments appear at present to be embarked (IEA, 2012a). Exceptionally, as a result of the policy focus over the last decade, the deployment of renewables today is already broadly on track towards the more ambitious level required to deliver their expected contribution in 2020 to meeting long-term climate targets (IEA, 2013a). On the other hand, while energy efficiency, too, has been high on the policy agenda in recent years, existing and planned policies are likely to leave two-thirds of the global economically viable energy efficiency potential untapped (IEA, 2012a). Therefore, much wider adoption of efficiency measures will be necessary to fulfil the energy efficiency expectations of a scenario consistent with the achievement of the international 2 °C climate target.

The short-term measures considered in this chapter, collectively embodied in what we describe as the 4-for-2 °C Scenario, go beyond policies already adopted and entail measures that require either significant further strengthening and wider adoption, or that are currently not high on the policy agenda, even though the measures required to implement the relevant policies are known and their adoption could make a significant additional difference. This is the approach adopted in the 4-for-2 °C Scenario, which is based on two core assumptions. First and foremost, the measures that are assumed to be adopted are readily available today, meaning they do not require the identification and implementation of innovative sets of energy policies or the deployment of technologies that have yet to be proven in the market. Though the individual measures have not yet been adopted everywhere, they have already been proven in some countries, and therefore just need to be tailored to national circumstances elsewhere. Second, the set of measures adopted, when taken together and in net terms, does not adversely affect economic growth in any given country or region. Although the proposed measures involve an initial deployment cost, the set of proposed policies as a whole is calculated to deliver economic savings (such as through lower fuel bills) to the extent that the initial deployment costs of the proposed policies are offset within each economy, considered as a whole.[1] As a consequence, the set of policies proposed does not harm overall economic growth up to 2020. Beyond 2020, it actually improves the competitiveness of the economies concerned

1. The judgement expressed here about economic effects apply to regions taken as a whole, using standard groupings in the *World Energy Outlook* series (see *www.worldenergyoutlook.org*).

and the ability of their energy system to make the transition towards a low-carbon basis in the long term.

The emphasis of the 4-for-2 °C Scenario is on measures which can be implemented effectively in the short term, to provide breathing space for the international negotiations aimed at policy implementation by 2020. The measures adopted produce valuable results in the period to 2020, though their effect continues beyond that date. In developing the 4-for-2 °C Scenario, we reviewed a wide range of measures that we assessed as being both practical and implementable in a short time frame and capable of having a significant impact on global greenhouse-gas emissions in the period to 2020. We then analysed the impact on global energy consumption and emissions of the implementation of the package of measures under consideration using the IEA's World Energy Model (WEM) and the impact on GDP at regional level using the ENV-Linkages model of the Organisation for Economic Co-operation and Development (OECD).[2] If the package of measures as a whole was found to reduce economic growth in the period to 2020 in any region, then the level of ambition of the policies with the most severe negative impact on GDP was reduced or – where applicable – the measure was abandoned.

Based on this iterative process, we have identified a package of four measures, elaborated below, that meet the criteria of making a significant contribution to CO_2 abatement in the period to 2020 without adversely affecting economic growth. Each of the measures selected can be readily implemented and does not require the use of new technologies with high upfront deployment costs that would require time to apply beyond niche markets (such as electric vehicles), nor major technological breakthroughs, nor radical changes in consumer behaviour (except those induced by changing prices or increased availability of capital in certain sectors). Many of the measures that were excluded from the 4-for-2 °C Scenario might well be cost-effective in the long-run, but they are judged to have less certain potential to make a significant impact on global emissions by 2020. Highly successful existing policies, like support for renewables, have not been selected for enhancement in the short term if they appear to be broadly on track to deliver in 2020 the contribution that they are required to make in the (more demanding) 450 Scenario, which is consistent with achievement of the long-term climate objective.

The four policy measures adopted in the 4-for-2 °C Scenario are (Figure 2.1):

- Targeted specific energy efficiency improvements in the industry, buildings and transport sectors.
- Limiting the use and construction of inefficient coal-fired power plants.
- Minimising methane emissions in upstream oil and gas production.
- Further partial phase out of fossil-fuels subsidies to end-users.

2. WEM is a partial equilibrium model. ENV-Linkages is a computational general equilibrium model. The coupling of both models allows the impact of energy policy on economic growth to be assessed.

Figure 2.1 ▷ Policy pillars of the 4-for-2 °C Scenario

Although the adoption of these measures is primarily directed at the reduction of greenhouse-gas emissions, they also offer important co-benefits and often complement each other (Table 2.1, see also Box 2.3). The phase-out of fossil-fuel subsidies, for example, would incentivise energy efficiency improvements, while the use of more efficient end-use technologies complements the limitation on the use of inefficient coal power generation by moderating growth in electricity demand.

Table 2.1 ▷ Multiple benefits of policies in the 4-for-2 °C Scenario

	Climate	Local air pollution	Energy security	Economic growth	Energy poverty
Improving energy efficiency	✓	✓	✓	✓	✓
Limiting inefficient coal use in power	✓	✓	✓		
Reducing upstream methane emissions	✓	✓	✓		✓
Fossil-fuel subsidy phase-out	✓	✓	✓	✓	✓

In a special focus on **energy efficiency**, the *WEO-2012* identified an extensive range of measures, by country and by sector, capable of reducing energy consumption in a cost-effective manner (IEA, 2012a). However, since implementation of some of the efficiency policies identified in *WEO-2012* would depend upon the prior elimination of serious market barriers (which in practice could take considerable time), only a selected sub-set of the measures are adopted in 4-for-2 °C Scenario, namely: (i) reducing energy use from new space and water heating, as well as cooling equipment; (ii) more efficient lighting and new appliances; (iii) improving the efficiency of new industrial motor systems; and (iv) setting standards for new vehicles in road transport. Measures to meet the objectives are already widely deployed in many countries, using readily available technologies and methods. While there are some market barriers, steps to

overcome them have been identified and successfully implemented. Bilateral and/or multilateral agreements could facilitate their adoption and implementation on a wider scale.

In **the power sector**, we first assume that a ban is introduced on the construction of new subcritical coal-fired power plants (although it does not apply to units already under construction). The means of implementing such a policy is likely to differ by market, but a variety of options is already available including: the adoption of stringent energy efficiency or CO_2 emissions standards for coal power plants; the adoption of air pollution standards; or pricing the use of carbon, for example through an emissions trading scheme. Second, for existing inefficient coal power plants, we assume that their level of operation is reduced to the extent achievable, with the constraint of maintaining adequate electricity supply. The impact of this assumption varies by region, reflecting differences in the power generation fleet, the quality of coal used and the level of electricity demand. Intervention for existing units is likely to take a more direct regulatory form, for example assigning power production limits to each generator according to the make-up of its power plant fleet (in liberalised markets), or allocating generation slots, renewing (or not) operational licences or altering the dispatch schedule to favour more efficient plants (in regulated markets).

In the 4-for-2 °C Scenario, we also assume that policies are adopted **to reduce releases of methane to the atmosphere in upstream oil and gas production**. This primarily affects locations where the incentive to reduce methane releases are currently insufficient, *e.g.* due to a lack of domestic demand. When producing oil and natural gas, a certain proportion of gas often escapes into the atmosphere, either intentionally as part of normal venting operations, or inadvertently, for example due to the reliance on old infrastructure. In addition some natural gas can be released due to incomplete combustion either during short-term flaring (which is sometimes necessary for safety reasons or may be temporarily permitted to test the size of newly discovered reservoirs), or when natural gas produced in association with oil is flared on a routine basis, as it is at a number of locations around the world, due to lack of infrastructure to utilise the gas. Most of the natural gas that is released into the atmosphere in these ways is methane, which is a greenhouse gas with a Global Warming Potential (GWP) 25 times higher than that of CO_2 over 100 years.[3] Globally, we estimate that in 2010 natural gas releases to the atmosphere during upstream oil and gas operations resulted in 45 million tonnes (Mt) of CH_4 emissions (1 115 Mt CO_2-eq), or around 50% of total oil- and gas-related CH_4 emissions. Other significant sources of methane leakage include leakage from transmission and distribution pipelines. Measures to reduce greenhouse-gas emissions from such sources could have a significant impact, but they have not been included in the 4-for-2 °C Scenario, as it is unlikely that they could be put in place prior to 2020, in particular in countries with large transmission pipeline networks, such as Russia, or with ageing gas distribution networks, such as the United States, Europe and Russia.

3. Global Warming Potential estimates the warming effect of different greenhouse gases relative to each other.

Box 2.1 ▷ Mitigating short-lived climate pollutants

Short-lived climate pollutants (SLCPs) are substances with a lifetime in the atmosphere ranging from a few days to several decades that mainly affect the climate in the (relatively) short term. CO_2 emissions, by contrast, affect the climate system over a much longer time horizon. SLCPs are responsible for a substantial fraction of the radiative forcing to date. The major SLCPs are black carbon, methane, tropospheric ozone and some hydro fluorocarbons (HFCs). Black carbon is produced by the incomplete combustion of fossil fuels and biomass, and is a primary component of particulate matter and particulate air pollution. In 2010, household air pollution and ambient outdoor particulate matter pollution were estimated to have caused, respectively, over 3.5 and 3.2 million premature deaths (Lim, *et al.*, 2012). According to the United Nations Environment Programme (UNEP), black-carbon emissions are expected to remain stable overall through 2030, decreasing in OECD countries and increasing in non-OECD countries (UNEP, 2011).

Although the adoption of strategies to reduce SLCPs (with the exception of methane)[4] are not considered in the 4-for-2 °C Scenario, recent studies have identified sixteen mitigation measures related to SLCPs which use technologies and practices that already exist (UNEP/WMO, 2011; UNEP, 2011). These studies estimate that the adoption of such measures by 2030 would reduce the warming expected by 2050 by 0.4-0.5 °C (and, in the Arctic, by about 0.7 °C even in 2040), while each year preventing more than two million premature deaths and over 30 Mt of crop losses. There could be associated reduced disruption of rainfall patterns.

Strategies that reduce emissions of SLCPs complement CO_2 mitigation by reducing short-term increases in temperature, thereby minimising the risk of dangerous climate feedbacks. However, lasting climate benefits from fast action on SLCPs are contingent on stringent parallel action on longer-lasting CO_2 emissions. In other words, while fast action to mitigate SLCPs could help slow the rate of climate change and improve the chances of staying below the 2 °C target in the near term, longer term climate protection depends on deep and persistent cuts in CO_2 emissions being rapidly realised.

Subsidies for fossil-fuel consumption lead to an inefficient allocation of resources and market distortion by encouraging excessive energy use. While they may have well-intentioned objectives, social ones for example, in practice they have usually proven to be an unsuccessful or inefficient means of achieving their goals. Moreover, they invariably have unintended negative consequences, such as encouraging wasteful and inefficient consumption, thereby contributing to climate change. The latest IEA estimates indicate that fossil-fuel consumption subsidies amounted to $523 billion in 2011, up almost

4. The methane emissions reduction measures discussed in the 4-for-2 °C Scenario also contribute to reduction of black carbon emissions and their effect on climate change (Stohl, *et al.*, 2013).

30% on 2010 and six times more than the global financial support given to renewables (IEA, 2012a). In those regions where the subsidies exist, this level of subsidy equates to an incentive of $110 per tonne CO_2 to consume fossil fuels. Fossil-fuel subsidies are often intended to improve access to modern energy services for the poor, but our analysis indicates that only 8% of the subsidy granted typically reaches the poorest income group (IEA, 2011a). Political support for fossil-fuel subsidy reform has been building in recent years, and G20 and APEC (Asia-Pacific Economic Cooperation) member economies have made commitments to phase out inefficient fossil-fuel subsidies and many are now moving ahead with implementation. In the 4-for-2 °C Scenario, recognising the political challenge involved in subsidy phase-out, we assume, as in the New Policies Scenario of *WEO-2012*, a total subsidy phase-out by 2020 in fossil-fuel importing countries; but in exporting countries (where sustained reforms are likely to be even more difficult to achieve) subsidisation rates are only reduced by an additional 25% by 2020, relative to the New Policies Scenario, with subsidies completely removed by 2035.[5] Average end-use prices in net-exporting regions remain significantly lower than in many other parts of the world as we make no assumption that they introduce any new taxes or excise duties on energy. For example, average gasoline prices in the Middle East are around one-fifth of the OECD average in 2020.

Emissions abatement to 2020

Effective implementation of the proposed policy measures would have a profound impact on energy-related greenhouse-gas emissions. In the 4-for-2 °C Scenario, emissions are lower by 3.1 Gt (in CO_2-eq terms) in 2020, compared with the New Policies Scenario,[6] although they are still higher than today (Figure 2.2). Energy efficiency makes the largest contribution to abatement, at 1.5 Gt (or 49%) in 2020.[7] Contributions to abatement from restrictions on subcritical coal-fired power plants are around 640 Mt (21%), the reduction of methane emissions in upstream oil and gas production at more than 570 Mt (18%) and the partial phase-out of subsidies to fossil fuels consumed by end-users at more than 360 Mt (12%). In each case, these savings come on top of those assumed in the trajectory resulting from policies that are already adopted or under consideration by governments (the New Policies Scenario).

5. Subsidisation rate is calculated as the difference between the full cost of supply and the end-user price, expressed as a proportion of the full cost of supply. For countries that import a given product, subsidy estimates are explicit. In contrast, for countries that export a given product, subsidy estimates represent the opportunity cost of pricing domestic energy below market levels.

6. All emission reductions in this section are presented relative to the New Policies Scenario, unless indicated otherwise.

7. Energy efficiency-related savings in 2020 take account of the rebound effect, *i.e.* the effect of increased use of a product or facility as a result of efficiency-related operating costs savings or higher disposable income from reduced energy expenditures. The rebound effect in the 4-for-2 °C Scenario is largely related to decreases in consumer prices as GDP does not change in comparison to the New Policies Scenario, but is counterbalanced by the assumed fossil-fuel subsidy phase-out that leads to increased energy conservation.

The assumed policy measures go a long way toward closing the gap between expected emissions levels in 2020 on the basis of present government intentions, as modelled in the New Policies Scenario, and those required to achieve the 2 °C target (the 450 Scenario). They avoid 80% of the difference in emissions levels. Nonetheless, a gap of around 770 Mt still remains, indicating that yet more stringent measures will be required after 2020 in order ultimately to meet the 2 °C goal.

Figure 2.2 ▷ Change in world energy-related CO_2 and CH_4 emissions by policy measure in the 4-for-2 °C Scenario



Notes: Methane emissions are converted to CO_2-eq using a Global Warming Potential of 25. NPS = New Policies Scenario; 450S = 450 Scenario.

More than 70% of abatement occurs in non-OECD countries, where projected demand for energy in 2020 is around 480 million tonnes of oil equivalent (Mtoe) (or 5%) lower than in the New Policies Scenario (Figure 2.3). China alone is responsible for more than one-quarter of the global emissions savings from these measures in 2020, resulting from the significant scope to reduce emissions that accompanies its rapidly rising energy demand, large potential to further improve energy efficiency and heavy reliance on coal-fired power generation. The Middle East (9% share of savings in 2020) and India (9%) together account for almost one-fifth of the savings, driven primarily by fossil-fuel subsidy reform and reduced upstream methane emissions in the former and efficiency improvements and changes in the power generation mix in the latter. Although energy efficiency policy plays an important role in the Middle East too, it is the assumed enhanced phase-out of fossil-fuel subsidies that encourages its realisation, as this reduces the payback period of more efficient technologies to the necessary extent to make efficiency policy viable.[8] OECD countries see a smaller share of the savings at below 30%, although the United States (13% share of savings in 2020) is the second-largest contributor to emissions reductions,

8. For example, given heavily subsidised low petrol prices in Saudi Arabia, the payback period for a car that consumes half as much fuel per 100 kilometres as today's average car is currently close to twenty years.

after China, and, together with the European Union (8%), accounts for around one-fifth of the global total. The larger share of savings in non-OECD countries is directly linked to the higher growth in their energy demand – 90% of global demand growth to 2020 in the New Policies Scenario. With energy demand per capita today 70% below the OECD average, non-OECD countries have expectations of higher growth to 2020 in both energy demand and emissions – and associated scope for savings – especially because population growth (90% of global growth to 2020) and economic growth (almost three-quarters of global GDP growth until 2020) are much stronger than in OECD countries.

Box 2.2 ▷ The role of renewables in the 4-for-2 °C Scenario

In many countries, renewables deployment is driven by government targets. Examples include the targeted share of 20% in total energy demand by 2020 in the European Union; US state-level renewable portfolio standards, covering 30 states and the District of Columbia; existing capacity targets by technology type in China, India and Brazil; and biofuels blending mandates in many countries. A wide variety of such policies and mechanisms are in place today. All are taken into account in the New Policies Scenario, the central scenario of *WEO-2012*. They include the enforcement and further strengthening of these policies where governments have announced this intention.

Renewable energy accordingly plays an important role in all our scenarios, in particular in power generation. Though not characterised specifically as one of the additional policies of the 4-for-2 °C Scenario, the share of renewables in global power generation increases from 20% today to 27% in 2020. This is two percentage points above the level reached in the New Policies Scenario, due to the proposed policy to reduce the use of inefficient coal-fired power generation and lower electricity demand from energy efficiency policies. In net terms, renewables meet about 60% of the increase in global electricity demand up to 2020 in the 4-for-2 °C Scenario, installed capacity reaching around 1 350 gigawatts (GW) of hydropower, 580 GW of wind, 265 GW of solar photovoltaic, 135 GW of biomass-fired power plants and 35 GW of other renewables. The 4-for-2 °C Scenario sees cumulative investment in renewables of $2.0 trillion up to 2020, contributing to the reduction in renewable energy technology costs post-2020, thereby facilitating steeper emissions reductions then.

Increasing deployment of renewables is supported by subsidies, which help overcome deployment barriers. In power generation, these subsidies are set to increase to $142 billion in 2020 in the 4-for-2 °C Scenario, up from $64 billion in 2011. This is 5% over the level reached in the New Policies Scenario in 2020 (due to lower wholesale electricity prices from lower international fuel prices), but is offset by the wider economic gains achieved from lower fossil-fuel prices. Biofuels (mostly supported by blending mandates) received subsidies totalling $24 billion in 2011; these rise to $47 billion in 2020 in the 4-for-2 °C Scenario. The European Union, United States and China account for the bulk of renewables subsidies, today (85%) and in 2020 (77%).

Figure 2.3 ▷ Change in energy-related CO_2 and CH_4 emissions in selected regions in the 4-for-2 °C Scenario relative to the New Policies Scenario, 2020



Note: Savings are allocated by enabling policy and total emissions are in CO_2-eq.

Abatement to 2020 by policy measure

Energy efficiency measures

In the 4-for-2 °C Scenario, energy efficiency is the largest contributor to the reduction in global greenhouse-gas emissions, resulting in savings of 1.5 Gt CO_2-eq in 2020, or almost half of the total abatement relative to the New Policies Scenario (Figure 2.4). As indicated above, while there is a raft of efficiency policies capable of reducing energy consumption and therefore emissions,[9] we have focused on just four key measures on the basis that they can be quickly implemented and that the mechanics of implementation have already been developed in numerous countries. The selected policies are applied to new equipment and technologies: they exclude the early retirement of existing stock.

Key energy efficiency measures include:

- More efficient heating and cooling systems in residential and commercial buildings through minimum energy performance standards (MEPS) for new equipment, and technology switching, such as through greater use of heat recovery and better use of automation and control systems.
- More efficient appliances and lighting in residential and commercial buildings.
- Use of more efficient electric motor systems in industrial applications, such as pumping, compressing air, and other types of mechanical handling and processing.
- Fuel-economy standards and fuel-economy labelling for new passenger light-duty vehicles (PLDVs) and freight trucks in road transport.

9. There are already numerous energy efficiency policies in place in many countries; an overview of key policies by country and sector is available in the energy efficiency focus in *WEO-2012* (IEA, 2012a). All figures here represent the additional gains resulting from the specified additional measures.

Figure 2.4 ▷ Change in world CO_2 and CH_4 emissions in the 4-for-2 °C Scenario by policy measure relative to the New Policies Scenario, 2020



Among these measures, those targeting heating and cooling, appliances, lighting and industrial motors have a similar effect on reducing greenhouse-gas emissions, each contributing around 30% of the additional efficiency-related savings. Policies targeting road transport make up a smaller share of abatement, partly because of the lead times required for more efficient vehicles to penetrate the vehicle stock and because the New Policies Scenario takes into account the numerous policies already in place to improve efficiency in road transport (thus reducing the scope for further gains in the 4-for-2 °C Scenario).

Figure 2.5 ▷ CO_2 and CH_4 savings due to improved efficiency by region and policy in the 4-for-2 °C Scenario relative to the New Policies Scenario, 2020



Almost 80% of energy efficiency-related savings occurs in five regions: China, the United States, the European Union, India and Russia (Figure 2.5). China sees by far the largest reduction in emissions through more efficient use of energy, at around 40% of the global

total. Many of these savings are made in industry, at around 280 Mt CO_2-eq in 2020, or 44% of efficiency-related savings, stemming from the use of more efficient industrial motor systems. Industry in China currently accounts for about two-thirds of the country's total electricity consumption, of which it is estimated that 60-70% is used by electric motors (IEA, 2011b). While China has already adopted MEPS for some motors, their typical operational efficiency is 10-30% below the standard in international best practices (SwitchAsia, 2013). The vast majority of electricity savings from motor systems, however, comes from a combination of appropriate use of variable speed drives, proper motor sizing, preventive maintenance and optimising the motor-driven equipment, as the nominal efficiency of an electric motor can only be enhanced by around three percentage points for a medium-sized motor. In China, a combination of further tightening of MEPS, their wider adoption and, particularly, the imposition of requirements for energy management systems could considerably reduce electricity demand and thereby emissions from the currently carbon-intensive power generation sector (Figure 2.6). India, too, has considerable potential for emissions reductions through the use of more efficient industrial motors. At present, India has no MEPS for electric motors in industry and a highly carbon-intensive power mix. The adoption of such standards in India is assumed in the 4-for-2 °C Scenario and lowers its emissions from the industry sector by about 55 Mt CO_2-eq in 2020 (almost 40% of the projected abatement related to energy efficiency). While MEPS are an important instrument to encourage the use of more efficient industrial motor systems, there are barriers to their deployment, such as inadequate assessment of the actual service required and the complexity of motor systems. However, much has already been done to study policy opportunities and policy best practices in this area, paving the way for the swift and effective introduction of this measure.[10] This results in widespread adoption of more efficient industrial motor systems in the 4-for-2 °C Scenario.

Figure 2.6 ▷ Reduction in electricity demand due to energy efficiency policies in the 4-for-2 °C Scenario relative to the New Policies Scenario, 2020



10. See for example IIP (2011) and IEA (2011b).

Efficient use of energy in buildings, including energy used for heating, cooling, appliances and lighting, has recently attracted considerable attention as policies in place or under consideration tap only around one-fifth of the economic potential (IEA, 2012a). In 2013, for example, the Major Economies Forum initiated a dialogue among its member countries with a view to their setting voluntary intensity targets for energy consumption in buildings. In terms of heating and cooling, installing more efficient equipment (such as gas heating systems, heat pumps and high efficiency air-conditioners) is one of the best means of reducing emissions in the short term, although the potential to improve the building envelope is also vast (IEA, 2013b). Several countries have already adopted voluntary programmes, *e.g.* India or Brazil, or binding ones, such as the United States, to advance uptake of more efficient equipment.

In the 4-for-2 °C Scenario, China achieves 40% of the global emissions reduction related to more efficient heating and cooling systems. The high share reflects the expected rapid increase in projected demand in China for such services, particularly for air-conditioning, which means that the adoption of MEPS can significantly curtail growth in energy demand. The United States and the European Union are together responsible for a further one-third of the global emissions reductions related to more efficient heating and cooling equipment. In both cases, the deployment of new higher efficiency heating and cooling systems has a significant impact on emissions, bringing reductions of almost 80 Mt CO_2-eq and 65 Mt CO_2-eq in 2020 for the United States and the European Union, respectively.

Just as for industrial motors, there are barriers to the use of more efficient heating and cooling systems. While MEPS are an important means of achieving emissions reductions in the 4-for-2 °C Scenario, they need to be accompanied by policies to ensure their enforcement. Typical barriers include public acceptance and other general market risks of new technologies, and can be related to a shortage of skilled labour in some countries. Split incentives are another problem that needs careful attention.[11] Providing information through awareness campaigns and training programmes can be helpful tools to overcome these barriers.

There is considerable scope in all regions to reduce emissions stemming from the use of appliances and lighting. This is linked, in part, to their important share in overall electricity demand today: lighting and appliances alone are responsible for 37% of electricity demand in OECD countries and 26% in non-OECD countries. Due to the relatively short operating lifespan of the equipment concerned, MEPS for appliances and lighting are particularly effective and are already widely used in many countries. Most OECD countries have adopted such standards for a wide range of products, as has China. Russia is phasing out incandescent light bulbs (100 watts and above), while India is set to adopt mandatory standards and labelling for room air conditioners and refrigerators. At the Clean Energy

11. A split incentive refers to the potential difficulties in motivating one party to act in the best interests of another when they may have different goals and/or different levels of information.

Ministerial in New Delhi in April 2013, ministers highlighted the importance of the Super-efficient Equipment and Appliance Deployment (SEAD) initiative as a means to progress quickly and cheaply towards a more sustainable future.[12]

In the 4-for-2 °C Scenario, the contribution of appliances and lighting to additional energy efficiency-related savings is particularly large in the United States, at 44% in 2020. The bulk of these savings could be achieved by tightening the MEPS that already exist. Appliances and lighting are responsible for close to 40% of the efficiency-related savings in India, a high share that reflects the current dearth of efficiency standards. In absolute terms, the largest reductions are made in China (125 Mt CO_2-eq), followed by the United States (around 85 Mt) and the European Union (around 60 Mt), where we assume that the new EcoDesign Directive that covers fifteen product groups is further strengthened. Across all countries, there is still considerable potential to expand both the range of products that are covered by MEPS and the stringency of the standards.

Road transport, which is currently responsible for around 16% of CO_2 emissions from the energy sector, has received a lot of policy attention in recent years, as high oil prices and rising demand for mobility have strengthened the case for efficiency improvements. Many governments have adopted fuel-economy policies in a bid to reduce the burden on consumers and the cost of oil imports. PLDV standards have been adopted most widely, including in many of the major car markets in OECD countries (IEA, 2012b). Outside OECD countries, only China has adopted such standards, though India plans to do so. Fuel-economy standards for trucks are also increasingly receiving the attention of policy makers and have been adopted in several OECD countries. Though essential to realising fuel efficiency in road transport, standards are and should be complemented by supporting policies to overcome the barriers associated with their deployment, such as information gaps.[13]

In the 4-for-2 °C Scenario, the impact of tighter fuel-economy standards, *i.e.* beyond those implemented in the New Policies Scenario, is moderate in the period to 2020, compared with the other energy efficiency measures proposed. This reflects the time it takes for the full effect of fuel-economy standards for new vehicles to be felt across the entire fleet. By contrast, they have a much greater impact after 2020. The relatively limited impact also reflects the fact that fuel-efficiency regulations are already in place in many of the major economies. Nonetheless, fuel-efficiency standards in road transport do play a significant role in the overall abatement: in Russia, they account for about 30% of the efficiency-related savings, compared with the New Policies Scenario. In the 4-for-2 °C Scenario, the average tested fuel efficiency of new PLDV sales in 2020 reaches around 40 miles per gallon (mpg) (or 5.9 litres per 100 kilometres [l/100km]) in the United States; 95 grammes of CO_2 per kilometre (g CO_2/km) in Europe (or 3.8 l/100km); 5.0 l/100km in China; and 4.8 l/100km in India. The global average is 5.1 l/100km.

12. For more information, see *www.superefficient.org*.

13. For an overview of suitable policy packages, see IEA (2012b).

Reducing the use of inefficient coal-fired power plants

In the 4-for-2 °C Scenario, the use of the least efficient coal-fired power plants is reduced, relative to the New Policies Scenario. We assume a ban is introduced prohibiting the construction of new subcritical coal-fired power plants. Plants that have recently been built or are already under construction and have therefore yet to recover their investment cost, continue to operate, albeit at reduced levels. Those inefficient plants that have already repaid their investment costs are either retired or idled. Possible levers to achieve this policy include:

- Adoption of energy efficiency or CO_2 emissions standards for coal-fired power plants.
- Adoption of air pollution standards.
- Pricing the use of carbon, for example through an emissions trading scheme.
- Assigning power production limits for each generator to incentivise the use of the most efficient plants (typically in liberalised markets).
- Allocation of generation slots, renewing (or not) operational licences or altering the dispatch schedule in favour of more efficient plants (typically in regulated markets).

As a result of the proposed policy, the global installed capacity of subcritical power plants in operation decreases by more than one-fourth in 2020, or about 340 gigawatts (GW), compared with the New Policies Scenario (Figure 2.7). Existing plants account for the vast majority of this reduction: while 170 GW of new subcritical plants are added in the New Policies Scenario by 2020, only about 50 GW of them are not already under construction and therefore do not go ahead in the 4-for-2 °C Scenario. Of the 1 270 GW of subcritical coal-fired power plants in 2020 in the New Policies Scenario, 290 GW with the lowest efficiencies are either retired or not used at all by 2020. A more complete phase-out of coal subcritical plants by 2020 is unrealistic in most regions both because it would unacceptably reduce the reliability of electricity supply and because of the costs involved.

Figure 2.7 ▷ Change in subcritical coal electrical capacity in the New Policies and the 4-for-2 °C Scenarios, 2020



The extent of the potential reduction in use of inefficient coal plants by region is determined by two main factors: the extent of the reduction of electricity demand (which is achieved through the proposed energy efficiency measures in the 4-for-2 °C Scenario) and the extent of the opportunity to switch to other technologies. The switch in power generation is mostly possible to gas-fired power plants or more efficient coal plants up to 2020, as the additional reliance on nuclear power is constrained by long construction lead times and the New Policies Scenario already embodies rapid growth in renewables, mainly driven by targets in many countries (Box 2.2). The decrease of electricity demand generally provides an opportunity to reduce the use of subcritical coal plants by at least the same amount.

The possibility of switching to other, more efficient, technologies depends on several factors, which include the existing capacity mix, the extent of the need for capacity additions, the nature of the support schemes in place, the relative efficiency of the plants available and the construction periods for new plants. For example, in China and in the United States, the reduction of power generation from inefficient coal plants in the 4-for-2 °C Scenario is greater than the reduction in electricity demand, due to the possibility to switch to more efficient coal technologies and gas-fired generation (Figure 2.8). In Europe, on the other hand, the CO_2 price assumed in the New Policies Scenario already provides an incentive for higher-efficiency power plants, which limits the scope for additional production from these plants in the 4-for-2 °C Scenario, with the result that the fall in the use of coal plants fails to keep pace with the reduction in electricity demand.

Figure 2.8 ▷ Change in electricity demand and coal-fired power generation from less-efficient plants in the 4-for-2 °C Scenarios relative to the New Policies Scenario by selected regions, 2020



At a global level, the reduced use of subcritical coal plants combined with the greater use of more efficient coal plants increases the average efficiency of global coal generation by 3.3 percentage points in 2020 in the 4-for-2 °C Scenario, relative to 2011. This is more

than twice as high as the efficiency gain achieved in the New Policies Scenario, where the average efficiency of the coal power plant fleet increases by 1.5 percentage points over the same period.

The reduced use of inefficient coal-fired power plants in the 4-for-2 °C Scenario cuts global CO_2 emissions by around 570 Mt in 2020, relative to the New Policies Scenario, as the average emissions intensity of power generation is almost 10% lower, at about 420 grammes of CO_2 per kilowatt-hour (g CO_2/kWh) (Figure 2.9). Methane emissions from coal mining, transport and use, at around 70 Mt CO_2-eq, are also reduced as a result of the lower use of coal. In overall terms, the additional emissions savings are most pronounced in countries which currently have low average power plant efficiencies (such as India) or a large coal power fleet (such as the United States and China). They are the result of a sharp drop in coal capacity utilisation from 60% in 2011 to 54% in 2020, driven by a decline in the use of subcritical coal plants from 59% in 2011 to 39% in 2020. There is no scope for further reduction while maintaining reliability of electricity supply.

Figure 2.9 ▷ Average power generation emissions intensity and corresponding CO_2 and CH_4 savings in the 4-for-2 °C Scenario relative to the New Policies Scenario, 2020



Relative to the New Policies Scenario, almost 30% of global CO_2 and CH_4 emissions savings resulting from reduced use of inefficient coal plants occurs in China. China is increasingly suffering from the impact of local air pollution, partly caused by the substantial use of coal in power generation. According to recent analysis by the Chinese Academy for Environmental Planning (CAEP), the associated societal cost of environmental degradation, including health-related damage, amounted to the equivalent of 3.5% of GDP in 2010. In an attempt to improve the efficiency of its power sector, China phased out over 70 GW of small, inefficient coal-fired power capacity between 2006 and 2010 as part of its 11th Five-Year Plan. China has also tested further policy options for reducing emissions of air pollutants from coal power stations, including through the Energy Saving Dispatch Policy (ESDP) that

was tested in five provinces in 2007 and 2008 (and that could help achieve the projected reduction in CO_2 emissions seen in the 4-for-2 °C Scenario). In China, power dispatch usually works according to predefined quotas allocated to generators by provincial governments, with generators receiving a fixed price for their power output and, in some cases, free-to-trade quotas to optimise the generation pattern. The ESDP sought to maximise the overall efficiency of fossil fuel-based power plants by allocating higher quotas to the most efficient units, without changing the compensation to power generators. The pilot phase raised a number of problems – such as challenges to system reliability – and was seen as only a temporary device before the eventual transition to a fully market-based power system as envisaged by the central government. But the scheme demonstrated how one policy to reduce the use of the least-efficient coal power stations can work in China. In addition to reducing growth in CO_2 emissions, the 4-for-2 °C Scenario also sees an improvement in local air quality in China: sulphur dioxide (SO_2) emissions from the use of coal in power generation are 9% lower than in the New Policies Scenario by 2020, nitrogen oxides (NO_x) emissions are 8% lower and particulate matter ($PM_{2.5}$) emissions are 3% lower.

Almost one-quarter of the global reduction in CO_2 and CH_4 emissions from reducing the use of the least-efficient coal power stations in the 4-for-2 °C Scenario occurs in the United States. Following a US Supreme Court ruling in 2007 that classified greenhouse gases as pollutants, the US Environmental Protection Agency (EPA) determined that climate change endangers public health and welfare, and that CO_2 and other greenhouse gases contribute to this endangerment. This finding established the authority of the US EPA to regulate CO_2 emissions (including from power plants) under the Clean Air Act. The US EPA proposed a carbon pollution standard for new power plants in March 2012, which, if adopted, would effectively prevent the construction of new coal power plants without carbon capture and storage (CCS). Additionally, the US EPA has the authority to propose performance standards for existing fossil fuel-fired power plants, which are responsible for about 33% of total energy-related CO_2 emissions in the United States, though there are no official plans to do so currently and would likely only follow the finalisation of standards for new power plants. The Clean Air Act appears to allow the US EPA considerable flexibility in applying standards to existing sources, such as allowing facilities that emit less than the standard to generate credits that can be sold to higher-emitting facilities. While any such standard is likely to face significant opposition from some electric power producers, its application would open the way to realising the reductions envisaged in the 4-for-2 °C Scenario and help natural gas, despite increasing prices towards 2020, to maintain the market position that it gained in the power sector in 2012, relative to coal, as a result of low gas prices.

India sees the third-largest reduction in emissions from coal-fired power generation as a result of the assumed coal power plant restrictions in the 4-for-2 °C Scenario. Despite the recent construction of more efficient coal capacity under the Ultra Mega Power Projects (UMPP) policy, India still has one of the lowest average conversion efficiencies in coal-fired power generation in the world, estimated at just 28%, or eleven percentage points below the global average. This is linked to the average age of the coal-fired power plant fleet and

the relatively poor quality of domestic coal, which has an ash content of up to 60%. While increased coal washing at mining complexes is a possibility (which would also help alleviate transportation bottlenecks by reducing the amount of coal transported), plant managers are often reluctant to attempt to change coal quality due to concerns about operational problems.

The low average conversion efficiency of coal in India is exacerbating local concerns that air pollution is increasingly causing health problems and having adverse economic effects. A recent study estimated the extent of health effects at 80 000 to 115 000 premature deaths in 2011/2012, at an economic cost of $3.3-4.6 billion (Goenka and Guttikunda, 2013). India currently does not have strict standards for pollutants from power plants, except for particulate matter, and is suffering from peak shortages which make it difficult to impose additional constraints on power plant operation and dispatch. A new National Mission on Clean Coal Technologies is under discussion, whose task would be to foster work on integrated gasification combined-cycle and advanced ultra supercritical technologies, as well as CCS. With air pollution concerns growing, interest in clean coal technologies and minimum conversion standards might increase, with spin-off benefits for the climate: in the 4-for-2 °C Scenario in India, SO_2 emissions from the use of coal in power generation are 14% lower than in the New Policies Scenario by 2020, NO_x emissions are 8% lower and $PM_{2.5}$ emissions are 3% lower.

Emissions savings in the European Union due to the reduced use of the least-efficient coal power plants are the fourth-largest globally by 2020 in the 4-for-2 °C Scenario. There are several measures readily available with which to implement this policy. They include, particularly, the EU Emissions Trading System (ETS), although the level of CO_2 prices under the EU ETS is currently too low to incentivise a shift away from the least-efficient coal power plants, particularly given the current low price of coal relative to natural gas. Measures would be needed to ensure a level of CO_2 prices sufficient to facilitate the switch. The Large Combustion Plants Directive, established in 2001, limits operating hours of thermal power plants that exceed specified emissions levels for SO_2, NO_x and dust, is another tool that could be used to implement the policy. Demand-side measures tempering electricity demand growth, as included in the Energy Efficiency Directive, can support the reduced use of the least-efficient coal plants.

Reducing methane releases to the atmosphere in upstream oil and gas operations

Energy-related methane emissions stem from the production, transportation, distribution and use of all fossil fuels and from biomass combustion. We estimate that such emissions currently amount to 125 Mt CH_4 per year. Using the standard 100-years GWP of 25 from the Intergovernmental Panel on Climate Change (IPCC), this amounts to 3.1 Gt CO_2-eq.[14] It should be stressed however that there is a shortage of hard, measured, data on methane

14. Considering shorter time periods than 100 years, the CO_2-equivalent emissions are even larger, given that the 20-years GWP of the IPCC is 72, which increases the need to address CH_4 emissions in the short term. See also Alvarez, *et al.* (2012) for a discussion of the choice of GWP.

emissions; estimates rely primarily on multiplying "emissions factors" for various activities by "activity levels"; the emissions factors themselves can be traced to studies made by the Gas Research Institute and US EPA in the United States (US EPA, 2013).

In the oil and gas industry, methane emissions occur across the entire value chain.[15] Transmission and distribution of natural gas releases considerable amounts of methane into the atmosphere due to leakage or venting (which may be voluntary or involuntary), particularly in countries with a large and ageing distribution network, such as Russia and the United States. Additional methane emissions occur during incomplete combustion, both in end-use and in flaring. The extent of emissions in transmission, distribution and end-use is poorly known, as many of these emissions result from unintended leaks in ageing infrastructure. Addressing such leakage is a challenging and potentially costly task, beyond the short-term focus considered here. The larger potential for reducing methane emissions from oil and gas in the short term lies in optimising operational practices upstream, where the sources of emissions are relatively well-known. Technologies to reduce them are available (in large part through the work of the US EPA Gas Star Program) and the necessary action can be implemented through the existing sophisticated industry, dominated by large companies with strong technical skills and budgets. We estimate that the global oil and gas upstream industry released 45 Mt of CH_4 emissions (1 115 Mt CO_2-eq) to the atmosphere in 2010 (Spotlight).

Both venting and flaring give rise to methane emissions during oil and gas field operations. Venting (as defined here) includes both the intentional release of methane to the atmosphere (as part of normal operations) and "fugitive emissions", which are unintended – the results of leaks, incidents, or ageing or poorly maintained equipment. Some emissions from venting can be reduced at comparatively low cost by applying operational best practices, such as increased inspection and repairs, minimising emissions during completion operations and workovers[16], and reducing the frequency of start-ups and blow-downs. Equipment can also be converted, or designed, to reduce emissions: low-cost options include modifying dehydrators and converting gas-driven pumps and gas pneumatic device controls to mechanical controls. Additional but more capital-intensive potential lies, for example, in replacing leaking compressors with new ones and installing vapour recovery units on tanks. Production of unconventional gas has been particularly criticised because of the large amount of methane that can be released to the atmosphere during the flowback phase after hydraulic fracturing. Controlling such emissions is part of the IEA "Golden Rules" for unconventional gas development, and such rules are being adopted in a growing number of countries, for example in the US EPA's New Source Performance Standards for the oil and gas industry in the United States (IEA, 2012c).

15. Research efforts are underway, including at the University of Texas at Austin and the Environmental Defense Fund, to study methane emissions at each process step of the oil and gas value chain.

16. Workover is the term used for maintenance operations requiring interventions inside an oil or gas well, requiring temporary interruption of production. Depending on the sequence of operations, small volumes of gas may be released to the atmosphere.

SPOTLIGHT

How large are methane emissions from upstream oil and gas?

Though data on methane emissions are generally poor, it is estimated that about 550 Mt of methane emissions in total are released into the atmosphere every year (IPCC, 2007), of which around 350 Mt come from anthropogenic sources. In the *WEO Special Report: Golden Rules for a Golden Age of Gas*, we estimated total energy-related methane emissions to be 125 Mt, of which 90 Mt come from the oil and gas supply and distribution (IEA, 2012c). The US EPA has recently published a comparable global assessment of 129 Mt, with the contribution of oil and gas supply and distribution at 80 Mt in 2010 (US EPA, 2012a). Much more work is needed fully to understand the magnitude of methane emissions in the absence of widespread detailed measurements.

There is no global database available that distinguishes methane emissions from upstream oil and gas field operations from those that occur during the processing, transmission and distribution of gas. For the purpose of this *Special Report*, we therefore conducted a detailed assessment of methane emissions from oil and gas field operations. During oil field operations, methane emissions occur either from incomplete combustion in flaring (where associated gas cannot be brought to the market due to the remoteness of the oil fields and a lack of infrastructure, such as in Russia, the Middle East, Africa and the Caspian Region) or as a result of leakage during associated gas handling processes and (predominantly) venting at hydrocarbon storage tanks, compressors or pneumatic devices. During field operations dedicated to natural gas production, CH_4 emissions occur mostly from venting during normal operations of drilling and well completion, and unloading (including flowback after hydraulic fracturing), but also from condensate tanks, pneumatic devices, compressors and dehydrators.

For the analysis of the volume of gas flared during oil field operations, we used the satellite data made available through the Global Gas Flaring Reduction Partnership of the World Bank to estimate the amount of methane which might remain unburned, based on an assessment of regional practices. For the analysis of methane emissions from venting during other oil and gas field operations, we used a detailed bottom-up analysis by the US EPA that assessed US methane emissions by process step and equipment type as a basis for our global assessment (US EPA, 2013). Using this analysis as a starting point, together with production levels by region, we analysed country-specific field operation practices according to the type of development (unconventional/conventional and onshore/offshore), by region and by type of hydrocarbon, taking into account the average age of existing oil and gas fields, the regulatory environment and the availability of technology. This enabled us to derive a global assessment of total methane emissions from oil and gas field operations, which are assessed as 45 Mt CH_4 (1 115 Mt CO_2-eq) in 2010. Of this, 17 Mt CH_4 comes from gas fields and 27 Mt CH_4 from oil field operations. Of the latter, 3.2 Mt are released as a consequence of incomplete combustion during gas flaring. Unsurprisingly, the largest emitters are the regions with high oil and gas production levels, *i.e.* Russia (10 Mt) followed by the Middle East (9 Mt) and Africa (5 Mt).

Gas that becomes available in relatively large quantities as a by-product of oil production (associated gas) often has no commercially viable outlet. It will not normally be vented, for safety reasons, but will be flared. Gas flaring converts methane into CO_2, *i.e.* still a greenhouse gas, but with lower Global Warming Potential. Reducing flaring has been a long-standing goal of the international community – it would substantially reduce both CO_2 and methane emissions – but the large investment required cannot materialise quickly. On the other hand, combustion is not always fully complete, which means that unburned methane is inadvertently released to the atmosphere from an otherwise controlled process, the amount varying with the design of the flaring equipment, and other parameters, such as wind speed (US EPA, 2012b). To reduce flaring on a large scale, infrastructure and equipment, such as compressors and pipelines, need to be built to bring the gas to markets or to enable it to be used for local power generation a comparatively capital-intensive process. Less capital-intensive options, such as the optimisation of flaring equipment or gas re-injection, need to be promoted in the short term.

All the technologies to pursue short-term optimisation from upstream operations in order to reduce methane emissions from venting and flaring are readily available, which means that the pace of reduction can be significant if the right policies and enforcement procedures are adopted (Figure 2.10). In the 4-for-2 °C Scenario, such short-term policies, including reducing venting and improving flaring efficiency, reduce methane emissions from oil field operations by about 300 Mt CO_2-eq. in 2020 (or 40% of oil-supply related methane emissions), relative to the New Policies Scenario, in which no additional regulation to address venting and flaring is assumed beyond that in place today, such as those targeting "green" completion equipment in the US EPA's New Source Performance Standards for the oil and gas industry. For gas field operations, the decrease is 280 Mt CO_2-eq (or about 55% of gas supply-related methane releases). The largest reductions are in Russia, the Middle East, Africa and the United States. They are achieved through a combination of rapid and broad-based implementation of low-cost and technological best operational practices, *e.g.* fewer start-ups/shutdowns, more frequent inspections, installation of electronic flare ignition, replacement of pneumatic controls by mechanical ones and upgraded dehydrators. These measures would account for about half of the reduction in emissions in 2020. The remainder would be accounted for by the first results from reduction endeavours that are more complex, take more time to implement and require larger investments. This category includes modifications like the installation of pressurised storage tanks with vapour recovery units, replacing compressors by ones with higher emissions standards and capturing emissions from individual wells. The impact of these measures would be even larger beyond 2020, as methane emissions from the upstream are likely to continue to increase in line with increasing oil and gas production.

Regulations exist in many countries to reduce venting and flaring, for example, in Russia, Ukraine, Argentina and Colombia. But there is often a lack of means of enforcement, particularly for venting. While the extent to which gas is flared is visible, vents are invisible and effective enforcement demands installation of specific equipment (for example, infrared cameras) and carrying out specific measurements. These equipment or processes

are often unavailable. Another essential ingredient for success is raising awareness. Operators themselves, in particular in dispersed operations, are often unaware of the extent of their emissions and lack appropriate detection and measurement equipment. In relation to the reduction of venting, at least, this points to an initial focus on large, concentrated operations. A number of related efforts are currently underway, including the Global Methane Initiative and the US Natural Gas STAR Program. Supplementary options include extending carbon tax or trading schemes to methane, and imposing mandatory requirements to implement appropriate methane emissions control technologies and adopt best practices.

Figure 2.10 ▷ Methane emissions from upstream oil and gas by scenario, 2020



Fossil-fuel subsidy phase-out

Estimates from the *WEO-2012* suggest that fossil-fuel consumption subsidies worldwide amounted to $523 billion in 2011, up almost 30% on 2010 and six times higher than the financial support given to renewables (IEA, 2012a).[17] Fossil-fuel subsidies were most prevalent in the Middle East, at around 40% of the global total. These estimates indicate the extent to which end-user prices are reduced below those that would prevail in an open and competitive market. Such subsidisation occurs when energy is imported at world prices and sold domestically at lower, regulated prices, or, in the case of countries that are net exporters of a product, where domestic energy is priced below international market levels.

In recognition that subsidy reform is likely to be a challenging and slow process in many countries because of political obstacles, the 4-for-2 °C Scenario does not encourage high expectations for a universal phase-out in the short term. A total phase-out by 2020 is assumed in fossil-fuel importing countries, as in the New Policies Scenario; but in exporting countries (where sustained reforms are likely to be more difficult), we assume a more gradual phase-out: relative to the New Policies Scenario, subsidisation rates are reduced

17. See IMF (2013) for additional discussion of subsidies.

by an additional 25% by 2020, before being completely removed by 2035.[18] As a result of these efforts, CO_2 emissions are reduced by 360 Mt in 2020, relative to the New Policies Scenario (Figure 2.11). Savings are greatest in the countries of the Middle East, which account for 54% of all savings, followed by Africa at 15%, and Latin America at 11%. Besides the cautious approach adopted towards subsidy reform in the 4-for-2 °C Scenario, the fact that these savings come on top of those already achieved in the New Policies Scenario explains the relatively low share of abatement resulting from fossil-fuel subsidy reform, compared with the effect of the other policies adopted in the 4-for-2 °C Scenario.

Figure 2.11 ▷ Change in world CO_2 emissions through fossil-fuel subsidy reform in the 4-for-2 °C Scenario relative to the New Policies Scenario, 2020



Subsidy reform is difficult as the short-term costs imposed on certain groups of society can be very burdensome and induce fierce political opposition. In Indonesia, for example, an attempt to increase gasoline and diesel prices by 33% in April 2012 induced strong public protests. Similarly, several weeks of nation-wide protests followed the complete removal of gasoline subsidies in Nigeria in January 2012. Concerns about inflation in several other countries in Asia and political and social unrest in parts of the Middle East and North Africa have delayed, and in some cases reversed, plans to reform energy pricing. Nonetheless, fossil-fuel subsidies represent a significant burden on many national budgets and political support for fossil-fuel subsidy reform has been building in recent years. In net-importing countries, in particular, efforts to reform have been closely linked to the unsustainable national financial burden created by the growth of subsidies as import prices rise. Even some net-exporting countries have taken steps to curtail the effect of artificially low domestic prices on export availability and foreign currency earnings (Table 2.2).

18. Subsidisation rate is calculated as the difference between the full cost of supply and the end-user price, expressed as a proportion of the full cost of supply.

Table 2.2 ▷ Recent developments in fossil-fuel consumption subsidy policies in selected countries

Country	Recent developments
Bolivia	In January 2012, the government returned to the issue of phasing out subsidies for gasoline and diesel, after efforts in 2011 failed in the face of strong opposition.
China	Implemented a tiered electricity pricing system in July 2012. Announced in March 2013 that prices of oil products would be adjusted every ten working days to better reflect changes in the global oil market.
Egypt	Announced in August 2012 a commitment to gradually phase out subsidies to energy-intensive industries. Plans to implement a "smart card" system to manage sales of subsidised gasoline and liquefied petroleum gas (LPG).
Ghana	Cut fuel subsidies in February 2013. As a result, prices of premium gasoline, diesel prices, kerosene, heavy fuel oil and LPG increased.
India	In January 2013, allowed state fuel retailers to start increasing the price of diesel on a monthly basis until it reaches market levels and raised the price cap on LPG cylinders. The 2013-2014 budget for petroleum product subsidies has been cut by more than 32%, compared to the previous year, from Rs 969 billion to Rs 650 billion (approximately $12 billion).
Indonesia	Announced policies to reduce subsidy expenditure in May 2012: tracking fuel use by vehicle; banning state-owned and (certain) company vehicles from using subsidised fuels; substituting natural gas for gasoline and diesel; and reducing electricity use in state-owned buildings and street lighting.
Iran	Significantly reduced energy subsidies in December 2010 as part of a five-year programme to gradually increase prices of oil products, natural gas and electricity to full cost prices. In January 2013, ended supplies of subsidised gasoline for cars with engines of 1 800 cubic centimetres and above, and restricted sales of subsidised gasoline near border areas.
Jordan	Raised the price of gasoline and electricity tariffs for selected industrial and services sub-sectors in June 2012. Since November 2012, subsidies have been removed from all fuels except LPG and global oil prices have been reflected via a monthly review.
Malaysia	In April 2012, announced that subsidies for gasoline, diesel and cooking gas would continue to be provided under the current administration.
Mexico	Gasoline and diesel prices are being raised slightly every month in 2013 to bring them closer to international levels.
Morocco	In June 2012, raised the price of gasoline by 20% and diesel by 10%.
Nigeria	A nation-wide strike followed a complete removal of gasoline subsidies in early January 2012, which doubled prices. Gasoline prices were then cut by a third, partially reinstituting the subsidy. Announced in March 2013 that there were no plans to reduce subsidies on premium gasoline.
Russia	Plans to increase regulated domestic natural gas tariffs by 15% for all users from July 2013.
Saudi Arabia	In May 2013, the Economy and Planning Minister indicated that subsidy rationalisation was something the country is seeking to address as they have become expensive and are causing damage to the economy.
South Africa	Energy regulator granted power utility Eskom an 8% per year average electricity price increase over the next five years, which will effectively reduce electricity subsidies.
Sudan	Commenced a subsidy reduction programme in June 2012, but in December 2012, announced that there were no plans to cut fuel subsidies further in 2013.
Thailand	In early 2013, announced that LPG prices would be increased monthly by 50 satang (approximately $0.02) monthly over the next year.

Because of the social sensitivity of the issue (and because every country must consider its specific circumstances), there is a raft of key principles to be adhered to when implementing such reforms. For example, inadequate information about existing subsidies is frequently an impediment. Before taking a decision about reform, governments must first precisely examine energy subsidies, including their beneficiaries, to identify low-income groups that depend on subsidies for access to basic energy services, and quantify their costs and benefits, in order to determine which subsidies are most wasteful or inefficient. Making more information available to the general public, particularly about the budgetary burden of subsidies, is a necessary step in building support for reform.

While the removal of fossil-fuel subsidies tends to improve long-term economic competitiveness and fiscal balances, it may, nonetheless, have negative economic consequences in the short term, particularly for certain groups, and any such reform must be carried out in a way that allows both energy and other industries time to adjust. Governments may well be wise to dissociate themselves from direct responsibility for price-setting, either by liberalising energy markets, or, at least, by establishing automatic mechanisms for price changes.

Box 2.3 ▷ Sustainable Energy for All and the 4-for-2 °C Scenario

Providing access to modern energy offers multiple economic and social benefits. Yet, today 1.3 billion people do not have access to electricity and 2.6 billion people rely on the traditional use of biomass for cooking (IEA, 2012a). These people mainly live in rural areas in developing Asia and sub-Saharan Africa. The United Nations Sustainable Energy for All (SE4All) initiative addresses this urgent problem, but investments under current and planned policies will not be enough to achieve universal energy access by 2030 (IEA, 2011a).

The SE4All initiative sets specific targets for reaching the goal of universal access to modern energy services by 2030, including reducing energy intensity at an average annual rate of 2.6% between 2010 and 2030, and increasing the share of renewables. The policy measures proposed in the 4-for-2 °C Scenario allow important steps to be taken towards these goals: in particular, the energy intensity target is more than reached as a result of the proposed policy package. The proposed ban on the least-efficient coal power plants helps to increase the share of renewables, but the level reached in 2030 is still short of the SE4All target.

Reducing methane emissions from upstream oil and gas is not part of the SE4All initiative, but it could also support the achievement of universal access in countries with considerable flaring. Nigeria, for example, had the third-largest population in the world without access to electricity in 2010, around 79 million people or half of the total population. The country already makes steps towards reducing flaring in oil and gas production, and full implementation of such measures as in the 4-for-2 °C Scenario could save natural gas at a level that, if supplied to the domestic market, would be sufficient to provide basic energy needs to the currently deprived.

Even a commitment to subsidy reform will not be sufficient in the absence of certain institutional and administrative capabilities, and even physical infrastructure. There must be institutions that are capable of accurate and timely collection of data about existing subsidies, their distribution and the need for offsetting selective relief accompanying reform. Governments ultimately have the responsibility for gathering this far-reaching information, but other organisations may have the technical expertise necessary to aid the effort.[19]

Implications for the global economy

The policy package suggested in the 4-for-2 °C Scenario does not affect global and regional growth of GDP to 2020. GDP grows globally at 4.1% per year between 2012 and 2020, representing annual average growth of 2.2% and 6.0% in OECD and non-OECD countries respectively.[20] This neutral impact on GDP results from the combined implementation of the four policies that are assumed to be adopted and from relative price adjustments across all commodities, goods and services. In the period post-2020, however, the adopted policy measures foster economic growth, as investments in the programme are increasingly outweighed by fuel bill savings and resources get allocated more efficiently across the entire economy.[21]

Energy prices in the 4-for-2 °C Scenario are lower than in the New Policies Scenario: oil prices increase to $116 per barrel in 2020, or $4/barrel lower than in the New Policies Scenario, before declining in 2035 to $109/barrel, which is $16/barrel lower than in the New Policies Scenario.[22] Natural gas prices are lower in importing regions such as Europe or Japan. OECD steam coal prices reach $100/tonne in 2035, $15/tonne lower than in the New Policies Scenario. The activity level of each sector in each country is boosted or reduced, depending on the specific policies to which they are exposed (Figure 2.12).

19. The *World Energy Outlook 2013* – to be released on 12 November 2013 – will examine the extent of fossil-fuel subsidies globally.

20. Slight deviations from New Policies Scenario GDP levels lie within the margin of error of standard mid-term economic forecasting, particularly in times of high uncertainty on projected economic activity (OECD, 2012; IMF, 2012).

21. Some of the proposed policy measures, such as energy efficiency, can foster economic growth even before-2020. See IEA (2012a) for a discussion of economic benefits of energy efficiency policy.

22. Each policy pillar may impact energy prices. For example, the multilateral and progressive phase out of fossil-fuel subsidies tends to push international fossil-fuel prices down, but domestic end-user prices increase in countries conducting the reform. Targeted energy efficiency measures also put a downward pressure on international prices by lowering energy demand. In contrast, minimising upstream methane emissions and reducing power generation from inefficient coal-fired power plants tend to increase production costs, thus leading to higher end-user prices of oil, natural gas and electricity.

Figure 2.12 ▷ Average annual GDP growth by scenario in selected countries, 2012-2020



The value of economic activity in energy sub-sectors (comprising fossil-fuel extraction and processing, transport fuel production and shipping, and power generation) is slightly reduced, as they bear extra costs due to the reduction in methane emissions in upstream oil and gas operations and lower use of subcritical coal-fired power plants. By 2020, the global reduction in activity in the energy sector, measured by real value-added, reaches about $150 billion, a 3.7% decline relative to the New Policies Scenario. By contrast, other sectors of the economy benefit from lower energy prices and, in some cases, from additional investments linked to the adoption of more energy-efficient technologies that bring about savings in fuel costs. These variations in sectoral activity level offset each other, resulting in overall GDP-neutrality.

Energy efficiency measures adopted in the 4-for-2 °C Scenario bring about a $900 billion increase, relative to the New Policies Scenario, in cumulative investment from 2012 to 2020 (Figure 2.13). More than half of the increase is due to households purchasing more efficient energy consuming equipment (IEA, 2012a). The increase in cumulative investment in the service and transport sectors respectively reaches more than $160 billion and $170 billion. Energy intensive industries are responsible for only a small share of total energy efficiency investments, as their potential for energy savings is comparatively limited in the period to 2020. The reduction of methane emissions from upstream oil and gas requires a cumulative investment of around $20 billion up to 2020, while power generation investment is slightly reduced, relative to the New Policies Scenario, due to lower electricity demand, driven by energy efficiency policies.[23]

23. The implementation of the four policies will require transfer of technology from developed to developing countries. One such mechanism, Joint Crediting Mechanism (JCM), is being established by the Japanese Government. Through this mechanism a host country receives technology and sets up measuring, reporting, and verification of a project's emissions reductions. Projects include renewable energy, highly efficient power generation, home electronics, etc., which facilitates low-carbon growth in developing countries.

Figure 2.13 ▷ World energy efficiency investment and change in energy and non-energy value-added in the 4-for-2 °C Scenario relative to the New Policies Scenario



Capital-intensive sectors, facing sizeable fuel spending, benefit the most from the policies that are assumed to be adopted in the 4-for-2 °C Scenario (Figure 2.14). Transport services (including freight and shipping of other goods) are directly stimulated by targeted energy efficiency investments. Cumulative value-added to 2020 increases by 7%, relative to current levels, and 0.7% relative to the New Policies Scenario. Despite limited investments in energy efficiency, energy-intensive industries are particularly sensitive to the reduced energy prices stemming from the full policy package. This enables those industries to redirect spending to other primary factors, *e.g.* capital and labour, which translates into an increase in activity of around 1-3% through to 2020 (Chateau and Magné, 2013).

Figure 2.14 ▷ Change in household spending, investment in energy efficiency and in sectoral value-added in the 4-for-2 °C Scenario relative to the New Policies Scenario, 2012-2020



The manufacturing sector also sees reduced production costs and a 4% increase in cumulative activity. In relative terms, the policy impact for the services sector is limited. Given the sheer size of services in the global economy – currently around 60% of total value-added – the amount of capital invested in energy efficiency relative to capital in place is only a few percentage points. In addition, energy use is in the services sector is too limited to benefit significantly from reduced energy prices in the 4-for-2 °C Scenario.

The overall objective of reducing CO_2 and methane emissions entails sectoral and regional reallocations of supply and demand across all commodities, goods and services. Energy efficiency investments by households and firms reduce their energy bills, freeing up finance for the purchase of other goods. Prices of non-energy goods and services are moderated, as energy costs are lower. This stimulates an increase in activity in non-energy sectors that more than compensates for the reductions in the energy sector. The global trade impacts of the policies remain very limited – a mere 0.1% increase in 2020.

Figure 2.15 ▷ Impact on consumption of goods and services in households in the 4-for-2 °C relative to the New Policies Scenario, 2020



* Includes transport equipment and transport services.

The reshuffling of sectoral activity is chiefly triggered by the altered consumption behaviour of households, a distinct driver of economic growth, particularly in OECD countries (Figure 2.15). Goods and services with relatively low energy content or whose adoption may bring about significant energy savings, such as in transport through the deployment of energy-efficient vehicles, are specifically targeted by the policy package implemented in OECD countries. In 2020, the four policies in OECD countries lead to an

increase in household expenses of above 1% for transport services and equipment, and also for manufactured products relative to the New Policies Scenario.[24] Both categories of additional expense are of similar magnitude, around $35 billion.

Energy expenses in OECD countries are between 2% and 4% lower than in the New Policies Scenario, equivalent to a net reduction of about $40 billion. The net increase in OECD household consumption is limited to 0.1%. Similar net deviations are observed in non-OECD countries, though non-OECD economies are generally more industry-oriented and energy spending accounts generally for a larger share in consumption. Energy efficiency measures redirect consumption towards goods and services which embed less energy. Therefore, the set of policies in the 4-for-2 °C Scenario induces a more significant boost in household consumption. The services sector is further developed, as economic development proceeds in these countries. In 2020, household spending on energy goods is cut by almost 4% in the case of oil products. The electricity bill diminishes by more than 8%, incentivised by the reform of fossil-fuel subsidies.

Figure 2.16 ▷ Impact on consumption of goods and services in firms in the 4-for-2 °C relative to the New Policies Scenario, 2020



* Includes transport equipment and transport services.

The overall increase in household consumption is, to some extent, counterbalanced by an overall reduction in consumption of goods and services by firms (Figure 2.16). Energy expenses by firms are reduced in similar proportion to those of households. But demand

24. Welfare impacts of the 4-for-2 °C Scenario are qualitatively similar to consumption trends illustrated in this section.

by firms for other goods, notably manufactured products, is maintained, though changed in detail. The resulting net impact on consumption by firms is a 0.2% decrease ($90 billion) in OECD countries, offsetting the net increase in households. Larger cuts in the energy bills of non-OECD firms also lead to a net 0.2% drop in consumption in 2020 (-$80 billion).

The assumed multilateral reform of fossil-fuel consumption subsidies leads to more efficient resource allocation across the entire economy and is thus welfare-enhancing in countries implementing the reform. This measure benefits Middle Eastern countries particularly, which results, in combination with other elements of the policy package, in a slight increase in their GDP.

Building blocks for steeper abatement post-2020

The long-term implications of the 4-for-2 °C Scenario

The implementation of assumed policy measures in the 4-for-2 °C Scenario significantly reduces growth in global CO_2 emissions from the energy sector. Global energy-related CO_2 emissions continue to grow in the short term, to 32.1 Gt in 2020,[25] but this is only some 2% higher than is required to put the world on track for a global temperature rise in the long term no higher than 2 °C. Emissions stabilise after 2020 and start falling slowly, reaching 30.8 Gt in 2035, 6.2 Gt (or 17%) lower than in the New Policies Scenario (Figure 2.17). Almost 60% of the CO_2 savings in 2035 occur due to the reduced use of coal as a result of lower electricity demand and less use of the least-efficient coal power plants. The use of oil is also reduced, contributing 25% to overall emissions reductions, largely due to efficiency standards in road transport and the phase-out of fossil-fuel subsidies. Natural gas contributes another 17% to emissions reductions, due to lower electricity demand and the phase-out of fossil-fuel subsidies. However, the use of natural gas, still grows until 2035 in the 4-for-2 °C Scenario, though at a reduced average annual rate, relative to 2010, of 1.1%. It is the only fossil fuel for which demand still increases significantly over today's levels.

Figure 2.17 ▷ World energy-related CO_2 emissions by scenario



25. Including CH_4, energy-related emissions reach 34.9 Gt CO_2-eq in 2020.

These additional measures are not sufficient alone, however, to reach the 2 °C target in the long term, as CO_2 emissions are 8.8 Gt (or 40%) higher than the required level in 2035, a level which, if realised, would represent only a 13% probability of stabilisation at 2 °C, and a 50% likelihood of reaching 2.9 °C. In order to change course post-2020 and put the world firmly on track consistent with a for a 50% chance of reaching the 2 °C target, further reductions are required. Relative to the 4-for-2 °C Scenario, these additional reductions amount to a cumulative 78 Gt through 2035.

Technology options for ambitious abatement post-2020

The relevance of low-carbon technologies

For the required transformation of the energy sector post-2020 to achieve climate targets, all technology options will be needed and their early availability is essential to minimise the additional costs associated with their deployment. While deep emissions reductions are possible if consumers were to reduce demand for energy services such as mobility or comfort, such changes are considered unlikely and might entail lower economic activity. The acceptable keys to the required emissions reduction are, therefore, technological developments and ongoing improvements in efficiency.

Figure 2.18 ▷ World electricity generation from low-carbon technologies by scenario



Note: Other includes geothermal, concentrated solar power and marine.

In the power sector, for example, a profound change in the way electricity is generated is needed post-2020. In the 4-for-2 °C Scenario, the share of low-carbon technologies including renewables, nuclear and CCS, reaches 40% in 2020, up from 32% today, but this is still well short of the required level of almost 80% in 2035, as reflected in the 450 Scenario (see Chapter 1). Achieving this target will require the use of all low-carbon technologies, with the largest contribution coming from increased use of renewables, as electricity output from hydro, wind, biomass, solar and other renewables combined in 2035 is over 4 000 terawatt-hours (TWh)

(or almost 40%) higher than in the 4-for-2 °C Scenario (Figure 2.18). Electricity generation from nuclear power needs to increase by almost 1 800 TWh in 2035 (or about 40%) over the level achieved in the 4-for-2 °C Scenario. In relative terms, the largest scale-up, post-2020, is needed for CCS, at seven times the level achieved in the 4-for-2 °C Scenario, or around 3 100 TWh in 2035, with installation in industrial facilities capturing close to 1.0 Gt CO_2 in 2035. Projects in operation today in all sectors capture only 6 Mt CO_2, implying a very rapid deployment of CCS in many applications. For all low-carbon technologies, the removal after 2020 of market and non-market barriers towards their wider adoption will require a consistent policy effort over the next decade.

In the transport sector, a shift towards low-carbon fuels is required as improving the efficiency of road vehicles alone will not lead to the steep reductions required after 2020 (IEA, 2012b). While natural gas and biofuels are promising alternatives to oil, their potential to reduce emissions relative to oil is limited, either due to their carbon content (natural gas) or questions with regard to their sustainability and conflicts with other uses for the feedstock (biofuels). From today's perspective, high expectations fall on the deployment of electric and plug-in hybrid vehicles, with their share of all PLDV sales required to rise by above one-quarter by 2035 (as in the 450 Scenario). Such a dramatic shift away from current sales patterns is unprecedented in global car markets. In order to attain such a steep increase in market shares, electric vehicles need to be freely available to the mass market at competitive costs by 2020, solutions having been identified to address issues such as driving range (for example, fast recharging infrastructure) or other issues crucial to consumer acceptability.

The relevance of carbon capture and storage

The large deployment of CCS after 2020 is required partly as a fossil-fuel assets protection strategy.[26] In 2020, there are almost 2 000 GW of coal-fired capacity and almost 1 800 GW of gas-fired capacity installed worldwide in the 4-for-2 °C Scenario, together representing 58% of total electricity generation. Deploying CCS and retrofitting fossil-fuel plants with CCS avoids the need to mothball large parts of this fleet and improves the economic feasibility of the climate objective, in particular in regions where geological formations allow for CO_2 storage (IPCC, 2005). So far, only a handful of large-scale CCS projects in natural gas processing are operating, together with some low-cost opportunities in industrial applications. While many projects are economically viable because CO_2 is purchased for enhanced oil recovery (EOR), there is no single commercial CCS application to date in the power sector or in energy-intensive industries. Additional to technological and economic challenges, CCS must overcome legal challenges related to liabilities associated with the perceived possibility of the escape of the CO_2 gases that are stored underground. Existing policies so far are insufficient to incentivise investments in commercial-scale CCS (Box 2.4). Although progress has been made towards improving the regulatory framework, sufficient

26. See Chapter 3 for an analysis of the economic implications of stronger climate policies.

technology and deployment support is lacking and the absence of a substantial price signal has impeded necessary development of CCS technology.

Past analysis has demonstrated that emissions mitigation becomes more costly without CCS (IEA, 2011c).[27] In the power sector, delaying introduction of CCS from 2020 to 2030 would increase the investment required to keep the world on track for the 2 °C target by more than $1 trillion, as the need for additional investment in other low-carbon technologies, such as renewables and nuclear, would more than offset the reduced investment in coal power plants and CCS (Figure 2.19). Although a reduction of electricity demand can accommodate lower CCS deployment in the power sector, there are limits to the extent to which energy efficiency can reduce energy demand without reducing energy services.

Figure 2.19 ▷ Change in cumulative investment in power generation if CCS is delayed, relative to the 450 Scenario, 2012-2035



While the delayed availability of CCS can be compensated in the power sector by increasing investment in renewables and nuclear, albeit at higher costs, the fact that alternatives are not available to compensate for a shortfall of the deployment of CCS technologies in industry is a bigger challenge. Energy-efficient equipment can go a long way (and is deployed to its maximum in the 450 Scenario), but the potential for renewables in industrial applications is limited. A higher use of decarbonised electricity in industry has some potential, for example in iron and steel via secondary steelmaking, but this would not allow the production of certain product qualities. Without the deployment of CCS or an alternative low-carbon technological breakthrough in industrial processes, industry would struggle to reach the levels of decarbonisation necessary to achieve the 450 Scenario, so putting further pressure and imposing greater costs on sectors with more options to decarbonise, such as transport and power generation.

27. The analysis of the cost of delaying CCS in this section is based on a comparison of the cost of reaching the 450 Scenario from *WEO-2012* with those of the Delayed CCS Case that was presented in *WEO-2011* and that assumes that CCS is introduced in 2030, *i.e.* ten years later than in the 450 Scenario.

Box 2.4 ▷ Policies to support CCS

CCS deployment requires strong policy action, as present market conditions are insufficient and current CO_2 pricing mechanisms have failed to provide adequate incentives to drive it. Governments need to put in place incentive policies that support not only demonstration projects but also wider deployment. The optimal portfolio of incentive policies needs to evolve as the technology develops from being relatively untested at a large scale to being well-established. The incentive policy portfolio should initially be weighted towards technology-specific support, explicitly targeting the development of CCS into a commercial activity through the provision of capital grants, investment tax credits, credit guarantees and/or insurance (Figure 2.20). At the early stage, measures are needed to enable projects to move ahead in order to generate replicable knowledge and experience. Targeted sector-specific industrial strategies are then needed to move CCS from the pilot project phase to demonstration and then deployment phases. In the long term, a technology-neutral form of support, *e.g.* in the form of a CO_2 price, allows the deployment of CCS to be considered in relation to other cost-effective abatement options.

Figure 2.20 ▷ Policy framework for the development of CCS



Source: Adapted from IEA (2012d).

In addition to the tailored incentive policies needed to drive CCS forward, governments need to ensure that the terms of regulatory frameworks (or their absence) do not impede demonstration and deployment of CCS. In this context, a regulatory framework is the collection of laws (and rules or regulations, where applicable) that removes unnecessary barriers to CCS and facilitates its implementation, while ensuring it is undertaken in a way that is safe and effective. Jurisdictions in the European Union, the United States, Canada and Australia have established legal and regulatory frameworks for CCS over the past few years (IEA, 2011c). While developing a legal and regulatory framework for a novel technology is a daunting challenge, a regulatory framework can, within limits, be developed in phases, with regulations tailored to the stage of technology deployment, as has been done in some jurisdictions, so long as the regulatory process stays sufficiently ahead of the game. But, in any case, framework development must begin as soon as possible to ensure that a lack of appropriate regulation does not slow deployment.

CCS can not only safeguard otherwise stranded assets in power generation and industry, but also has a value for fossil-fuel producers. To achieve climate targets, CCS would mainly be applied to coal- and gas-fired power plants and in the iron and steel, and cement industries, which largely consume coal. If the introduction of CCS in power generation and industry is significantly delayed, coal consumption must decrease correspondingly if climate targets were to be met: while coal consumption would decline from around 5 200 million tonnes of coal equivalent (Mtce) today to 3 300 Mtce in 2035 if CCS was introduced on a large scale by 2020, it would be reduced by another 900 Mtce if the introduction of CCS was delayed by ten years.

Oil and gas producers would also be affected by delayed introduction of CCS. Although gas consumption would still increase over today's level, growth would be slower without the application of CCS to gas-fired power plants. For oil producers, the effect of delaying CCS would be indirect: in order to keep cumulative CO_2 emissions the same in the absence of CCS, the transport sector would need to compensate by reducing emissions further through wider deployment of electric vehicles. This could reduce oil consumption by around 1.3 million barrels per day in 2035, compared with introduction of CCS by 2020. Overall, if the introduction of CCS was delayed until 2030, then coal producing countries would lose revenues of $690 billion, gas producers would lose $430 billion and oil producers about $230 billion (Figure 2.21). The combined loss of revenue for oil and gas producers is roughly equal to that of coal producers.

Figure 2.21 ▷ Change in fossil fuel cumulative gross revenues by type and region if CCS is delayed, relative to the 450 Scenario



Policy frameworks post-2020

The role of carbon prices

The analysis in this chapter has shown that it is possible in 2020 to be within reach of a 2 °C trajectory through the adoption in the short term of a number of well-targeted, decisive policy interventions that will not damage economic growth. After 2020, the energy

transition must move from being incremental to transformational, *i.e.* an energy sector revolution, is required, which will be attained only by very strong policy action. The pivotal challenge is to move the abatement of climate policy to the very core of economic systems, influencing in particular, all investment decisions in energy supply, demand and use. Every feasible abatement opportunity will need to be seized. An important way to achieve this is by pricing carbon emissions.

By reflecting in energy prices the hidden cost of climate damage, well-judged carbon pricing gives all producers and consumers the necessary incentive to reduce greenhouse-gas emissions, while allowing flexibility in the technical and business solutions adopted to make these reductions. Carbon pricing provides an incentive for innovation, and depending on the policy design, could help the fiscal position of governments.

Carbon pricing can be implemented in a multitude of ways, matching national circumstances and climate objectives. Carbon taxes provide simplicity and investment certainty, while emissions trading can be used if flexibility and international linkages are a higher priority. The revenues raised can be used to maximise overall economic welfare (for example, by reducing other distortionary taxes) and, in this case, the net benefit can exceed the economic slow-down resulting from energy price rises (Parry and Williams, 2011). The revenues raised can also be used in a targeted way to offset the impact of increasing prices for low-income consumers or vulnerable industries and, if designed well, can still maintain the appropriate incentives for cleaner energy choices. Targets in an emissions trading scheme can be based on an absolute emissions cap, which gives certainty over the abatement outcome, or an emissions intensity, which provides greater flexibility for rapidly-developing economies and can have a lesser impact on energy prices.

A key advantage of carbon pricing is its potential to optimise action internationally, either through international credit mechanisms or the linking of domestic emissions trading schemes. International linking allows abatement to occur first where it is cheapest, driving investment flows and technology to regions with abatement opportunities. In theory, this should appeal both to buying and selling nations – buyers benefit from cheaper compliance with emissions targets and sellers profit from higher unit sales. However, other political considerations mean that, in the real world, linking decisions is complex. There may be concerns about outflows of capital from buying countries, and "loss" of cheap abatement options in selling countries. There may also be concern that international linking will raise domestic carbon prices in regions with ample abatement opportunities, flowing through to energy prices. Even if technical design elements enable linking, these political considerations may mean that carbon pricing policies remain mostly domestic or regional for some time.

Given the important role that carbon pricing must play from 2020, it is essential to use the few years ahead to design and test carbon pricing systems in order to gain experience. Experience in the EU ETS and other systems, such as the US-based Regional Greenhouse Gas Initiative, has shown that it can take a number of years to put a carbon pricing system in place, and several more to settle on robust and sustainable policy parameters

(see Chapter 1). Countries that have worked through these design issues and have carbon pricing as an available tool will be at a distinct advantage in managing the ambitious emissions reductions that will be required under any new international agreement consistent with keeping the long-term average global temperature rise to below 2 °C.

Box 2.5 ▷ Clean energy standards

Emissions trading does not necessarily mean a "cap and trade" system: there are many design options for integrating a flexible carbon price into investment decision-making. For example, a clean energy standard (CES) for the electricity sector could work in a very similar way to an intensity-based ETS, embedding a clear incentive for a clean energy transition across electricity sector decision-making and retaining many of the benefits of carbon pricing. Under a CES, permits are awarded for each unit of clean electricity generated, on the basis (approximately) of avoided emissions compared to a baseline, which requires careful definition. Electricity suppliers must surrender permits corresponding to a required share of clean energy. The tradability of permits creates a price for a unit of low-carbon electricity generation, rather than a price for emissions. As with any emissions trading or crediting system, setting the emissions cap (in this case the required share of clean energy) at an ambitious level is critical to ensure that there is a functioning market that results in real, additional emissions reduction.

CES systems do not necessarily raise energy prices by as much as an equivalent cap and trade system because the cost passed through to consumers is only that of the required investment in clean energy, rather than a charge on all fossil-fuel generation. Conversely, they do not raise revenue for governments to use in an economically beneficial way and do not provide a clear signal for demand reduction.

Despite its importance, carbon pricing alone will not be sufficient to drive necessary changes. Direct targeted policies will be needed to unlock the energy efficiency potential, such as those proposed in the 4-for-2 °C Scenario to 2020. Energy efficiency is often blocked by non-market barriers which, left in place, could distort the response to carbon prices. The development of new technologies also requires targeted support, both to bring down costs and to allow for scaling-up to the level required for the long term. Typical examples are CCS, some renewable energy technologies, smart grids and electric vehicles (which also require supporting infrastructure). It may also be necessary directly to discourage investment in long-lived energy infrastructure that might otherwise be beyond the reach of a carbon price signal. Although some sectors are less responsive to a carbon price, such a market signal may still play a supporting role. For example, fuel-economy standards in transport are much more effective if complemented by fuel-excise charges to prevent rebound, as is provided for in the 450 Scenario.

Managing climate risks to the energy sector

Building resilience now

Highlights

- The energy sector must ensure that its assets are resilient to the physical impacts of the climate change that is already occurring and in prospect, and also that its corporate strategy is resilient to the possibility of stronger climate change policies being adopted in the future. If these implications of climate change are not factored into investment decisions, carbon-intensive assets could need either to be retired before the end of their economic lifetime, idled or undergo retrofitting.
- The energy sector is not immune from the physical impacts of climate change and must adapt. In mapping energy system vulnerabilities, we identify some impacts that are sudden and destructive, with extreme weather events posing risks to power plants and grids, oil and gas installations, wind farms and other infrastructure. Other impacts are more gradual, such as sea level rise on coastal infrastructure, shifting weather patterns on hydropower and water scarcity on power plants. Urban areas, home to more than half the world's population, experience annual maximum temperatures that increase much faster than the global average. Our analysis, which takes account of the changing climate, shows that global energy demand for residential cooling is 16% higher in 2050 than when this effect is not factored in. Developing countries' cooling needs increase the most, particularly in China.
- Even under a 2 °C trajectory, upstream oil and gas generates gross revenues of $107 trillion through to 2035. Though 15% lower than they might otherwise be, these revenues are nearly three times higher than in the last two decades. Stronger climate policies do not cause any currently producing oil and gas fields to shut down early. Some fields yet to start production are not developed before 2035, but this risk of stranded assets affects only 5% of proven oil reserves and 6% of gas reserves. Lower coal demand impacts on coal supply but, as investment costs are a small share of overall mining costs, the value of stranded assets is relatively low.
- In the power sector overall, gross revenues are $57 trillion through to 2035 under a 2 °C trajectory, 2% higher than those expected on the trajectory now being followed, as higher electricity prices outweigh lower demand. Net revenues from existing nuclear and renewables capacity are boosted by $1.8 trillion collectively, offsetting a similar decline from coal plants. Of the power plants that are retired early, idled or retrofitted with CCS, only 8% (165 GW) fail to fully recover their investment costs.
- Delaying stronger climate action until 2020 would avoid $1.5 trillion in low-carbon investments up to that point, but an additional $5 trillion would then need to be invested through to 2035 to get back on track. Developing countries have the most to gain from investing early in low-carbon infrastructure in order to reduce the risk of needing to prematurely retire or retrofit carbon-intensive assets later on.

Introduction

As the largest source of greenhouse-gas emissions, a significant burden lies with the energy sector to deliver the 2 degrees Celsius (°C) climate goal committed to by governments. Chapter 2 examined the need and the potential for policy makers to take short-term climate actions while negotiating long-term deals. This chapter shifts focus to the need and scope for self-interested action by the energy sector. The global climate agreement that is expected to come into force in 2020 is both within the lifetime of many energy assets operating today and within the current planning horizons of the industry: it is, accordingly, one of the present uncertainties that the industry has to manage as it continues to invest. Many of the investment decisions being taken today do not appear to be either consistent with a 2 °C climate goal or sufficiently resilient to the increased physical risks that are expected to result from future climate change. Is the energy sector beginning to factor these issues into its planning and investment decisions, or is there a risk that it will need to write-off some of its assets before the end of their economic life and before they have generated the financial returns expected of them?

Climate change is, and will continue to be, an important issue for the energy sector. The industry can rise to the challenges brought about by climate change, but this will require the reorientation of a system valued at trillions of dollars and expected to receive trillions more in new investment over the coming decades. This chapter analyses some key issues that the energy sector must confront. It begins by examining the range of physical impacts that the changing climate might have on our energy system, highlighting those parts of our energy infrastructure that may be most vulnerable and need to become more "climate resilient". It then analyses the potential economic impact on the energy sector of the stronger climate policies, necessary to meet the 2 °C climate goal, which may be adopted, measuring this in terms of the impact on the sector's future revenues, and on the lifetime and profitability of existing assets (in terms of fossil-fuel reserves and energy infrastructure) and those yet to be discovered, developed or built. After all, in a world where confidence in the conclusions of climate science is hardening and the available carbon budget is shrinking, those companies deriving their revenues most closely from fossil fuels are at the highest risk from changes in energy and climate policies, potentially undermining the business models that have historically served them well. The chapter also looks more broadly at the implications if stronger actions on climate change were delayed, considering the simple question of whether it is better to act now or act later.

Impacts of climate change on the energy sector

The energy sector is not immune to the impacts of climate change and here we examine the exposure of different parts of the energy system to the associated physical risks. Even stringent action to contain the extent of climate change, such as realisation of the 2 °C climate goal, will not eliminate the impacts of climate change and the need to adapt to it (Box 3.1). Without such adaptation, climate change will increase the physical risks to energy supply, pushing up capital and maintenance costs, impairing energy supply

reliability and accelerating the deterioration (and therefore the pace of depreciation) of assets. The industry must judge the extent to which it will be impacted by future climate change and how it will need to adapt to the new physical risks, whether, for example, through changes in the location and the resilience of new infrastructure, through the decentralisation of the energy network, or by insuring against loss. Given the national importance of some energy infrastructure, government will also have an important role to play. Overall, developing an effective strategy will involve the interplay between a broad range of stakeholders, including governments, energy companies, climate scientists and insurers.

Box 3.1 ▷ Climate change adaptation

While climate change **mitigation** describes actions to reduce greenhouse-gas emissions in the atmosphere, climate change **adaptation** relates to adjustments that are made in response to actual or expected climate events (or their effects), which either moderate the harm caused or exploit beneficial opportunities (UNFCCC, 2013). Significant efforts to mitigate climate change can reduce the need for adaptation, but not dismiss it entirely because of the global warming that will result from the accumulation of past long-lived greenhouse-gas emissions. Climate mitigation and adaptation are therefore not mutually exclusive strategies and there are synergies that can be exploited to enhance their cost-effectiveness.

Climate change impacts, and the adaptation needs, will vary by region and sector. Some of the impacts will be gradual, as a long-term increase in global temperature brings about a rise in sea level, greater water scarcity in some regions and changes in precipitation patterns. Energy demand patterns will change (such as for heating and cooling), power plant cooling and efficiency will be affected, as will hydropower output, and coastal infrastructure (including refineries, liquefied natural gas [LNG] plants and power plants) will be threatened (Figure 3.1). For example, in the United States alone nearly 300 energy facilities are located within 1.2 metres of high tide (Strauss and Ziemlinski, 2012). Other impacts of climate change are likely to be more sudden and destructive, with extreme weather events, such as tropical cyclones, heat waves and floods, expected to increase in intensity and frequency (Box 3.2). Cyclones can damage electricity grids and threaten or severely disrupt offshore oil and gas platforms, wind farms and coastal refineries. Heat waves and cold spells will impact upon peak load energy demand, putting greater stress on grid infrastructure and undermining the ability of power plants to operate at optimum efficiency. Gradual and sudden climate impacts can also interact, such as a sea level rise and more powerful storms combining to increase storm surges. Furthermore, disruptions to the energy system caused by climate events can have significant knock-on effects on other critical services, such as communications, transport and health.

Figure 3.1 ▷ Selected climate change impacts on the energy sector



This map is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries, and to the name of any territory, city or area.

Sources: Based on ©Munich RE (2011), with information from Acclimatise (2009), Foster and Brayshaw (2013), Schaeffer, *et al.* (2012) and IEA analysis.

Box 3.2 ▷ Extreme weather – a new factor in energy sector decisions?

Climate change affects the frequency, intensity and duration of many extreme weather events and evidence shows that this is already happening (IPCC, 2007; Peterson, Stott and Herring, 2012). A recent report finds that the distribution of seasonal mean temperature anomalies has shifted toward higher temperatures and that the range of anomalies has increased, with an important change being the emergence of a category of extremely hot summertime outliers, relative to a 1951 to 1980 base period (Hansen, Sato and Ruedy, 2012). It also finds that, in the 1960s, less than 1% of the global land area (around the size of Iran) was affected by summertime extremes[1], but observations now point to this figure having increased to 10% (an area larger than India and China combined). A separate study links the 35-year warming trend in ocean surface temperature to more intense and larger tropical cyclones (Trenberth and Fasullo, 2008). In 2012, Tropical Storm Irene made landfall much further north than was typical and Hurricane Sandy was the largest hurricane ever observed in the Atlantic (NOAA National Weather Service, 2012). The 2003 heat wave in Europe is estimated to have caused up to 70 000 deaths (Robine, *et al.*, 2008) and, while the summer average was only 2.3 °C above the long-term average in Europe, August temperatures in several cities were up to 10 °C higher than normal. Several densely populated urban areas are already at high risk from natural hazards. For example, Tokyo and New York are at risk from cyclones and floods, while New Delhi and Mexico City are at risk from floods (UNPD, 2012).

The IPCC (2012) concluded that it is virtually certain that an increase in the frequency and magnitude of warm daily temperature extremes will occur over the course of this century. In a world where the average global temperature increases by 4 °C, relative to pre-industrial levels, several studies find that the most marked warming will be over land and actually be between 4 °C and 10 °C. A global temperature increase of 4 °C means that a 1-in-20 year extreme temperature event today is likely to become a 1-in-2 year event and, around the 2040's, about every second European summer could be as warm (or warmer) than the extreme summer of 2003 (Stott, Stone and Allen, 2004).

Energy demand impacts

Comprehensive global studies covering the impact of climate change on the energy sector are still lacking, though some regional and sector-specific analysis exists. The buildings sector has been examined in more depth than most, with studies finding that temperature increases are expected to boost demand for air conditioning, while fuel consumption for space heating will be reduced. The effects in the transport sector (such as higher use of air conditioners) and in the industry sector (changed heating and air conditioning needs) are expected to be on a smaller scale (Wilbanks, *et al.*, 2007). In agriculture, a warmer climate is likely to increase demand for irrigation resulting in a higher energy demand for water pumps.

1. Defined as being more than three standard deviations warmer than the average temperature.

Residential heating and cooling

Around one-quarter of global final energy consumption is in the residential sector – nearly 2 100 Mtoe in 2010 – with space heating accounting for around 30% of this and space cooling making up around 3%. At present, countries in cold climates, such as Canada and Russia, have high heating demand (heating degree days [HDD] of 4 000 or above), but a comparably low demand for space cooling (cooling degree days [CDD] below 300).[2] Countries in hot climates, such as India, Indonesia and those in Africa, have virtually no demand for space heating, but high cooling needs (CDD above 3 000). Other regions are situated in a more temperate climate or extend over different climate zones, such as the European Union and the Middle East where, for example, Iran has around 1 000 CDDs per year, while Saudi Arabia has more than 3 000 CDDs.

Urban areas, home to more than half the world's population, are at the forefront of the challenge of climate change. Annual maximum temperatures in cities increase much faster than the global average, fostered by the urban heat island effect. For example, an average global warming of 4.6 °C above pre-industrial levels by 2100 (as in the IPCC's RCP 8.5 Scenario) is projected to result in maximum summer temperatures in New York increasing by 8.2 °C (Figure 3.2) (Hempel, *et al.*, 2013). In such a case, the extreme summer experienced in Moscow in 2010 may be closer to the norm experienced in 2100, while the European summer of 2003 could be cooler than the average by that time. In a case where the average global warming is 1.5 °C above pre-industrial levels by 2100 (as in the IPCC's RCP 2.6 Scenario), the maximum summer temperature in New York is projected to increase by only 1.6 °C.

For this report, we have extended our World Energy Model to allow for the impact of climate change on the projections for heating and cooling energy demand in the residential sector.[3] Given the relatively long timescales over which climate impacts occur, the time horizon for this purpose is from 2010 to 2050, though it is recognised that the largest impacts will be felt after this date: our New Policies Scenario is consistent with an average global temperature increase of around 2 °C by 2050 (3 °C by 2100 and 3.6 °C by 2200), compared with pre-industrial levels. In addition to changes in average energy demand for heating and cooling, climate change may also increase peak-load demand for cooling.

2. HDD and CDD are measurements designed to reflect the demand for energy needed to heat or cool a building. HDD and CDD are defined relative to a base temperature – the outside temperature above/below which a building needs no heating or no cooling. For example, if 18 °C were the baseline temperature, a summer day with an average temperature of 25 °C would result in a CDD of 7.

3. The World Energy Model has been extended to 2050 for the climate impact analysis, where the effect on space cooling is based on the methodology proposed in McNeil and Letschert (2007). Demand for space heating is based on energy services demand, which is driven by factors including change in floor space per capita, price elasticity and a change in HDD. Data on population weighted degree days comes from the PLASIM-ENTS model (Holden, *et al.*, 2013).

Figure 3.2 ▷ Projected annual maximum temperatures in selected cities under different global warming trends



Note: The temperature trend is the average of five climate models.

Sources: NOAA (2013a); Hempel, *et al.* (2013); and IEA analysis.

Energy demand for cooling in the OECD was higher than in non-OECD countries in 2010. In our New Policies Scenario, not accounting for climate change, global energy demand for space cooling already grows by nearly 145% to 2035 and is around 175% higher by 2050, pushed largely by demand from emerging markets in Asia, primarily China. However, climate trends are going to change over the coming decades and, once these are taken into account, the results show that global energy demand for space cooling increases by around 170% to 2035 and 220% by 2050, compared with 2010 levels. In 2050, energy demand for cooling is significantly higher in non-OECD countries than in the OECD. In non-OECD countries demand increases by nearly 400% (105 million tonnes of oil equivalent [Mtoe]) compared to around 60% (20 Mtoe) in the OECD by 2050. The largest absolute change in energy demand for cooling is in China, where the effect of increasing incomes (boosting ownership of air conditioners) is complemented by increased cooling needs as a result of rising temperatures. In relative terms, the biggest change in cooling demand that occurs as a result of climate change (*i.e.* a comparison between our New Policies Scenario results with and without climate change) is in China, followed by the United States, the Middle East and India (Figure 3.3). All of the increase in energy demand for cooling in the residential sector is in the form of electricity, which can be challenging for power system stability during extreme heat waves.

Figure 3.3 ▷ Change in energy demand for space cooling by region in the New Policies Scenario after accounting for climate change



Note: These regions cover almost three-quarters of the global energy consumption for space cooling.

In 2010, global energy demand for heating was ten times the level for cooling, with OECD countries accounting for around 60% of the total. In the case of energy demand for heating, a New Policies Scenario that does not take account of climate change projects a 20% increase to 2035 and 28% by 2050. Once climate change effects are taken into account, energy demand for space heating increases by only 11% to 2035 and 12% to 2050, compared with 2010 levels. In the OECD, energy demand for heating increases only marginally to 2035 and then declines to 2050, ending at a similar level (385 Mtoe) to 2010. Non-OECD countries drive almost all of the global increase, reaching around 260 Mtoe

in 2050, with most of the increase occurring by 2035. Looking at the absolute change in energy demand before and after climate effects are taken into account, the largest reductions are in Europe, China and the United States. The largest relative reduction in space heating needs occurs in China (Figure 3.4). Less than 10% of global energy demand for heating is in the form of electricity, with the rest split among fuels, mainly gas.

Figure 3.4 ▷ Change in energy demand for space heating by region in the New Policies Scenario after accounting for climate change



Note: These regions cover almost three-quarters of global energy consumption for space heating.

Energy supply impacts

Fossil fuels

Oil and gas exploration and production already takes place in a number of challenging climates, and the industry has innovated over time to open up new frontiers, from deserts to deepwater to the Arctic Circle. Climate impacts on this sector will include those that are relatively gradual, such as a rising sea level and changing levels of water stress, and sudden impacts, including extreme wave heights, higher storm intensities and changing ice floes (Table 3.1). For example, ten Chinese provinces already suffer from water scarcity in per capita terms and, if this were to become more acute, existing coal operations (the coal sector has the largest share of industrial water use in China) and future plans to develop its huge shale gas resources could be affected (IEA, 2012a). Infrastructure will need to adapt to boost resilience to a changing climate, and this is likely to entail additional costs. Iraq, which also suffers from water scarcity, provides a current example of this, as it is investing around $10 billion to construct a Common Seawater Supply Facility that would treat 10-12 million barrels per day (mb/d) of seawater and transport it 100 kilometres to oil fields where it will help maintain reservoir pressure. This investment will mitigate future pressures on Iraq's valuable freshwater sources (see our *Iraq Energy Outlook* for more detail [IEA, 2012b]).

Table 3.1 ▷ Selected climate impacts on the oil and gas sector by region

Region	Share of world oil production, 2011*	Climate impact	Impact on the oil and gas sector
Middle East	33%	• Water stress • Increase in air and sea surface temperature	• Increase production costs • Reduce cooling capacity in certain processes, limiting the capacity of a given facility, *i.e.* LNG
OECD Americas	17%	• Increase in intensity of tropical cyclones (Gulf of Mexico) • Sea level rise • Water stress • Permafrost thaw (Alaska, north Canada)	• Increase costs of offshore platforms, *e.g.* increase platform height, and more frequent production interruptions • Increase the shut down time of coastal refineries • Reduce the availability of ice road transportation/increase pipeline maintenance
Russia	13%	• Permafrost thaw (Siberia)	• Reduce the availability of ice road transportation/increase pipeline maintenance
Africa	11%	• Water stress (North Africa) • Sea level rise (West Africa)	• Increase production costs • Increase the shut down time of coastal refineries
Latin America	9%	• Sea level rise • Increase in storm activity (Brazil)	• Increase the shut down time of coastal refineries • Increase in offshore platform costs
China	5%	• Increase in air and sea surface temperature (South China Sea) • Water stress	• Reduce cooling capacity in certain processes, limiting the capacity of a given facility • Render some unconventional production unfeasible or very costly (*i.e.* CTL)
OECD Europe	4%	• Increase in intensity of storms • Extreme wave heights (North Sea)	• Increase costs of offshore platforms and increase production interruptions
OECD Asia Oceania	1%	• Increase in intensity and frequency of tropical cyclones (Australia) • Increase in air temperature	• Increase costs of offshore platforms and increase production interruptions • Increase costs for cooling

*Note: Regional oil production includes crude oil, natural gas liquids and unconventional oil but excludes processing gains and biofuels supply.

Growing production of unconventional gas is expected to result in increased water demand for hydraulic fracturing, as highlighted in the *World Energy Outlook Special Report Golden Rules for a Golden Age of Gas* (IEA, 2012c). Shale gas or tight gas development can require anything between a few thousand and 20 000 cubic metres (between 1 million and 5 million gallons) per well. In areas of water scarcity, either now or due to climate change, the extraction of water for drilling and hydraulic fracturing may encounter serious constraints. The Tarim Basin in China holds some of the country's largest shale gas deposits, but is located in an area that suffers from severe water scarcity. In the United States, the industry is taking steps to minimise water use and increase recycling.

A major part – 45% of the remaining recoverable conventional oil resources (excluding light tight oil) – is located in offshore fields (1 200 billion barrels) and a quarter of these are in deep water (a depth in excess of 400 metres). Ice melt can have both positive and negative effects when looking at offshore oil and gas production. For example, the region north of the Arctic Circle is estimated to contain 90 billion barrels of undiscovered technically-recoverable crude oil resources, 47 trillion cubic metres of gas resources (more than a quarter of the global total) and 44 billion barrels of natural gas liquids (USGS, 2008). Longer ice-free summers in the Arctic are expected to result in longer drilling seasons (and new shipping routes), increasing the rate at which new fields can be developed in the future (though, in our projections, we do not expect a significant share of global oil and gas production to come from the Arctic offshore before 2035). On the other hand, the technical and environmental challenges are already significant and a number of projects have either been held back by the complexity of operations and by environmental concerns, or suspended due to escalating costs. More prolific ice floes and polar storms are likely to increase the risk of disruption during Arctic drilling, production and transportation (Harsem, Eide and Heen, 2011). Increased ice melt also reduces the availability of ice-based transportation (such as ice roads), adversely affecting oil and gas production at higher latitudes, such as in Alaska and Siberia. In the case of Alaska, the period that ice roads are open has halved since 1970 (NOAA, 2013b). Thawing permafrost can also shift pipelines and cause leaks, which will necessitate more robust (and expensive) design measures.

Extreme weather events can cause extensive damage that takes considerable time and money to repair. Employee evacuations and downtimes are increasing, as the design thresholds for offshore platforms are breached more frequently by extreme wave heights (Acclimatise, 2009). Offshore oil and gas rigs, such as those northwest of Australia and in the Gulf of Mexico, are already at risk from extreme weather events and the risks are expected to increase with climate change, with more severe events resulting in more production interruptions (IPCC, 2012). In 2005, Hurricane Katrina caused damage valued at $108 billion in the Gulf of Mexico, which included, together with Hurricane Rita, damage to 109 oil platforms and five drilling rigs (Knabb, Rhome and Brown, 2005). Large-scale midstream infrastructure, such as oil refineries and LNG facilities, is often located on the coast and sometimes in locations prone to extreme weather events and could be similarly exposed. In addition, refineries are large water consumers and may become more vulnerable to water stress, particularly in those countries where water is already a

relatively scarce resource. LNG plants are typically either water-cooled or air-cooled and their efficiency is related directly to the temperature of the water or air available for cooling, a 1 °C temperature rise reducing efficiency by around 0.7%. A temperature rise in line with our New Policies Scenario could see LNG plant efficiency decline by 2%-3% on average, and more in hotter regions. Particular care needs to be taken over the implications of climate change for the location, design and maintenance regime for such long-life infrastructure, which is often regarded as being of strategic national importance.

In the case of coal production, which requires large amounts of water for coal mining activities (coal cutting, dust suppression and washing), increasing water stress may render certain operations more costly. An increase in the frequency and intensity of rainfall could cause flooding in coal mines and coal handling facilities. In addition, extreme weather can affect transport networks, disrupting the route to market, as observed when Queensland, Australia, was hit by tropical cyclones in 2011 and 2013.

Thermal power generation and electricity networks

We have shown the extent to which a warming climate may boost energy demand for cooling (mainly electricity). At the same time, rising air and water temperatures can have a direct impact on the efficiency of thermal power plants, either decreasing electricity output or increasing fuel consumption. High humidity also decreases the efficiency of thermal power plants equipped with cooling towers. Water stress, and an increase in water temperature, can have a profound impact on power generation. In China, water scarcity has meant that some power plants have turned to dry cooling systems, which cut water consumption sharply but also reduce plant efficiency. Water temperature not only impacts directly on power plant efficiency[4] but, in many countries, may also constrain operation because the temperature of cooling water discharged into rivers exceeds an authorised level. During the summer heat wave in 2003, for example, out of a total of 59 nuclear reactors in France, thirteen had to lower their output or shut down in order to comply with regulations on river temperatures leading to a total loss of 5.4 terawatt-hours (TWh) (EDF, 2013). Constraints due to these effects are expected to increase in the future (Table 3.2). Retrofitting existing thermal power plants with closed-loop cooling systems can significantly reduce water withdrawal, but it involves costs from $100 per kilowatt (kW) up to $1 000/kW (BNEF, 2012).

The efficiency of transmission and distribution networks is also compromised by a rise in ambient temperature. Taking into account the effects of temperature changes on thermal power plant efficiency, transmission line capacity, substation capacity and peak demand, a higher temperature scenario will either require additional peak generation capacity and additional transmission capacity, or a greater demand-side response at peak times. Even considering the gradual impacts of climate change, the accumulation of relatively small

4. In the case of nuclear plants, a 1 °C increase in the temperature of the cooling water yields a decrease of 0.12-0.45% in the power output (Durmayaz and Sogul, 2006).

changes in performance will have a significant impact on the availability of generating capacity and change the cost of electricity.[5]

Electricity generation and transmission and distribution networks are also at significant risk from extreme weather events, which can result in infrastructure being damaged or destroyed and consumers losing their supply, potentially for long periods. Weather-related disturbances to the electricity network in the United States have increased ten-fold since 1992 and, while weather events accounted for about 20% of all disruptions in the early 1990s, they now account for 65% (Karl, Melillo and Peterson, 2009).

Table 3.2 ▷ Review of the regional impact of water temperature and water scarcity on thermal power generation

	Water temperature	Water scarcity
Europe	Nearly 20% of coal-fired power generation will need added cooling capacity. About 1 °C of warming will reduce available electric capacity by up to 19% in summer in the 2040s.	
United States	About 1 °C of warming will reduce available electric capacity by up to 16% in summer in the 2040s.	60% of existing coal-fired power plants (347 plants) are vulnerable to water demand and supply concerns.
India		Severe water scarcity will amplify competition for water and determine thermal plants competitiveness and location. Around 70% of planned power capacity is in locations considered either water stressed or water scarce.
China		Water constraints could make the expected increase in thermal power output unachievable, in particular, as 60% of thermal power capacity is in northern China, which has only 20% of freshwater supply.

Sources: Jochem and Schade (2009); Vliet, *et al.* (2012); Elcock and Kuiper (2010); BNEF (2013); Sauer, Klop and Agrawal (2010) and IEA analysis.

Renewable energy

Renewable energy can also be affected by climate change. Hydropower currently accounts for 16% of electricity generation globally, but climate change will affect the size and reliability of this resource in the future. Water discharge regimes will change, with run-off from rivers in areas dominated by snow melt potentially occurring earlier in the year, at levels temporarily higher than previously and with an amplification of seasonal precipitation cycles. At the global level, output from hydropower is likely to change little,

5. For gas-fired power plants, a 10 °C change in ambient temperature can lead to a decrease of over 6% in net electric power for a combined-cycle plant (Ponce Arrieta and Silva Lora, 2005). According to Jochem and Schade (2009), transmission losses could increase by 0.7% up to 2050 in Europe, while Sathaye, *et al.* (2013) find that electricity losses in substations could increase by up to 3.6% in California by 2100.

but there will be significant regional variations, with increased generation potential in some regions and reductions in others. The impact of climate change is particularly important in countries that rely heavily on hydropower for electricity generation, such as Brazil and Canada. Hamadudu and Killingtveit (2012) find that, for a warming of about 2 °C by 2050 compared with pre-industrial levels, hydropower output increases in Russia, the Nordic countries and Canada by up to 25%, while it decreases in southern Europe and Turkey. More northerly parts of Latin America, including northern Brazil, are expected to see hydropower output decrease, but it is expected to increase in southern Brazil and Paraguay. In the northwest United States, some analysis points to a 20% reduction in hydropower generation by the 2080s (Markoff and Cullen, 2008). Hydropower plants can adapt to climate change with structural measures, such as increasing the size of reservoirs, modifying spillway capacities and adapting the number and types of turbines.

How climate change will impact other renewable energy sources is less well understood and subject to strong regional differences. The effect on wind power resources is difficult to assess due to the complexity of representing near-surface wind conditions in global climate models (Pryor and Barthelmie, 2010). Also, it is not only the overall electricity generation potential from wind which is impacted by climate change, but also seasonal patterns. For example, electricity generation from wind power could decrease by up to 40% in the northwest of the United States in the summer (Sailor, Smith and Hart, 2008). The effect of climate change on the operation and maintenance of wind turbines will depend on the frequency of extreme wind speeds and the possible reduced occurrence of icing. Future electricity generation from solar photovoltaics (PV) depends not only on solar radiation but also on ambient temperature and, for regions at higher latitudes, on snow cover. For a level of warming similar to our New Policies Scenario, research suggests that electricity generation from solar PV could decrease by 6% in Nordic countries in 2100, relative to a scenario without climate change (Fenger, 2007).

Biomass production, including biofuels, is affected not only by an increase in average temperature, but also by changing rainfall patterns, the increase in the carbon-dioxide (CO_2) concentration and extreme weather events, such as storms and drought. Higher CO_2 levels and a limited temperature increase can extend the growing season, but more frequent extreme weather events or changes in precipitation patterns can more than offset these positive impacts. The impacts will vary by region and type of biomass. For example, it is expected that the production of many biomass crops will increase in northern Europe but decrease in southern Europe, with Spain particularly vulnerable due to increased drought (Tuck, *et al.*, 2006).

Climate resilience

Climate change and weather extremes directly affect energy supply in a number of ways and illustrate how mitigation and adaptation become inextricably linked. Strong action to reduce greenhouse-gas emissions will reduce the need to invest in climate adaptation but will not eliminate it. Even a global average temperature rise of 2 °C is going to demand some

adaptation. Unless the resilience of our energy system to climate change is considered more explicitly, energy supply and transformation will be exposed to greater physical risks, which will increase capital, maintenance and insurance costs, impair energy supply reliability and accelerate the depreciation and deterioration of assets.

The climate resilience of the energy system could be enhanced in a number of ways. In terms of overall preparedness and planning, emergency response and co-ordination plans can be developed that cover critical energy infrastructure that is vulnerable to the impacts of climate events, such as in response to storms, floods and droughts (NCADAC, 2013). Energy facilities can be relocated or "hardened" to such events, with additional redundancy measures also built into their design. Additional peak power generation capacity, back-up generation capacity or distributed generation can improve power sector resilience. Also, grid systems can be physically reinforced (strengthening overhead transmission lines or using underground cables), intelligent controls can be introduced and networks can be decentralised (limiting the impact of system failures). In those regions vulnerable to water scarcity, power plants can move towards recirculating, dry (air-cooled) or hybrid cooling systems for power plants, as is happening in South Africa, or using non-freshwater supplies, as is the case in oil production in parts of the Middle East. On the demand side, zero-energy buildings, demand-response capabilities, such as smart grids and generally improved levels of energy efficiency can help either reduce the likelihood of system failures caused by power demand spikes or reduce the impact of a supply failure.

Governments need to design and implement policy and regulatory frameworks that encourage prudent adaptation to the impacts of climate change and help to overcome barriers across different sectors of the economy. There have recently been some encouraging developments in this respect, with the European Commission publishing a strategy intended to make adaptation a central consideration in European Union sector policies (European Commission, 2013), and the US President's Council of Advisors on Science and Technology stating that "a primary goal of a national climate strategy should be to help the Nation prepare for impacts from climate change in ways that decrease the damage from extreme weather…and ways that speed recovery from damage that nonetheless occurs" (US PCAST, 2013). As governments encourage action, the private sector needs to reflect on how best to bring the risks and impacts of climate change into its investment decision-making, especially for critical or long-lived energy assets.

Economic impact of climate policies on the energy sector

Moving on from the issue of how climate change itself will affect the energy sector, this section analyses the related question of the impact on energy sector assets and revenues of the adoption by governments of more or less stringent policies to avoid or limit climate change. In considering the capital allocation and revenue implications of the transition to a low-carbon energy system, it draws on the New Policies Scenario and the 450 Scenario of the *World Energy Outlook 2012 (WEO-2012)*, which reflect differing levels of climate action (see Chapter 1, Box 1.3, for information on these scenarios or refer to *WEO-2012* for

full details). The policy changes in the New Policies Scenario, which include both climate and other policies, are those that the energy sector can already expect to deal with as part of normal business: they have already been announced and many are already being implemented. The 450 Scenario goes much further, tracing a plausible trajectory to the international objective of achieving a 2 °C climate goal and identifying the associated additional policies. We focus on the 450 Scenario, rather than the 4-for-2 °C Scenario discussed in Chapter 2, primarily because the emphasis is on the longer-term outlook (whereas there is particular emphasis in the 4-for-2 °C Scenario on the period to 2020) and the longer time horizon is more relevant to the measurement of the economic impact of climate policy on energy sector investment decisions.

We start by examining, first, the extent to which existing proven fossil-fuel reserves are consumed under different climate policy paths and, second, the extent to which our current energy infrastructure has already "locked-in" future carbon-dioxide emissions. We then analyse, by sector, the impact of different climate policies on the future gross and net revenues of power generation, upstream oil and gas, and coal mining. While recognising that many new developments can result in energy sector assets becoming "stranded", such as the impact of the shale gas boom on LNG import terminals in the United States, we seek to analyse the particular risks associated with stronger climate change policies. For this analysis, we define stranded assets as those investments which have already been made but which, at some time prior to the end of their economic life (as assumed at the investment decision point), are no longer able to earn an economic return, as a result of changes in the market and regulatory environment brought about by climate policy. This might, for example, include power plants that are retired early because of new emissions regulations, or oil and gas fields that, though discovered, are not developed because climate policies serve to suppress demand. In measuring the scale of the loss associated with these stranded assets, we do not include the energy production or capital recovery up to the point the asset becomes uneconomic, but only the lost element after this point. We do not seek to estimate here the impact that changes in assets or revenues could have on the financial valuation of energy companies, which can be affected by a very broad range of factors.

Existing carbon reserves and energy infrastructure lock-in

The energy sector has always devoted considerable resources to finding, and then proving up, fossil-fuel reserves in the expectation that they will one day be commercialised. The extent to which these reserves – which can be regarded as carbon reserves, that is fossil-fuel reserves expressed as CO_2 emissions when combusted – are actually consumed and the CO_2 emissions released differs by fuel and scenario, according to the nature and intensity of the climate policies adopted. In our 450 Scenario, more than two-thirds of current proven fossil-fuel reserves are not commercialised before 2050, unless carbon

capture and storage (CCS) is widely deployed.[6] More than 50% of the oil and gas reserves are developed and consumed, but only 20% of today's coal reserves, which are much larger (Figure 3.5). Of the total coal- and gas-related carbon reserves, 3% are consumed in CCS applications where the CO_2 emissions are stored underground. In our less stringent New Policies Scenario, there is higher consumption of fossil fuels but at the price of failing to achieve the 2 °C trajectory. Even in the absence of any further action on climate change, not even those allowed for in the New Policies Scenario, around 60% of world coal reserves would remain underground in 2050.

Figure 3.5 ▷ Potential CO_2 emissions from fossil-fuel reserves and cumulative emissions by scenario to 2050



The profile of the existing global energy infrastructure (including facilities under construction) means that four-fifths (550 gigatonnes [Gt] CO_2) of the total volume of CO_2 emissions that the energy sector is allowed to emit under a 2 °C trajectory up to 2035 are already locked-in simply by the assumption that it will continue to operate over its normal economic life. Assuming no large shifts in relative fuel prices or technological breakthroughs, the emissions expected to come from this infrastructure could only be avoided if policies were introduced which had the effect of causing its premature retirement or costly refurbishment. Around half of the locked-in emissions originate from the power sector and 22% from industry, as the facilities in these sectors typically have a long life. The share of power generation in total locked-in emissions is highest in India, at 60%, closely followed by China, Russia and the United States. In India and China, this is because the electricity sector relies to a relatively large extent on recently installed coal-fired power plants, which are set to remain in operation for decades, while in the United States, large (relatively old) coal power plants currently lock-in a considerable

6. Proven reserves are usually defined as discovered volumes having a 90% probability that they can be extracted profitably. Ultimately recoverable resources (not discussed here) are much larger and comprise cumulative production to date, proven reserves, reserves growth (the projected increase in reserves in known fields) and undiscovered resources that are judged likely to be produced using current technology.

volume of emissions. The share of locked-in emissions for industry in China is around 30%, twice the level of that in the European Union: China's industry is dominated by the iron and steel and cement sub-sectors, which have a relatively young age profile, indicating continued operation well into the future.

The share of locked-in emissions from transport (9%) and buildings (6%) is lower, as the bulk of the energy-consuming infrastructure in these sectors typically does not remain operational for more than around fifteen years. In the United States, the transport sector has a relatively high share (18%) of total locked-in emissions, since transport is responsible for a relatively high proportion of overall energy-related CO_2 emissions. Buildings account for 15% of locked-in emissions in the European Union, the highest share of all regions, due to the importance of space heating in Europe's energy systems. Another 6% of locked-in emissions results from other forms of energy transformation (mainly refineries, and oil and gas extraction), 4% from non-energy use (mainly petrochemical feedstock and lubricants) and 1% from agriculture (including field machinery).

In non-OECD countries, infrastructure that exists or is under construction locks-in 360 Gt CO_2 from 2011 to 2035, led by China, India, the Middle East and Russia, while, in OECD countries, the figure is 195 Gt CO_2, led by the United States and the European Union (Figure 3.6). The outlook in non-OECD countries is mainly a consequence of the infrastructure expansion that has taken place over the past decade and the amount that is currently under construction. However, the extent of the continuing rapid expansion of energy infrastructure in non-OECD countries presents an important window of opportunity to avoid further lock-in of emissions by adopting efficient, low-carbon installations. The challenge and opportunity for OECD countries lies, rather, with the replacement strategy adopted for the large amount of ageing fossil-fuel based infrastructure that could be retired, or its use lowered, over the next few decades.

Figure 3.6 ▷ CO_2 emissions locked-in by energy infrastructure in place and under construction in 2011 by region and sector through to 2035



Note: Other includes energy transformation, non-energy-use and agriculture.

Power generation

Revenues

In the power sector, gross revenues are made up of a combination of wholesale electricity revenues (volume of electricity generation multiplied by the wholesale electricity price) and support received from governments for renewables (volume of supported renewables generation multiplied by the level of support). Wholesale electricity revenues account for the vast majority of gross revenues, with government support for renewables accounting for only a small share in our scenarios (just over 6% of gross revenues in the 450 Scenario and slightly less than this in the New Policies Scenario). Different market structures directly affect gross revenues by establishing the way in which wholesale electricity prices are formed. In a liberalised market, the price is based on the short-run marginal costs of power generation. In an integrated monopoly, wholesale prices largely reflect the average costs of generation (Box 3.3).

Figure 3.7 ▷ Power sector gross revenues and operating costs by scenario, 2012-2035



Note: O&M = operation and maintenance.

On a consistent basis across scenarios, gross revenues in the power sector (from 2012 to 2035) are $1.3 trillion (in year-2011 dollars) higher in the 450 Scenario than in the New Policies Scenario (Figure 3.7).[7] The higher gross revenues result from a combination of lower electricity demand and higher electricity prices, with the latter effect proving slightly larger.[8] Over the projection period, total electricity generation is nearly 60 000 TWh, or 8%, lower in the 450 Scenario than in the New Policies Scenario, a reduction equivalent to

7. In the calculations made in this section, aggregate gross revenues for existing and new power plants are comparable across scenarios. However, net revenues are discussed separately for existing and new plants. This is because of data deficiencies. For existing plants, investment data is not available for all plants so we present net revenues before accounting for depreciation. For new plants, investment costs are based on known assumptions so we are able to present net revenues after accounting for depreciation costs.

8. Wholesale electricity prices are calculated endogenously within our World Energy Model. For more information, see "World Energy Model Documentation: 2012 version" at *www.worldenergyoutlook.org*.

almost three times annual world generation in 2010, but wholesale electricity prices are 16% higher, on average, in 2035. The change in electricity prices results from a combination of lower fossil-fuel prices, higher overall CO_2 costs (higher and more widespread CO_2 prices but lower levels of CO_2 emissions in the 450 Scenario) and capacity additions that are more capital intensive. Operation and maintenance (O&M) costs are similar across the two scenarios, as the reduction in costs that comes from phasing out some fossil-fuel plants are offset by increased reliance on technologies with higher maintenance costs per unit of capacity, such as CCS and nuclear.

For all power generation capacity, net revenues before accounting for depreciation[9] ("net revenues plus depreciation" in Figure 3.7) are $4.3 trillion higher in the 450 Scenario than in the New Policies Scenario. These revenues essentially provide for the recovery of investment costs and a financial return on investment.[10] Depreciation costs for new capacity are $1.4 trillion higher in the 450 Scenario than the New Policies Scenario, as this scenario requires more generating capacity to be built to offset the lower utilisation factor of many renewables compared to the fossil alternative and generally more capital-intensive technologies. This additional cost is more than offset by lower fuel and O&M costs, which are $4.5 trillion (19%) lower than in the New Policies Scenario through to 2035. This is due to lower electricity demand, lower fossil-fuel prices and a more marked transition to renewables and nuclear with low or no fuel costs. CO_2 costs are $1.5 trillion higher in the 450 Scenario, with prices reaching $95-120 per tonne in many regions in 2035. While higher CO_2 prices increase wholesale electricity prices (and therefore consumer bills), this revenue can potentially be recycled back to consumers in ways that partially offset the economic impact of electricity price rises, without compromising climate policy outcomes.

For existing power generation capacity, net revenues before accounting for depreciation[11] are at similar levels in the 450 Scenario and the New Policies Scenario, at around $15.6 trillion. In the 450 Scenario, net revenues increase by around $900 billion each for both existing nuclear and renewables capacity (that receive the market price in liberalised markets), compared with the New Policies Scenario (Figure 3.8). This gain offsets a similar loss in net revenues by fossil-fuel plants of $1.9 trillion. Coal power plants without CCS bear the burden of the relative revenue reductions in the 450 Scenario, as rising CO_2 costs and reduced operating hours outweigh the impact of lower fossil-fuel prices, and power plants with higher emissions are more affected than those with lower emissions. Net revenues from gas-fired power plants increase slightly overall in the 450 Scenario, compared with the New Policies Scenario, with higher revenues from more efficient power plants, and some coal to gas substitution, more than offsetting lower revenues from less efficient gas plants.

9. This equals gross revenues minus operation and maintenance costs, the cost of fuel inputs and payments for CO_2 emissions in markets with a carbon price.

10. The weighted average cost of capital (WACC) is assumed to be 8% in OECD countries and 7% in non-OECD countries for all technologies.

11. Investment data relating to all existing power plants are not available, preventing a robust estimation of depreciation costs. The omission of these costs means that our calculation of "net" revenues is artificially high but, as the same approach is adopted in all scenarios, it is reasonable to compare across them.

Box 3.3 ▷ Implications of decarbonisation on power markets

Market design reforms are currently envisaged in several countries where there is a concern that liberalised markets might not be able to stimulate sufficient investment in new capacity. In liberalised markets, the spot price typically reflects the short-run marginal costs of the last power plant called to respond to demand. The hourly or half-hourly price received by all power generators is typically set by the costs of the most expensive plant required to be dispatched during that period. This ensures that the price is sufficient to cover the operating costs of all generators, but it may be insufficient to also cover investment costs (or encourage new investment).

In some instances, generators earn additional revenues via government support mechanisms intended to encourage the deployment of selected generation technologies. This is typically the case for some renewables technologies but may also be considered for other low-carbon technologies, such as fossil-fuel plants using CCS. As these technologies become more competitive, the level of support is expected to be reduced (and ultimately phased out) for new capacity. The capacity additions that result from such support mechanisms tend to lower the wholesale market price and reduce anticipated operating hours of conventional plants, exacerbating the problem of recovering investment in new plants, making it harder for pre-existing plants to recover their investment costs and harder to attract investment in new capacity that does not benefit from such support. Moreover, the introduction of variable renewables requires significant amounts of flexible capacity available to be dispatched to guarantee the reliability of supply. In order to ensure adequate generation capacity, several countries are considering the introduction of either a capacity payment mechanism or looking at the possibility of allowing very high wholesale prices during times of scarcity, for example, periods when variable renewables are not operating. Capacity additions that benefit from support mechanisms generally receive a significant amount of their revenues from outside of the wholesale market, *e.g.* a guaranteed feed-in tariff, and therefore do not suffer from this problem.

While the existing frameworks of many liberalised markets will be able to encourage significant decarbonisation of the power mix, they will struggle to deliver a major transition towards a decarbonised world. Further changes to market designs are likely to be needed. This is particularly true for those markets that are expected to rely on high levels of variable renewables. This is because, in the absence of significant amounts of storage capacity or smart grid measures (to shift demand away from peak times), the variable nature of their supply means they may be unable to sell into the market when prices are highest, limiting their ability to recover their investment costs from the wholesale market. On the other hand, the low variable costs of these sources of generation mean that, under existing market structures, wholesale prices could be reduced to very low levels – possibly below the levels needed to recover their own investment costs – unless there is some form of additional compensation. Improving existing market designs and developing new ones for competitive power systems will therefore be an essential feature of the transition towards a decarbonised world.

Figure 3.8 ▷ Net revenues before accounting for depreciation for existing power plants by scenario, 2012-2035



For new power generation capacity, net revenues after accounting for depreciation are $3 trillion higher in the 450 Scenario than in the New Policies Scenario (Figure 3.9). The general shift towards a 2 °C goal is reflected in the relative change in net revenues from the New Policies Scenario to the 450 Scenario, with renewables, nuclear and fossil-fuel plants fitted with CCS enjoying higher revenues as climate policies strengthen. Net revenues from new renewables capacity are 55% higher in the 450 Scenario than in the New Policies Scenario while the capacity additions over the projection period are 46% higher. In the 450 Scenario, new renewables capacity provides nearly two-thirds of all net revenues from new capacity in the power sector.

Figure 3.9 ▷ Net revenues after accounting for depreciation and investments for new power plants by scenario, 2012-2035



Investments ($2011, billion)	New Policies Scenario	450 Scenario
Renewables	6 020	8 778
Nuclear	942	1 513
Fossil-fuel plants fitted with CCS	216	950
Fossil-fuel plants without CCS	2 507	1 803

The 450 Scenario sees nearly 1 400 GW of additional renewables capacity in 2035, compared with the New Policies Scenario. Fossil-fuel power plants without CCS play a significantly smaller role in the power sector in the 450 Scenario, with two-fifths less new capacity

built than in the New Policies Scenario. Furthermore, higher carbon prices reduce the net revenues of new fossil-fuel plants without CCS in the 450 Scenario. In contrast, new plants with CCS see a marked increase in capacity and net revenues, reaching 570 gigawatts (GW) of installed capacity in 2035. Nuclear capacity additions increase by 60% in the 450 Scenario and the net revenues for each unit of capacity are higher, on average, due to elevated wholesale electricity prices.

Combining the economic prospects for existing and new power plants, net revenues (after accounting for depreciation) for the power sector are $3 trillion higher in the 450 Scenario than in the New Policies Scenario. Stated simply, financial opportunities could improve in the 450 Scenario for power producers with a portfolio of low-carbon technologies, including harnessing the benefits of CCS as a form of asset protection strategy.

Implications for assets

An important effect of the decarbonisation of the power sector in the 450 Scenario is to cause many older, inefficient, fossil-fuel plants to be either idled or retired before the end of their anticipated technical lifetime,[12] and some power generation capacity additions under construction to become uneconomic and be retired early, despite originally appearing to be economically sound investments. An additional 2 300 GW of fossil-fuel plants are either retired before the end of their technical lifetime (37%), idled (47%) or retrofitted with CCS (16%) in the 450 Scenario, compared with the New Policies Scenario (Figure 3.10). Most of the retired or idled plants do recover their investment cost, but they are in operation for fewer years than in the New Policies Scenario. Older, inefficient plants are retired early as CO_2 costs render their operations uneconomic, but their investment costs have been recovered. Idled power plants remain available and may occasionally run in periods of strong demand, when the economics allow. Some existing, but relatively new, plants require additional investment to retrofit them with CCS, so that they can remain in operation. Almost 50% of the plants retired or idled are inefficient subcritical coal-fired power plants, as rising CO_2 prices make them uneconomic, squeezing them out of the market in many countries. This share is significantly higher (75%) in non-OECD Asia, where a large number of subcritical coal plants have been installed in recent years. These plants alone account for more than one-third of the 1 940 GW of global capacity that is retired early or idled.

In the 450 Scenario, around 2 000 GW of new fossil-fuel plants are built globally to meet rising demand and, in some cases, to replace old inefficient plants that become uneconomic. Almost 30% of these new plants are fitted with CCS, two-thirds of these as a retrofitting operation, as the technology becomes more competitive at scale. Just under one-quarter of the anticipated new fossil-fuel plants are currently under construction and they may face difficulties recovering their investment costs if they have not taken the costs of decarbonisation fully into account. A smaller, but still significant, number of

12. A power plant may, for example, have an economic lifetime of 30 years (the period over which it recovers its capital investment) but be capable technically of operating for longer, perhaps 50 years.

new plants are idled: of this 260 GW of capacity, 165 GW are idled before repaying their investment costs, resulting in an unrecovered sunk cost of around $120 billion, or about 40% of the initial investment. The remaining 90 GW of new power plants that are idled recover their investment costs. Idled plants can still be given new economic life, reducing economic losses, if, at some point, they are retrofitted with CCS. Such retrofits would be expected to apply to the most efficient plants where the investment case is strongest (CCS reduces power plant efficiency in the order of 8-10%). The availability of CCS technology, not only for the construction of new power plants but also for the retrofitting of existing power plants, is a key assumption in our assessment of sunk costs, as the deployment of CCS technology has yet to be fully commercialised, making this a key challenge for the realisation of the 450 Scenario (see Chapter 2 section on the relevance of CCS).

Figure 3.10 ▷ World installed fossil-fuel power generation capacity in the 450 Scenario relative to the New Policies Scenario



Upstream oil and natural gas

Revenues

The gross revenues of oil and gas companies are determined by two key factors: the level of production and the prevailing prices. In the 450 Scenario, oil and gas gross revenues are more than $105 trillion from 2012 to 2035 (in year-2011 dollars), nearly three times

higher than the level of the last two decades, but lower than in the New Policies Scenario which is around $125 trillion (Figure 3.11). Oil accounts for 70% of the gross revenues and natural gas for 30% in the 450 Scenario. Oil demand peaks before 2020 and then declines, while gas demand continues to increase through to 2035, ending 17% higher than 2011. Oil prices average $109 per barrel (in year-2011 dollars) in the 450 Scenario ($120 per barrel in the New Policies Scenario), while the course of natural gas prices varies regionally: gas prices decline in Japan, remain broadly stable in Europe and increase in the United States (see Chapter 1, Table 1.1 for our price assumptions).

Figure 3.11 ▷ Cumulative world oil and gas gross upstream revenues by component and scenario



Notes: Tax and royalty rates can vary between scenarios but are kept constant for this comparison. In cases where production is dominated by national oil companies, the definition of taxes is somewhat arbitrary; here we assume tax rates comparable to international averages.

Cumulative net revenues, *i.e.* gross revenues, minus operating costs, gas transport, taxes and royalties and depreciation expenses, are projected to be $47 trillion in the 450 Scenario, their level in 2035 being lower than in the New Policies Scenario, but higher than in 2011 (Figure 3.12). Net revenues from gas grow throughout the projection period, mainly driven by increasing demand, while net revenues from oil increase initially but peak before 2020 and then start to decline, as demand and prices decrease. Net revenues over the period are estimated to correspond to around a 25% return on capital.[13]

13. Assuming international oil companies typically operate with 10% risk-free rates of return, and up to 20% in regions carrying a risk premium, with the average return on capital number being boosted by the contribution of national oil companies operating in low production cost areas (based on our conservative definition of tax rates).

Figure 3.12 ▷ World upstream oil and gas net revenues in the 450 Scenario



Note: The absence of comprehensive historical data means that net revenues for previous years are estimated by applying the same gross-to-net revenues ratio that is used for future years.

Implications for upstream oil and gas assets

Upstream oil and gas assets can become stranded if existing fields do not operate at as high a level as originally planned, if they need to be retired before the end of their economic life, or if a field at which exploration costs have been incurred does not go into production by 2035 (the end date of our calculations). There is an important distinction between those oil and gas fields that are in production today and existing or new fields that, depending on demand, might be developed (and therefore start producing) at some point before 2035.

Over the period to 2035, the level of production from oil and gas fields that are producing today is the same in the 450 Scenario and the New Policies Scenario, as their production remains economically viable in both cases. The investment in many of these fields has already been recovered and their level of operation largely depends on the optimal depletion rate and the additional costs associated with continuing production. Thus, the policies in the 450 Scenario do not introduce significant new risks that currently producing oil or gas fields will be forced out of operation.

In the case of oil and gas fields that have yet to start production, or have yet to be found, the lower level of demand in the 450 Scenario means that fewer of them justify the investment to bring them into production (or to find them) before 2035 (Figure 3.13). This means that some fields – those that have been found but are not brought into production by 2035 – do not start to recover their exploration costs in this timeframe. Relative to the level in the New Policies Scenario, the additional risk of stranding assets in the 450 Scenario affects 5% of proven oil reserves and 6% of proven gas reserves, all of which have yet to be developed. The economic burden of this is relatively limited as, in the case of fields yet to be developed, the main impact relates to exploration costs (typically around 15% of investment in a new field) which are not recovered by 2035, at least some of which could

be recovered in the longer term. In the case of fields yet to be found, avoided exploration and development costs offset the lost potential future revenue opportunity.

Figure 3.13 ▷ Development of proven oil and gas reserves by scenario



Upstream oil and gas sector assets can become stranded for a range of reasons, of which new climate policies is just one, but our analysis suggests that a companies' or countries' vulnerability to this specific risk may be greater if their asset base is more heavily weighted towards those that are not yet developed and towards those that have the highest marginal production cost (unless its development is driven by broader factors, such as energy security). Over the lifetime of upstream oil and gas assets, their financial value and economic viability may be appraised often, including when: a company compiles its accounts; a company takes investment decisions related to the asset (such as whether to develop a field, which is often tested under a range of cost-benefit assumptions); and, ownership of the asset changes. These, and other, reasons may mean that the financial impact of stranded assets is realised relatively gradually over time and across several parties.

While not analysed here in detail, there is also the possibility that assets further downstream will become stranded, such as in refining, LNG plants and transportation networks. In the case of refining, over-capacity is already a familiar issue in some regions and could worsen under a range of scenarios. As oil demand grows in the Middle East and Asia, these regions have started extensive programmes to expand their refining capacity both to meet internal needs and supply the export market. Lower utilisation rates, or permanent shut down, of refining capacity could result in other regions, such as in Europe and North America, where domestic demand is declining. Within the next decade some 2 mb/d of refining capacity is expected to be idled due to lack of demand, largely irrespective of climate change policies. This will affect not only old and inefficient plants, but also relatively complex facilities that are bypassed by the changing crude and product trade flows (see the focus on refineries in the forthcoming *World Energy Outlook 2013*). In the case of transportation systems, some regions have already built additional pipelines

to establish new trade corridors and, given the very long lifetime of such infrastructure, it is possible that utilisation rates would decrease in some areas in the 450 Scenario, increasing the risk of stranded assets.

Coal supply

Revenues

Revenues generated by the global coal industry are a function of the volumes sold to the market and the prices received for the product. Coal prices vary not only by type (steam, coking and brown coal) but also by region, reflecting coal quality, transport costs and infrastructure constraints. Typically, prices for coking coal are markedly higher than those for steam coal, due to the relative scarcity of coking coal and the lack of substitutes in steelmaking, justifying higher mining costs. Brown coal is rarely traded internationally and consequently does not have an international market price. Instead, brown coal is usually combusted in power stations close to the mine, with the cost of mining determining the price. In 2010, global coal production stood at around 5 125 million tonnes of coal equivalent (Mtce), generating for the coal industry gross revenues of around $430 billion (in year-2011 dollars). In the 450 Scenario, which assumes intensified climate policy measures, global coal demand falls by 1.6% per year on average through to 2035 (compared to an average increase of 0.8% per year the New Policies Scenario), with the change in demand leading to a pronounced price drop.

Figure 3.14 ▷ Cumulative world coal gross revenues by component and scenario, 2012-2035



Cumulative gross revenues from coal sales are projected to amount to $8.9 trillion in the 450 Scenario and $13.1 trillion in the New Policies Scenario (Figure 3.14). Coal supply is characterised by its relatively high share of variable mining costs, such as labour, energy, mining materials and spare parts (around 60% of total costs). In the 450 Scenario, the variable mining cost component amounts to $4.6 trillion over the projection period, compared with $6.9 trillion in the New Policies Scenario. Coal is also often hauled long

distances using trucks, railways, river barges and ocean-going vessels. Cumulative transport costs stand at $2.3 trillion in the 450 Scenario, compared with $3.2 trillion in the New Policies Scenario. Coal mining is far less capital intensive than oil and gas production, and therefore depreciation is a relatively minor cost component, amounting to around $0.86 trillion in the 450 Scenario and $1.1 trillion in the New Policies Scenario.

Net revenues differ substantially between coal varieties, around two-thirds of the total coming from steam and brown coal (around 85% of global production), with coking coal contributing the remainder. This means around 15% of global coal production earns around a third of the industry's total net revenues. Cumulative net revenues are $0.87 trillion lower in the 450 Scenario compared with the New Policies Scenario. Nearly 55% of this difference can be attributed to a change in price, whereas slightly more than 45% results from volume change. While the price effect is almost entirely borne by coking coal, the demand effect affects mainly steam coal. The level of coking coal production, a key input in the steel industry, declines by a relatively small amount across the scenarios due to the lack of a large-scale substitute for it in this sector. In contrast, there are substitutes for coal in power generation and industry, which see greater take-up of nuclear power and renewables in the 450 Scenario. Although coking coal demand differs by a relatively small amount between the scenarios, prices for coking coal drop sharply for two main reasons: first, coking coal prices are much more sensitive to demand changes than steam coal prices; second, low demand for steam coal allows high quality steam coal to be used for metallurgical purposes, which further depresses the price for coking coal.

Implications for coal assets

Due to the relatively low capital costs involved in coal mining, coal prices need be only slightly above variable costs in order to provide an adequate return on investment. Hence, the risk of incurring large-scale losses on sunk investments is low. Moreover, exploration costs, a classic stranded investment risk, are relatively minor in the coal industry. Reduced demand and lower prices in the 450 Scenario do lead to the closure of the highest-cost mines, for which decreasing market prices do not cover the variable costs of production. These are usually old mines whose competitiveness suffers from deteriorating geological conditions, depletion of the lowest-cost resources and low productivity due to the scale of the operation and inefficient equipment. Such mines typically have already recovered their investment expenditure. Although the danger of stranded assets is, accordingly, limited for the industry as a whole, individual players can still incur substantial losses on sunk investment. This is particularly true for recent investments in fields which also require the large-scale development of railway and handling infrastructure. In the 450 Scenario, coal operators will generally be able to cover their variable costs, but sub-optimal utilisation and depressed prices might result in losses on the underlying investment, highlighting the benefits of early action to identify and mitigate such risks (Spotlight).

SPOTLIGHT

Can corporate strategies help mitigate climate policy risk?

Our 450 Scenario projects an increase in global energy demand relative to today, emphasising that a low-carbon transition is likely to represent a shift in the nature of opportunities within a growing energy market. Corporate strategies that successfully take account of climate policy risk could represent a source of competitive advantage, while failure to do so could result in a company's business model being undermined. Broad, non-exclusive approaches to mitigating climate policy risk might include:

- **Decarbonise:** Invest in technologies that reduce the carbon reserves associated with an existing asset portfolio. Coal companies could invest in underground coal gasification, coal-to-gas, increased washing of coal (to improve efficiency) or develop coalbed methane assets. Oil companies could focus exploration efforts more towards natural gas or invest in enhanced oil recovery utilising CO_2 (or use depleted reservoirs to store CO_2). Power companies could invest in CCS and evolve their portfolio of generation assets towards low-carbon options.
- **Diversify:** Invest in new assets to develop a more diversified portfolio; diluting the risks associated with those that are carbon intensive. Many coal companies are active in other forms of mining (the largest private sector mining companies generate 10%-30% of their revenues from coal). At times, some oil and gas companies have also owned a portfolio of renewable energy assets, such as wind power and biofuels. Geographic diversification of assets can also mitigate the policy risk of a particular market.
- **Delegate:** Take actions to transfer the risk onto other parties willing to accept it, potentially through price hedging instruments or long-term take-or-pay contracts. Price hedging can ensure a fossil-fuel producer receives a particular price for all or part of its supply. A take-or-pay contract can provide a degree of certainty over the volume of fossil fuels to be sold and the revenues to be received.
- **Divest:** Dispose of carbon-intensive assets, particularly those that have higher costs of production, as they are at greater risk of becoming uneconomic.
- **Disregard:** The alternative to the mitigation options above is to accept the risk as it is, together with the associated impacts should it occur. The financial impact will, ultimately, fall upon shareholders. It is therefore notable that *WEO-2012* estimated that nearly three-quarters of global carbon reserves are held by government-owned companies, *i.e.* owned by taxpayers.

Implications of delayed action

Our 450 Scenario, which is consistent with a 50% chance of limiting global temperature increase to 2 °C, assumes a growing intensity of co-ordinated action against climate change from 2014 onwards. Our 4-for-2 °C Scenario (see Chapter 2) takes a slightly different approach, focusing on national short-term actions which can keep the door to 2 °C open without adversely affecting economic growth in any given country, prior to new co-ordinated international action from 2020. Both scenarios depend upon early additional action to tackle climate change, in one form or another. But what if this early action is not forthcoming? We analyse here some of the implications if governments and the energy sector were to delay taking stronger action on climate change, continuing on the path of our New Policies Scenario[14] until 2019 and then having to take sharp corrective action to get back onto a trajectory compatible with a long-term global temperature increase of no more than 2 °C. It is an illustrative case, essentially a "delayed" 450 Scenario, based on the hypothesis that, for a variety of possible reasons, a number of years could pass before a significant new boost is given to national policies and low-carbon investment.

Delaying action on climate change inevitably makes the 2 °C ever more challenging to achieve. In a scenario where there is such a delay, energy-related CO_2 emissions would reach 34.4 Gt in 2019 (as in our New Policies Scenario) but then need, to meet the 2 °C target, to decline even more rapidly after this date, ending at 20.6 Gt in 2035 (Figure 3.15). In essence, the additional emissions in the period to 2020 result in an emissions reduction trajectory thereafter which is even more challenging than our 450 Scenario. The emissions reduction after 2020 is driven by improvements in energy efficiency (particularly in the industry and services sectors), even more rapid deployment of renewable energy technologies in the power sector and widespread adoption of CCS. Energy efficiency is rapidly increased in industry by phasing out old and inefficient facilities in energy-intensive industries, as well as by introducing new efficient motor systems. Energy efficiency in buildings is stepped up by replacing oil- and gas-fired boilers for space and water heating by more efficient ones. In the power sector, additional efficient coal and gas power plants are introduced, with less-efficient plants being operated less or completely retired. The increase in electricity generation from renewables comes mainly from wind power, but also from hydro, bioenergy and solar PV. The key regions affected are China, the United States and India. As well, CCS is very rapidly deployed, with the power sector accounting for nearly 70% of all CCS-related emissions savings, industry for more than 25% and the transformation sector for 5%.

Delaying climate action takes the world beyond the date, estimated to be 2017 in *WEO-2012*, at which then existing energy infrastructure locks-in the entire remaining carbon emissions budget to 2035. The result is that much more costly actions are required subsequently to undo the lock-in effect, including the early retirement of assets, lower utilisation or idling of carbon-intensive capacity and increased investment in CCS retrofitting. In short, delayed action creates more stranded assets in the energy sector. In the power

14. The New Policies Scenario does include cautious implementation of national targets to reduce greenhouse-gas emissions communicated under the 2010 Cancun Agreements.

sector, the delay results in the construction of a greater number of new fossil-fuelled plants up to 2020, around 185 GW of capacity. As a result, 164 GW of power capacity must be either retired or idled (101 GW collectively), or retrofitted with CCS (63 GW), between 2020 and 2035. Developing countries are most exposed to these lock-in effects, as they build two-thirds of the additional fossil-fuel plants constructed up to 2020, many of which are inefficient coal plants. To compensate for emissions from this capacity, an extra 130 GW of plants in developing countries must be retired, idled or retrofitted with CCS after 2020. It follows that, if governments are to stand by their commitment to limit the average rise in the global temperature to no more than 2 °C, developing countries have the most to gain from moving towards clean energy investment more quickly and *vice versa* the most to lose from carbon lock-in. A swift move away from subcritical coal-fired power plants, as highlighted in the 4-for-2 °C Scenario in Chapter 2, is a step in this regard and will help to meet subsequent goals at a lower cost.

Figure 3.15 ▷ World energy-related CO_2 emissions abatement in a "delayed" 450 Scenario relative to the New Policies Scenario



CO_2 Abatement	2025	2035
Demand	5%	5%
End-use efficiency	27%	31%
Power plant efficiency	11%	3%
Fuel and technology switch	2%	2%
Renewables	25%	26%
Biofuels	5%	5%
Nuclear	9%	9%
CCS	15%	20%
Total (Gt CO_2)	**6.2**	**16.4**

Analysis of the entire energy system shows that delaying action on climate change is a false economy. Investments of around $1.5 trillion are avoided in the period to 2020, but an additional $5 trillion of investments are required between 2020 and 2035 (Figure 3.16).[15] Prior to 2020, investments are notably lower in buildings (around $0.55 trillion) and industry (around $0.45 trillion). In buildings, the amount of retrofit in existing buildings is significantly scaled back, while in transport the sales of hybrid and electric cars are lower in the period before 2020. The industry sector avoids investments before 2020 by allowing inefficient old infrastructure to continue to operate for a few more years, reducing investments in more efficient equipment. After 2020, $1.4 trillion of additional investment

15. Using a 5% discount rate, investment costs avoided prior to 2020 are $1.2 trillion, while additional investments required after 2020 are $2.3 trillion. If a 10% discount rate is used, investment costs avoided before 2020 are $0.95 trillion, while additional investments required after 2020 are $1.15 trillion.

is required to retrofit buildings across both OECD and non-OECD countries. In industry, additional investment of $1.3 trillion is required to finance large-scale replacement by new equipment, including in furnaces, motors, kilns, steam crackers and boilers. From a technology perspective, early action can increase the potential for accelerated learning and reduced costs. However, delaying action could leave open the possibility of breakthroughs that surpass current technologies.

Figure 3.16 ▷ Change in world cumulative energy investment by sector in a "delayed" 450 Scenario relative to the 450 Scenario



This analysis shows that, if the international community is serious about acting to limit the rise in global temperature to 2 °C, delaying further action, even to the end of the current decade, would result in substantial additional costs in the energy sector. As reflected throughout this report, it highlights the importance of additional mitigation action in the period prior to a new global climate agreement coming into effect, to avoid the waste of creating stranded assets.

Units and conversion factors

This annex provides general information on units, and conversion factors for energy units and currencies.

Units

Coal	Mtce	million tonnes of coal equivalent
Emissions	ppm	parts per million (by volume)
	Gt CO_2-eq	gigatonnes of carbon-dioxide equivalent (using 100-year global warming potentials [GWP] for different greenhouse gases)
	kg CO_2-eq	kilogrammes of carbon-dioxide equivalent
	g CO_2/km	grammes of carbon dioxide per kilometre
	g CO_2/kWh	grammes of carbon dioxide per kilowatt-hour
Energy	Mtoe	million tonnes of oil equivalent
	MBtu	million British thermal units
	Gcal	gigacalorie (1 calorie x 10^9)
	TJ	terajoule (1 joule x 10^{12})
	kWh	kilowatt-hour
	MWh	megawatt-hour
	GWh	gigawatt-hour
	TWh	terawatt-hour
Gas	mcm	million cubic metres
	bcm	billion cubic metres
	tcm	trillion cubic metres
Mass	kg	kilogramme (1 000 kg = 1 tonne)
	kt	kilotonnes (1 tonne x 10^3)
	Mt	million tonnes (1 tonne x 10^6)
	Gt	gigatonnes (1 tonne x 10^9)
Monetary	$ million	1 US dollar x 10^6
	$ billion	1 US dollar x 10^9
	$ trillion	1 US dollar x 10^{12}

Oil	b/d	barrels per day
	kb/d	thousand barrels per day
	mb/d	million barrels per day
	mpg	miles per gallon
Power	W	watt (1 joule per second)
	kW	kilowatt (1 Watt x 10^3)
	MW	megawatt (1 Watt x 10^6)
	GW	gigawatt (1 Watt x 10^9)
	TW	terawatt (1 Watt x 10^{12})

Energy conversions

Convert to:	**TJ**	**Gcal**	**Mtoe**	**MBtu**	**GWh**
From:	multiply by:				
TJ	1	238.8	2.388×10^{-5}	947.8	0.2778
Gcal	4.1868×10^{-3}	1	10^{-7}	3.968	1.163×10^{-3}
Mtoe	4.1868×10^{4}	10^{7}	1	3.968×10^{7}	11 630
MBtu	1.0551×10^{-3}	0.252	2.52×10^{-8}	1	2.931×10^{-4}
GWh	3.6	860	8.6×10^{-5}	3 412	1

Currency conversions

Exchange rates (2011)	**1 US Dollar equals:**
Australian Dollar	0.97
British Pound	0.62
Canadian Dollar	0.99
Chinese Yuan	6.47
Euro	0.72
Indian Rupee	46.26
Japanese Yen	79.84
Korean Won	1 107.81
Russian Ruble	29.42

References

Chapter 1: Climate and energy trends

BNEF (Bloomberg New Energy Finance) (2013), *Clean Energy Investment Trends*, BNEF, London.

Boden, T., G. Marland and R. Andres (2012), *Global, Regional, and National Fossil-Fuel CO_2 Emissions*, Carbon Dioxide Information Analysis Center, Oak Ridge National Laboratory, US Department of Energy, Oak Ridge, Tennessee.

Burniaux, J. and J. Chateau (2008), "An Overview of the OECD ENV-Linkages Model", *OECD Economics Department Working Papers*, No. 653, OECD, Paris.

DECC (UK Department of Energy and Climate Change) (2013), *UK Greenhouse Gas Emissions - Quarterly Statistics: 4th Quarter 2012 Provisional Figures*, DECC, London.

Elzen, M. den, M. Meinshausen and D. van Vuuren (2007), Multi-Gas Emission Envelopes to Meet Greenhouse Gas Concentration Targets: Costs Versus Certainty of Limiting Temperature Increase, *Global Environmental Change*, Vol. 17, No. 2, Elsevier, pp. 260-280.

European Commission (2012a), "The State of the European Carbon Market in 2012", *Report from the Commission to the European Parliament and the Council*, COM(2012) 652 final, European Commission, Brussels.

– (2012b), "Information Provided on the Functioning of the EU Emissions Trading System, the Volumes of Greenhouse Gas Emission Allowances Auctioned and Freely Allocated and the Impact on the Surplus of Allowances in the Period up to 2020", *Commission Staff Working Document*, SWD(2012) 234 final, European Commission, Brussels.

EEA (European Environment Agency) (2013), *Atmospheric Greenhouse Gas Concentrations*, *www.eea.europa.eu/data-and-maps/indicators/atmospheric-greenhouse-gas-concentrations-2/assessment-1*, accessed 11 April 2013.

Frankfurt School UNEP Collaborating Centre and Bloomberg New Energy Finance (2012), *Global Trends in Renewable Energy Investment 2012*, Frankfurt School of Finance and Management, Frankfurt, Germany.

GEA (Global Energy Assessment) (2012), *Global Energy Assessment – Toward a Sustainable Future*, Cambridge University Press and the International Institute for Applied Systems Analysis, Cambridge, United Kingdom and New York, and Laxenburg, Austria.

Global CCS Institute (2013), *Status of CCS Project Database*, *www.globalccsinstitute.com/data/status-ccs-project-database*, accessed 11 April 2013.

GWEC (Global Wind Energy Council) (2013), *Global Wind Statistics 2012*, GWEC, Brussels.

Hansen, J., M. Sato and R. Ruedy (2012), "Perception of Climate Change", *Proceedings of the National Academy of Sciences of the United States*, Vol. 109, No. 37, pp. 2415-2423.

IEA (International Energy Agency) (2011a), *Combining Bioenergy and CCS: Reporting and Accounting for Negative Emissions under the UNFCCC and the Kyoto Protocol,* OECD/IEA, Paris.

– (2011b), *Are We Entering a Golden Age of Gas: World Energy Outlook Special Report*, OECD/IEA, Paris.

– (2012a), *World Energy Outlook 2012*, OECD/IEA, Paris.

– (2012b), *Golden Rules for a Golden Age of Gas: World Energy Outlook Special Report*, OECD/IEA, Paris.

– (2013a), *Tracking Clean Energy Progress 2013*, OECD/IEA, Paris.

– (2013b), "Gas to Coal Competition in the US Power Sector", *IEA Insights Paper Series*, OECD/IEA, Paris.

IIASA (International Institute for Applied Systems Analysis) (2012), *Emissions of Air Pollutants for the World Energy Outlook 2012 Energy Scenarios*, IIASA, Laxenburg, Austria.

IPCC (Intergovernmental Panel on Climate Change) (2013), *Synthesis Report to the Fifth Assessment Report of the IPCC*, forthcoming.

Lenton, T., *et al.* (2008), "Tipping Elements in the Earth's Climate System", *Proceedings of the National Academy of Sciences of the United States*, Vol. 105, No. 6, Washington, DC, pp. 1786–1793.

Meinshausen, M., *et al.* (2009), "Greenhouse Gas Emission Targets for Limiting Global Warming to 2 °C", *Nature*, Vol. 458, pp. 1158-1163.

Meyssignac, B. and A. Cazenave (2012), "Sea level: A Review of Present-Day and Recent-Past Changes and Variability", *Journal of Geodynamics*, Vol. 58, pp. 96-109.

NASA (2013), *GLOBAL Land-Ocean Temperature Index in 0.01 Degrees Celsius, Base Period 1951-1980, www.data.giss.nasa.gov/gistemp/tabledata_v3/GLB.Ts+dSST.txt*, accessed 15 May 2013.

OECD (Organisation for Economic Co-operation and Development) (2012), *OECD Environmental Outlook to 2050*, OECD, Paris.

Oliver, J., G. Janssens-Maenhout and J. Peters (2012), *Trends in Global CO_2 Emissions*, PBL Netherlands Environmental Assessment Agency and Joint Research Centre, The Hague, Netherlands and Ispra, Italy.

Pakistan Ministry of Climate Change (2012), *National Climate Change Policy*, Government of Pakistan, Islamabad.

Point Carbon (2013), *China Reports Big Drop in New Carbon Offset Projects*, *www.pointcarbon.com/news/1.2231773?date=20130321&sdtc=1*, accessed 21 March 2013.

Rogelj, J., M. Meinshausen and R. Knutti (2012), "Global Warming Under Old and New Scenarios using IPCC Climate Sensitivity Range Estimates", *Nature Climate Change*, Vol. 2, No. 6, Nature Publishing Group, London, pp. 248-253.

Smith, J., *et al.* (2009), "Assessing Dangerous Climate Change through an Update of the Intergovernmental Panel on Climate Change 'Reasons for Concern'", *Proceedings of the National Academy of Sciences of the United States*, Vol. 106, No. 11, pp. 4133–4137.

Solar Energy Industries Association (2013), *US Solar Market Insight*, *www.seia.org/research-resources/us-solar-market-insight*, accessed 11 April 2013.

Tans, P. and R. Keeling (2013), *Trends in Atmospheric Carbon Dioxide*, Earth System Research Laboratory, *www.esrl.noaa.gov/gmd/ccgg/trends/*, accessed 11 April 2013.

UBA (Umweltbundesamt/German Federal Environment Agency) (2013), *Greenhouse Gas Emissions in Germany in 2012*, UBA, Dessau, Germany.

UCAR (University Corporation for Atmospheric Research) (2008), MAGICC/SCHENGEN Version 5.3.V2, UCAR, Boulder, CO, United States.

UNEP (United Nations Environment Programme) (2012), *The Emissions Gap Report 2012*, UNEP, Nairobi.

Chapter 2: Energy policies to keep the 2 °C target alive

Alvarez, R., *et al.* (2012), "Greater Focus Needed on Methane Leakage from Natural Gas Infrastructure", *Proceedings of the National Academy of Sciences of the United States*, Vol. 109, No. 17, Washington, DC, pp. 6435-6440.

Chateau, J. and B. Magné (2013), "Economic Implications of the IEA Efficient World Scenario", *OECD Environment Directorate Working Paper*, OECD, Paris.

Goenka, D. and S. Guttikunda (2013), *Coal kills – An Assessment of Death and Disease Caused by India's Dirtiest Energy Source*, Conservation Action Trust, Urban Emissions and Greenpeace, Mumbai.

IEA (International Energy Agency) (2011a), *World Energy Outlook 2011*, OECD/IEA, Paris.

– (2011b), *Energy-Efficiency Policy Opportunities for Electric Motor-Driven Systems*, OECD/IEA, Paris.

– (2011c), *Carbon Capture and Storage: Legal and Regulatory Review*, OECD/IEA, Paris.

– (2012a), *World Energy Outlook 2012*, OECD/IEA, Paris.

– (2012b), *Policy Pathway: Improving the Fuel Economy of Road Vehicles*, OECD/IEA, Paris.

– (2012c), *Golden Rules for a Golden Age of Gas: World Energy Outlook Special Report*, OECD/IEA, Paris.

– (2012d), *A Policy Strategy for Carbon Capture and Storage*, OECD/IEA, Paris.

– (2013a), *Tracking Clean Energy Progress 2013*, OECD/IEA, Paris.

– (2013b), *Transitions to Sustainable Buildings*, OECD/IEA, Paris.

IIP (Institute for Industrial Productivity) (2011), *Best Practices in Energy Efficient Industrial Technologies: Motor Systems*, IIP, Washington, DC.

IMF (International Monetary Fund) (2012), *World Economic Outlook: Coping with High Debt and Sluggish Growth*, IMF, Washington, DC.

– (2013), *Energy Subsidy Reform: Lessons and Implications*, IMF, Washington, DC.

IPCC (Intergovernmental Panel on Climate Change) (2005), *Carbon Dioxide Capture and Storage*, Contribution of Working Group III of the IPCC, Cambridge University Press, Cambridge, United Kingdom.

– (2007), "Climate Change 2007: The Physical Science Basis", Contribution of Working Group I to the *Fourth Assessment Report of the IPCC*, Cambridge University Press, New York.

Lenton, T., *et al.* (2008), "Tipping Elements in the Earth's Climate System", *Proceedings of the National Academy of Sciences of the United States*, Vol. 105, No. 6, Washington, DC, pp. 1786–1793.

Lim, S., *et al.* (2012), "A Comparative Risk Assessment of Burden of Disease and Injury Attributable to 67 Risk Factors and Risk Factor Clusters in 21 Regions, 1990-2010: A Systematic Analysis for the Global Burden of Disease Study 2010", *The Lancet*, Vol. 380, No. 9859, pp. 2224-2260.

OECD (Organisation for Economic Co-operation and Development) (2012), *OECD Economic Outlook*, OECD, Paris.

Parry, I. and R. Williams (2011), "Moving US Climate Policy Forward: Are Carbon Taxes the Only Good Alternative?", *Resources for the Future Discussion Paper*, No. 11-02, Resources for the Future, Washington, DC.

Stohl, A., *et al.* (2013), "Why Models Struggle to Capture Arctic Haze: The Underestimated Role of Gas Flaring and Domestic Combustion Emissions", *Atmospheric Chemistry and Physics Discussions*, Vol. 13, European Geosciences Union, pp. 9567-9613.

SwitchAsia (2013), *Electric Motor Systems Energy-Saving Challenge – Improving the Operating Efficiency of Chinese Electric Motor Systems*, *www.switch-asia.eu/switch-projects/project-impact/projects-on-designing-for-sustainability/efficient-electric-motor-system.html*, accessed 24 March 2013.

UNEP (United Nations Environment Programme) (2011), *Near-Term Climate Protection and Clean Air Benefits: Actions for Controlling Short-Lived Climate Forcers*, UNEP, Nairobi.

UNEP and WMO (World Meteorological Organization) (2011), *Integrated Assessment of Black Carbon and Tropospheric Ozone*, UNEP and WMO, Nairobi.

US EPA (US Environmental Protection Agency) (2012a), *Global Anthropogenic Non-CO_2 Greenhouse Gas Emissions: 1990-2030*, US EPA, Washington, DC.

– (2012b), *Parameters for Properly Designed and Operated Flares: Report for Flare Review Panel*, US EPA, Washington, DC.

– (2013), *Draft Inventory of US Greenhouse Gas Emissions and Sinks: 1990-2011*, US EPA, Washington, DC.

Chapter 3: Managing climate risks to the energy sector

Acclimatise (2009), "Building Business Resilience to Inevitable Climate Change", *Carbon Disclosure Project Report 2008*, FTSE 350, Oxford, United Kingdom.

BNEF (Bloomberg New Energy Finance) (2012), *EPA's New Rule on Water Cooling Systems.* BNEF, London.

– (2013), *China's Power Utilities in Hot Water*, BNEF, London.

Durmayaz, A. and O. Sogul (2006), "Influence of Cooling Water Temperature on the Efficiency of a Pressurized Water Reactor Nuclear Power Plant", *International Journal of Energy Research*, Vol. 30, No. 10, Wiley, pp. 799-810.

EDF (2013), "Electricity Generation Lost in French Nuclear Power Plants due to Environmental Regulation in the Summer of 2003", private communication with the International Energy Agency, 18 April.

Elcock, D. and J. Kuiper, J. (2010), *Water Vulnerabilities for Existing Coal-Fired Power Plants*, National Energy Technology Laboratory, Pittsburgh, PA, United States.

European Commission (2013), *An EU Strategy on Adaptation to Climate Change,* COM(2013) 216 final*,* European Commission, Brussels.

Fenger, J. (2007), *Impacts of Climate Change on Renewable Energy Sources: Their Role in the Nordic Energy System*, Nordic Council of Ministers, Copenhagen.

Foster, S. and D. Brayshaw (2013), *Effects of Climate Change on the Energy System Note for the World Energy Outlook Special Report on Redrawing the Energy-Climate Map*, Imperial College, London.

Hamadudu, B. and A. Killingtveit (2012), "Assessing Climate Change Impacts on Global Hydropower", *Energies*, Vol. 5, MDPI AG, pp. 302-322.

Hansen, J., M. Sato and R. Ruedy (2012), "Perception of Climate Change", *Proceedings of the National Academy of Sciences of the United States*, Vol. 109, No. 37, pp. 14726-14727.

Harsem, O., A. Eide and K. Heen (2011), "Factors Influencing Future Oil and Gas Prospects in the Arctic", *Energy Policy*, Vol. 39, No. 12, Elsevier, pp. 8037-8045.

Hempel, S., *et al.* (2013), "A Trend-Preserving Bias Correction – the ISI-MIP Approach", *Earth System Dynamics*, Vol. 4, European Geosciences Union, pp. 49-92.

Holden, P., *et al.* (2013), *PLASIM-ENTSem: A Spatio-Temporal Emulator of the 21st Century Climate Change for Impacts Assessment*, Open University, Milton Keynes, United Kingdom, forthcoming.

IEA (International Energy Agency) (2012a), (2012a), *World Energy Outlook 2012*, OECD/IEA, Paris.

– (2012b), *Iraq Energy Outlook: World Energy Outlook Special Report*, OECD/IEA, Paris.

– (2012c), *Golden Rules for a Golden Age of Gas: World Energy Outlook Special Report*, OECD/IEA, Paris.

IPCC (Intergovernmental Panel on Climate Change) (2007), "Climate Change 2007: The Physical Science Basis", Contribution of Working Group I to the *Fourth Assessment Report of the IPCC*, Cambridge University Press, Cambridge, United Kingdom and New York.

– (2012), "Managing the Risks of Extreme Events and Disasters to Advance Climate Change Adaptation", *A Special Report of Working Groups I and II of the IPCC*, Cambridge University Press, Cambridge, United Kingdom and New York.

Jochem, E., and W. Schade (2009), *Adaptation and Mitigation Strategies Supporting European Climate Policy*, Fraunhofer Institute for Systems and Innovation Research, Karlsruhe, Germany.

Karl, T., J. Melillo and T. Peterson (2009), *Global Climate Change Impacts in the United States*, Cambridge University Press, New York.

Knabb, R., J. Rhome and D. Brown (2005), *Tropical Cyclone Report – Hurricane Katrina, NOAA National Weather Service*, Miami, FL, United States.

Markoff, M. and A. Cullen (2008), "Impact of Climate Change on Pacific Northwest Hydropower", Climatic Change, Vol. 87, Nos. 3-4, Springer, pp. 451-469.

McNeil, M. and V. Letschert (2007), "Future Air Conditioning Energy Consumption in Developing Countries and What Can be Done about it: The Potential of Efficiency in the Residential Sector", *European Council for an Energy Efficient Economy (ECEEE) 2007 Summer Study*, ECEEE, pp. 1311-1322.

Munich RE (Münchener Rückversicherungs-Gesellschaft Aktiengesellschaft) (2011), "World Map of Natural Hazards", *NATHAN Risks Suite*, Munich RE, Munich.

NCADAC (US National Climate Assessment and Development Advisory Committee) (2013), *Federal Advisory Committee Draft Climate Assessment Report Released for Public Review,* US Global Change Research Program*,* Washington, DC.

NOAA (US National Oceanic and Atmospheric Administration) (2013a), *Integrated Map Application*, *www.climate.gov/#dataServices*, accessed 12 April 2013.

– (2013b), "Arctic Change – Land Roads", *Arctic Change Indicator www.arctic.noaa.gov/detect/land-road.shtml?page=land*, accessed 22 March 2013.

NOAA National Weather Service (2012), *Event Summary – Hurricane Sandy*, NOAA, *www.erh.noaa.gov/mhx/EventReviews/20121029/20121029.php*, accessed 11 April 2013.

Peterson, T., P. Stott and S. Herring (2012), "*Explaining Extreme Events of 2011 from a Climate Perspective*", *American Meteorological Society*, Vol. 93, pp. 1041-1067.

Ponce Arrieta, F. and E. Silva Lora (2005), "Influence of Ambient Temperature on Combined-Cycle Power Plant Performance", *Applied Energy*, Vol. 80, No. 3, Elsevier, pp. 261-272.

Pryor, S. and R. Barthelmie (2010). "Climate Change Impacts on Wind Energy: A Review", *Renewable and Sustainable Energy Reviews,* Vol. 14, No. 1, Elsevier, pp. 430-437.

Robine, J., *et al.* (2008), "Death Toll Exceeded 70,000 in Europe during the Summer of 2003", *Comptes Rendus Biologies*, Vol. 331, No. 2, pp. 171-178.

Sailor, D., M. Smith and M. Hart (2008), "Climate Change Implications for Wind Power Resources in the Northwest United States", *Renewable Energy*, Vol. 33, No. 11, Elsevier, pp. 2393-2406.

Sathaye, J., *et al.* (2013), "Estimating Impacts of Warming Temperatures on California's Electricity System", *Global Environmental Change*, Vol. 23, No. 2, Elsevier, pp. 499-511.

Sauer, A., P. Klop and S. Agrawal (2010), *Over Heating – Financial Risks from Water Constraints on Power Generation in Asia*, HSBC and World Resources Institute (WRI), WRI, Washington, DC.

Schaeffer, R., *et al.* (2012), "Energy Sector Vulnerability to Climate Change: A Review", *Energy*, Vol. 38, No. 1, Elsevier, pp. 1-12.

Stott, P., D. Stone and M. Allen (2004), "Human Contribution to the European Heatwave of 2003", *Nature*, Vol. 432, Nature Publishing Group, pp. 610-614.

Strauss, B. and R. Ziemlinski (2012), Surging Seas: Sea Level Rise, Storms and Global Warming's Threat to the US Coast, *Climate Central*, Princeton, NJ, United States.

Trenberth, K. and J. Fasullo (2008), Energy Budgets of Atlantic Hurricanes and Changes from 1970, *Geochemistry Geophysics Geosystems*, Vol. 9, No. 9, American Geophysical Union and the Geochemical Society, pp. 1-12.

Tuck, G., *et al.* (2006), "The Potential Distribution of Bioenergy Crops in Europe Under Present and Future Climate", *Biomass and Bioenergy*, Vol. 30, No. 3, Elsevier, pp. 183-197.

UNFCCC (United Nations Framework Convention on Climate Change) (2013), *Glossary of Climate Change Acronyms, unfccc.int/essential_background/glossary/items/3666.php*, accessed 24 March 2013.

UNPD (United Nations Population Division) (2012), *World Urbanization Prospects – The 2011 Revision*, United Nations, New York.

USGS (United States Geological Survey) (2008), "Circum-Arctic Resources Appraisal: Estimates of Undiscovered Oil and Gas North of the Arctic Circle", *Fact Sheet 2008-3049*, USGS, Boulder, CO, United States.

US PCAST (US President's Council of Advisors on Science and Technology) (2013), Communication to the White House, www.whitehouse.gov/sites/default/files/microsites/ostp/PCAST/pcast_energy_and_climate_3-22-13_final.pdf, accessed 3 May 2013.

Vliet, M. van, *et al.* (2012), "Vulnerability of US and European Electricity Supply to Climate Change", *Nature Climate Change*, Vol. 2, Nature Publishing Group, pp. 676-681.

Wilbanks, T., *et al*. (2007), *Effects of Climate Change on Energy Production and Use in the United States*, US Department of Energy, Washington, DC.

WORLD ENERGY OUTLOOK 2013



www.worldenergyoutlook.org

RELEASE: **12 NOVEMBER**

A new global energy landscape is emerging, resetting long-held expectations for our energy future. Incorporating these recent developments and world-class analysis, *World Energy Outlook 2013* presents a full update of energy projections through to 2035 and insights into what they mean for energy security, climate change, economic development and universal access to modern energy services. Oil, coal, natural gas, renewables and nuclear power are all covered, along with an update on developments in subsidies to fossil fuels and renewable energy.

This year *World Energy Outlook* also gives a special focus to topical energy sector issues:

- **Redrawing the energy-climate map:** the short-term measures that could keep the 2°C target within reach, and the extent to which low-carbon development could leave fossil-fuel investments stranded.
- **Energy in Brazil:** how a vast and diverse resource base – from renewables to new offshore discoveries – can meet the growing needs of the Brazilian economy and open up new export markets.
- **Oil supply, demand and trade:** a fresh look at the economics and decline rates of different types of oil production around the world, the prospects for light tight oil inside and outside North America, along with new analysis of oil products and the refining sector.
- **The implications for economic competitiveness of the changing energy map:** what the major disparities in regional energy prices might mean for major energy-intensive industries and the broader impact on economic growth and household purchasing power.
- **The global spread of unconventional gas supply**, including the uptake of the IEA "Golden Rules" to address public concerns about the associated environmental and social impacts.
- **Energy trends in Southeast Asia**, a region that is exerting a growing influence in the global energy system. Special report released 23 September.

The *World Energy Outlook* is recognised as the most authoritative source of strategic analysis of global energy markets. It is regularly used as input to the development of government policies and business strategies and raises public awareness of the key energy and environmental challenges the world is facing.

For more information, please visit our website: ***www.worldenergyoutlook.org***

TABLE OF CONTENTS

International Energy Agency

Online bookshop

Buy IEA publications online:

www.iea.org/books

PDF versions available at 20% discount

A number of books printed before January 2012 are now available free of charge in pdf format on our website

International Energy Agency • 9 rue de la Fédération • 75739 Paris Cedex 15, France

iea

Tel: +33 (0)1 40 57 66 90

E-mail: books@iea.org

The paper used for this document has received certification from the Programme for the Endorsement of Forest Certification (PEFC) for being produced respecting PEFC's ecological, social and ethical standards.
PEFC is an international non-profit, non-governmental organization dedicated to promoting Sustainable Forest Management (SFM) through independent third-party certification.

IEA PUBLICATIONS, 9 rue de la Fédération, 75739 PARIS CEDEX 15
Layout in France by Easy Catalogue - Printed in France by Corlet, June 2013
Photo credits: GraphicObsession